

ASNT Radiographic Testing (RT) Level II Practice Test (Sample)

Study Guide



Everything you need from our exam experts!

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright	1
Table of Contents	2
Introduction	3
How to Use This Guide	4
Questions	5
Answers	8
Explanations	10
Next Steps	16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 - 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

Questions

SAMPLE

- 1. What happens to the characteristic curve as the development time increases?**
 - A. The curve becomes less steep and moves to the right**
 - B. The curve grows steeper and moves to the left**
 - C. The curve shifts downwards**
 - D. The curve remains unchanged**

- 2. How do gamma rays commonly used for testing undergo attenuation?**
 - A. Through reflection and refraction**
 - B. Through photoelectric absorption and Compton absorption**
 - C. Through scattering and transmission**
 - D. Through diffraction and ionization**

- 3. What happens to the life of an x-ray tube if the focal spot is made too small?**
 - A. It increases significantly**
 - B. It stays the same**
 - C. It may shorten the life of the tube**
 - D. It has no effect on performance**

- 4. What does the x-ray absorption of a specimen rely on?**
 - A. The energy of the x-ray source**
 - B. The color of the specimen**
 - C. The thickness and density AND the atomic number of the material**
 - D. The temperature of the specimen**

- 5. What causes the subjective impression of graininess in processed x-ray film?**
 - A. The uneven distribution of developed grains**
 - B. The thickness of the film**
 - C. The temperature during processing**
 - D. The type of radiation used**

- 6. Which factor does not significantly influence the image density of a radiograph?**
- A. Film speed**
 - B. Development time**
 - C. Size of the film**
 - D. Source-to-film distance**
- 7. What is the purpose of including a rapidly rotating disc-shaped target in some X-ray tubes?**
- A. To improve image resolution**
 - B. To increase the permissible load**
 - C. To decrease radiation exposure**
 - D. To enhance cooling properties**
- 8. What term describes the distance between the X-ray source and the film?**
- A. Source-to-film distance**
 - B. Radiation path length**
 - C. Exposure distance**
 - D. Beam distance**
- 9. Which two factors greatly affect the suitability of target material in an X-ray tube?**
- A. Melting point and atomic radius**
 - B. Atomic number and melting point**
 - C. Atomic size and stability**
 - D. Density and atomic weight**
- 10. What causes the activity of the fixer to diminish over time?**
- A. The fixer solution accumulates soluble silver salts**
 - B. The temperature of the fixer increases**
 - C. The fixer becomes overly concentrated**
 - D. The fixer solution is exposed to air**

Answers

SAMPLE

1. B
2. B
3. C
4. C
5. A
6. C
7. B
8. A
9. B
10. A

SAMPLE

Explanations

SAMPLE

1. What happens to the characteristic curve as the development time increases?
 - A. The curve becomes less steep and moves to the right
 - B. The curve grows steeper and moves to the left**
 - C. The curve shifts downwards
 - D. The curve remains unchanged

When development time increases, the characteristic curve of a radiographic film becomes steeper and shifts to the left. This phenomenon occurs because an extended development time enhances the contrast of the image; areas with higher exposure become more pronounced, which leads to a sharper delineation between different levels of exposure. A steeper curve indicates that a small change in exposure will result in a larger change in density, effectively improving the image's ability to differentiate between subtle variations in thickness or density of the material being tested. The leftward shift signifies that less exposure is required to reach the same density level, again a result of the film being more sensitive due to the prolonged development process. In essence, a longer development time improves the film's sensitivity and contrast, which are crucial in radiographic testing for revealing flaws or inconsistencies in a material.

2. How do gamma rays commonly used for testing undergo attenuation?
 - A. Through reflection and refraction
 - B. Through photoelectric absorption and Compton absorption**
 - C. Through scattering and transmission
 - D. Through diffraction and ionization

Gamma rays commonly undergo attenuation through two primary processes: photoelectric absorption and Compton scattering, which are essential mechanisms that affect the intensity of gamma radiation as it travels through matter. In photoelectric absorption, a gamma photon interacts with an electron in an atom, transferring all of its energy to the electron, which is then ejected from the atom. This process occurs more readily in materials with high atomic numbers and at lower gamma-ray energies. The photon essentially disappears, contributing to the attenuation of the radiation. Compton scattering, on the other hand, occurs when a gamma photon collides with an outer electron, imparting only part of its energy to the electron while the photon is deflected with reduced energy. This interaction is significant at intermediate photon energies and results in a redistribution of energy, contributing to the overall attenuation of the beam. Together, these processes define how gamma rays lose intensity as they traverse various materials, forming a critical understanding in radiographic testing and the evaluation of material properties. The other options mention processes that do not significantly contribute to the attenuation of gamma rays in the context of radiographic testing, making them less relevant to the question.

3. What happens to the life of an x-ray tube if the focal spot is made too small?

- A. It increases significantly**
- B. It stays the same**
- C. It may shorten the life of the tube**
- D. It has no effect on performance**

When the focal spot of an x-ray tube is made too small, it can indeed lead to a shortened life of the tube. The reason for this lies in the increased heat intensity that a smaller focal spot generates. A smaller focal spot can lead to higher concentrations of energy delivered in a smaller area, resulting in elevated temperatures and potential damage to the anode. X-ray tubes are designed to dissipate heat effectively, and when the focal spot is too small, the heat cannot be managed as efficiently. This can result in overheating, which can degrade the anode surface, lead to melting or pitting, and ultimately shorten the lifespan of the tube. Moreover, smaller focal spots are often associated with higher resolution imaging but can also lead to more wear and tear on the components of the x-ray tube due to increased thermal stresses. Therefore, maintaining an appropriate size for the focal spot is critical to ensure the longevity and reliable operation of the x-ray tube.

4. What does the x-ray absorption of a specimen rely on?

- A. The energy of the x-ray source**
- B. The color of the specimen**
- C. The thickness and density AND the atomic number of the material**
- D. The temperature of the specimen**

The x-ray absorption of a specimen is influenced significantly by properties such as the thickness and density of the material, as well as the atomic number. When x-rays penetrate a specimen, different materials will absorb varying amounts of radiation based on these factors. The thickness of the specimen determines how much material the x-rays must pass through, with thicker materials typically absorbing more x-rays. Density also plays a crucial role because denser materials contain more atoms in a given volume, which increases the likelihood of interactions between the x-rays and the material, leading to greater absorption. Lastly, the atomic number contributes to absorption because higher atomic number elements have more electrons, resulting in a higher probability of x-ray attenuation. This combined effect of thickness, density, and atomic number fundamentally determines the degree to which x-rays are absorbed by a material, thereby impacting radiographic results.

5. What causes the subjective impression of graininess in processed x-ray film?

- A. The uneven distribution of developed grains**
- B. The thickness of the film**
- C. The temperature during processing**
- D. The type of radiation used**

The subjective impression of graininess in processed x-ray film is primarily caused by the uneven distribution of developed grains. During the development process, the silver halide crystals in the film emulsion are reduced to metallic silver. If these grains are not distributed uniformly, or if there are variations in their sizes and densities, the resulting image can exhibit a grainy appearance. This graininess is particularly noticeable in areas of lower exposure where the concentration of developed silver is less consistent. Other factors like film thickness, processing temperature, and the type of radiation used can influence the overall quality and sharpness of the radiographic image, but they do not directly contribute to graininess in the same way that the uneven distribution of developed grains does. Thicker films may have a different appearance, and variations in processing temperature can affect the overall contrast and detail, while the type of radiation can impact the exposure characteristics. However, it is the irregular distribution of silver grains that specifically manifests as graininess within the film.

6. Which factor does not significantly influence the image density of a radiograph?

- A. Film speed**
- B. Development time**
- C. Size of the film**
- D. Source-to-film distance**

In radiographic testing, the factors that significantly influence image density include film speed, development time, and source-to-film distance. Each of these elements plays a crucial role in determining how an image is formed and its overall density. Film speed refers to the sensitivity of the film to radiation. A higher film speed can result in darker images with less exposure time required, thus directly affecting the density of the radiograph. Development time also affects image density, as underdeveloped films may appear lighter, while overdeveloped films can become excessively dark. Source-to-film distance is another critical factor; increasing the distance generally reduces image density due to the inverse square law, where the intensity of radiation diminishes with distance. This relationship means that at greater distances, the film receives less radiation, leading to lighter images. The size of the film, while it can affect the detail and scale of the image, does not inherently impact the density. Density is more about the exposure and processing conditions rather than the physical dimensions of the film itself. Therefore, this factor does not significantly influence image density compared to the others.

7. What is the purpose of including a rapidly rotating disc-shaped target in some X-ray tubes?

- A. To improve image resolution**
- B. To increase the permissible load**
- C. To decrease radiation exposure**
- D. To enhance cooling properties**

Including a rapidly rotating disc-shaped target in some X-ray tubes serves to enhance the cooling properties of the system. When the target rotates, it distributes the heat generated during X-ray production over a larger surface area, thus preventing localized overheating. This is crucial because excessive heat can damage the target and degrade image quality. By effectively managing heat through rotation, the target sustains its integrity and performance longer, allowing for extended usage time and maintaining consistent output during radiographic procedures. The design directly impacts the X-ray tube's ability to handle larger workloads without compromising safety or effectiveness.

8. What term describes the distance between the X-ray source and the film?

- A. Source-to-film distance**
- B. Radiation path length**
- C. Exposure distance**
- D. Beam distance**

The term that defines the distance between the X-ray source and the film is correctly identified as "Source-to-film distance." This term is widely used in radiographic testing to specify how far the radiation is traveling from the source to the film (or detector). The source-to-film distance is crucial because it affects the exposure, image quality, and geometric characteristics of the radiographic image. When this distance is increased, the intensity of the X-ray beam reaching the film decreases due to the inverse square law, which states that radiation intensity is inversely proportional to the square of the distance from the source. Therefore, choosing the correct source-to-film distance is important for achieving the desired image quality and ensuring sufficient exposure without over-exposing the film. The other terms, while related to radiographic testing and radiation principles, do not specifically define the distance between the X-ray source and the film. Each has its own context, but they do not clarify this particular measurement in the same way that "source-to-film distance" does.

9. Which two factors greatly affect the suitability of target material in an X-ray tube?

- A. Melting point and atomic radius**
- B. Atomic number and melting point**
- C. Atomic size and stability**
- D. Density and atomic weight**

The suitability of target material in an X-ray tube is primarily influenced by its atomic number and melting point. The atomic number is crucial because it determines the material's ability to absorb and generate X-rays. A higher atomic number results in greater X-ray production and better energy resolution, making materials like tungsten, which has a high atomic number, excellent targets. The melting point is equally important because the target material must withstand the intense heat generated during the X-ray production process without deforming or melting. High melting point materials maintain their structural integrity, ensuring consistent performance and longevity of the X-ray tube. Together, these two factors—atomic number and melting point—ensure optimal X-ray generation and durability of the target material under operational conditions, making them the primary considerations for suitability in an X-ray tube.

10. What causes the activity of the fixer to diminish over time?

- A. The fixer solution accumulates soluble silver salts**
- B. The temperature of the fixer increases**
- C. The fixer becomes overly concentrated**
- D. The fixer solution is exposed to air**

The correct answer regarding what causes the activity of the fixer to diminish over time is that the fixer solution accumulates soluble silver salts. In radiographic testing, the fixer solution plays a crucial role in removing unexposed silver halide crystals from the film. As the fixer works, it captures these silver salts, which leads to a change in the chemical composition of the fixer. Over time, the accumulation of these dissolved silver salts in the fixer solution reduces its effectiveness, as the chemical agents may become saturated and unable to effectively remove additional unexposed silver halide. This decrease in the kinetic activity of the fixer leads to slower processing times and potentially poorer quality images if the film remains in the solution for an extended period. Additionally, while factors such as exposure to air and temperature can influence the stability and effectiveness of chemical solutions, they do not directly impact the core chemical activity the way the accumulation of silver salts does. Concentration changes can occur, but the primary reason for the decrease in activity specifically relates to the buildup of these materials which directly affects the solution's ability to perform its intended function.

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

<https://asntrtlvl2.examzify.com>

We wish you the very best on your exam journey. You've got this!

SAMPLE