

# AAB Medical Technologist (MT) - Generalist Practice Exam (Sample)

## Study Guide



**Everything you need from our exam experts!**

**Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.**

**ALL RIGHTS RESERVED.**

**No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.**

**Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.**

**SAMPLE**

# Table of Contents

<b>Copyright</b> .....	<b>1</b>
<b>Table of Contents</b> .....	<b>2</b>
<b>Introduction</b> .....	<b>3</b>
<b>How to Use This Guide</b> .....	<b>4</b>
<b>Questions</b> .....	<b>5</b>
<b>Answers</b> .....	<b>8</b>
<b>Explanations</b> .....	<b>10</b>
<b>Next Steps</b> .....	<b>16</b>

SAMPLE

# Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

**Remember:** successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

# How to Use This Guide

**This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:**

## **1. Start with a Diagnostic Review**

**Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.**

## **2. Study in Short, Focused Sessions**

**Break your study time into manageable blocks (e.g. 30 - 45 minutes). Review a handful of questions, reflect on the explanations.**

## **3. Learn from the Explanations**

**After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.**

## **4. Track Your Progress**

**Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.**

## **5. Simulate the Real Exam**

**Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.**

## **6. Repeat and Review**

**Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.**

**There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!**

## Questions

SAMPLE

1. **To be eligible to donate blood, women must have a minimum hemoglobin level of:**
  - A. 11.0 g/dL
  - B. 12.0 g/dL
  - C. 12.5 g/dL
  - D. 13.0 g/dL
  
2. **Which condition is characterized by a reduced platelet count?**
  - A. Thrombocytopenia
  - B. Polycythemia
  - C. Hyperlipidemia
  - D. Anemia
  
3. **What is the formula used to calculate mean corpuscular volume (MCV)?**
  - A.  $=(\text{HCT}/\text{WBC}) \times 10$
  - B.  $=(\text{HCT}/\text{RBC}) \times 10$
  - C.  $=(\text{Hbg}/\text{RBC}) \times 10$
  - D.  $=(\text{WBC}/\text{HCT}) \times 10$
  
4. **What type of blood cell would a high reticulocyte count typically indicate?**
  - A. Red blood cell destruction
  - B. Bone marrow failure
  - C. Acute blood loss
  - D. All of the above
  
5. **Hemoglobin A is composed of how many alpha chains and beta chains?**
  - A. 2 alpha chains and 2 beta chains
  - B. 1 alpha chain and 3 beta chains
  - C. 3 alpha chains and 1 beta chain
  - D. 4 alpha chains

- 6. Which of the following is a characteristic of T-helper cells?**
- A. Directly kill infected cells**
  - B. Produce antibodies**
  - C. Stimulate other immune cells**
  - D. Suppress immune responses**
- 7. Chronic granulomatous disease primarily affects which type of cell?**
- A. Lymphocytes**
  - B. Erythrocytes**
  - C. Phagocytes**
  - D. Platelets**
- 8. Which type of white blood cell is characterized by granules that stain orange?**
- A. Basophil**
  - B. Eosinophil**
  - C. Lymphocyte**
  - D. Neutrophil**
- 9. Which molecule binds to hemoglobin with an affinity 240 times that of oxygen?**
- A. Carbon dioxide**
  - B. Nitrogen**
  - C. Carbon monoxide**
  - D. Hydrogen sulfide**
- 10. What is the term for an antigen capable of eliciting an immune response?**
- A. Membrane Protein**
  - B. Immunogen**
  - C. Carbohydrate Antigen**
  - D. Pathogen**

## **Answers**

SAMPLE

1. C
2. A
3. B
4. D
5. A
6. C
7. C
8. B
9. C
10. B

SAMPLE

## **Explanations**

SAMPLE

**1. To be eligible to donate blood, women must have a minimum hemoglobin level of:**

- A. 11.0 g/dL
- B. 12.0 g/dL
- C. 12.5 g/dL**
- D. 13.0 g/dL

The correct answer is 12.5 g/dL. This hemoglobin level is a standard threshold set to ensure that blood donation is safe for the donor. The minimum hemoglobin level is established to minimize the risk of anemia in donors after they donate blood. Women generally have lower hemoglobin levels compared to men due to physiological differences, which makes it crucial to set an appropriate threshold that accounts for these variations without putting women at risk of low iron levels or anemia post-donation. A hemoglobin level of 12.5 g/dL ensures that the women donating have adequate blood levels to remain healthy after the procedure, thus promoting overall safety in blood donation practices. In comparison, lower hemoglobin thresholds, such as those below 12.5 g/dL, could expose women to increased risks of health complications, which is why the standard is set at or above this measurement. Other levels listed in the choices do not align with the established safety protocols set forth by blood donation guidelines.

**2. Which condition is characterized by a reduced platelet count?**

- A. Thrombocytopenia**
- B. Polycythemia
- C. Hyperlipidemia
- D. Anemia

Thrombocytopenia is the condition characterized specifically by a reduced platelet count in the blood. Platelets, or thrombocytes, are crucial components in the clotting process, and a low platelet count can increase the risk of bleeding and bruising.

Thrombocytopenia can have various causes, including bone marrow disorders, certain medications, autoimmune diseases, and infections. Understanding the implications of thrombocytopenia is important for medical technologists, as they may need to interpret laboratory results and assess bleeding risks in patients. Conditions such as anemia involve deficiencies in red blood cells or hemoglobin rather than platelets, while polycythemia refers to an increase in red blood cells. Hyperlipidemia is characterized by elevated levels of lipids in the blood and does not pertain to platelet counts. Recognizing these distinctions is vital for accurate diagnosis and appropriate patient care.

**3. What is the formula used to calculate mean corpuscular volume (MCV)?**

- A.  $=(\text{HCT}/\text{WBC}) \times 10$
- B.  $=(\text{HCT}/\text{RBC}) \times 10$**
- C.  $=(\text{Hbg}/\text{RBC}) \times 10$
- D.  $=(\text{WBC}/\text{HCT}) \times 10$

The formula for calculating the mean corpuscular volume (MCV) is derived from measuring the hematocrit (HCT) and the red blood cell count (RBC). Essentially, MCV is a measure of the average volume of a red blood cell and is expressed in femtoliters (fL). To calculate MCV, the hematocrit percentage is divided by the red blood cell count, and then the result is multiplied by 10. This multiplication by 10 is a standard practice to convert the units into femtoliters, as hematocrit is expressed as a percentage and red blood cell count is in millions per microliter. Using this formula allows for an accurate representation of the size of red blood cells, which can be crucial in diagnosing various types of anemias and other blood disorders. Understanding MCV is important in clinical laboratory settings as it provides insight into a patient's erythrocyte indices, helping healthcare professionals assess the underlying causes of anemia and other hematological conditions.

**4. What type of blood cell would a high reticulocyte count typically indicate?**

- A. Red blood cell destruction
- B. Bone marrow failure
- C. Acute blood loss
- D. All of the above**

A high reticulocyte count typically indicates that the bone marrow is actively producing new red blood cells in response to certain physiological demands or pathological conditions. Reticulocytes are immature red blood cells, and an elevated level of these cells in the bloodstream typically suggests that the body is attempting to compensate for a loss of red blood cells. When reticulocyte counts are high, it can signal several conditions: - In the case of red blood cell destruction, such as hemolytic anemia, the body recognizes a decline in red blood cell mass and responds by increasing production, resulting in a higher number of reticulocytes. - Bone marrow failure can present variably; however, if the marrow is capable of responding, it can still generate reticulocytes, especially in response to other stimuli or anemia. A high reticulocyte count can serve to indicate that the functional portion of the marrow is responding appropriately rather than being entirely ineffective. - Acute blood loss, such as from trauma or a surgical procedure, often leads to a subsequent rise in reticulocyte count as the body seeks to replace the lost red blood cells quickly. Given that a high reticulocyte count can be associated with all these situations, it reflects the body's compensatory mechanisms to address low red

**5. Hemoglobin A is composed of how many alpha chains and beta chains?**

- A. 2 alpha chains and 2 beta chains**
- B. 1 alpha chain and 3 beta chains**
- C. 3 alpha chains and 1 beta chain**
- D. 4 alpha chains**

Hemoglobin A, the most common form of hemoglobin found in adults, consists of two alpha chains and two beta chains. This tetrameric structure is crucial for its function in transporting oxygen in the bloodstream. Each alpha and beta chain contains heme groups that bind to oxygen molecules, enabling efficient oxygen transport from the lungs to the tissues. The specific configuration of two alpha and two beta chains allows for the proper formation of the hemoglobin's quaternary structure, which is essential for its physiological function. Understanding this structural composition is fundamental in medical technology, as variations or abnormalities in these chains can lead to different types of hemoglobin disorders.

**6. Which of the following is a characteristic of T-helper cells?**

- A. Directly kill infected cells**
- B. Produce antibodies**
- C. Stimulate other immune cells**
- D. Suppress immune responses**

T-helper cells, also known as CD4+ T cells, play a crucial role in the immune response by stimulating other immune cells. They do not act directly to kill infected cells or produce antibodies themselves; rather, their primary function is to coordinate the immune response. T-helper cells release cytokines, which are signaling molecules that enhance the activity of various immune cells, including B cells (which produce antibodies) and cytotoxic T cells (which kill infected or cancerous cells). This stimulation is vital for a robust and effective immune response, as it ensures that various components of the adaptive and innate immune systems work together synergistically to eliminate pathogens and infected cells. The other choices describe functions associated with different aspects of the immune system, such as cytotoxic T cells being responsible for directly killing infected cells, while regulatory T cells may suppress immune responses. Therefore, the stimulation of other immune cells is the fundamental and defining characteristic of T-helper cells.

**7. Chronic granulomatous disease primarily affects which type of cell?**

- A. Lymphocytes**
- B. Erythrocytes**
- C. Phagocytes**
- D. Platelets**

Chronic granulomatous disease (CGD) predominantly affects phagocytes, specifically neutrophils and macrophages, which are key players in the immune system responsible for engulfing and destroying pathogens. In CGD, these phagocytes have a defect in their ability to produce reactive oxygen species due to a deficiency in the NADPH oxidase enzyme complex. This impairment limits their effectiveness in killing bacteria and fungi, making individuals with CGD more susceptible to infections, particularly from catalase-positive organisms. Phagocytes typically generate reactive oxygen species as part of the respiratory burst that occurs after they engulf pathogens. The inability to produce these substances leads to the formation of granulomas—clusters of immune cells that form when the immune response is unable to clear infections or foreign substances effectively. While lymphocytes, erythrocytes, and platelets play vital roles in the body's overall immune function, oxygen-dependent killing mechanisms primarily involve phagocytes. Therefore, the correct focus on phagocytes in relation to chronic granulomatous disease highlights the specific genetic and functional deficits that characterize this condition.

**8. Which type of white blood cell is characterized by granules that stain orange?**

- A. Basophil**
- B. Eosinophil**
- C. Lymphocyte**
- D. Neutrophil**

Eosinophils are differentiated by their distinctive granules that typically stain orange or pink when using certain staining techniques, such as Wright's stain. These granules are larger and more prominent than those found in other types of white blood cells, allowing for easy identification under a microscope. Eosinophils play a crucial role in the body's immune response, particularly in combating parasitic infections and mediating allergic reactions. Their granules contain enzymes and proteins that can be toxic to foreign substances, thus highlighting their essential function in the immune system. In contrast, basophils contain granules that stain dark blue or purple due to the presence of heparin and histamines, lymphocytes are characterized by their relatively small size and a large nucleus with minimal cytoplasm, and neutrophils have granules that are neutral in staining, appearing pale pink or light lavender. Each of these white blood cell types has unique characteristics and functions, making eosinophils easily distinguishable by their orange-staining granules.

**9. Which molecule binds to hemoglobin with an affinity 240 times that of oxygen?**

- A. Carbon dioxide**
- B. Nitrogen**
- C. Carbon monoxide**
- D. Hydrogen sulfide**

The molecule that binds to hemoglobin with an affinity 240 times that of oxygen is carbon monoxide. This affinity is significant because carbon monoxide competes with oxygen for binding sites on hemoglobin, which can lead to detrimental effects on oxygen transport in the body. When carbon monoxide binds to hemoglobin, it forms carboxyhemoglobin, preventing oxygen from being effectively transported to tissues and organs. This high affinity is one reason why carbon monoxide is considered extremely toxic; even low levels of exposure can be harmful or lethal because it impairs the body's ability to carry oxygen. Other molecules mentioned do interact with hemoglobin, but none have the same level of affinity as carbon monoxide. For example, carbon dioxide does bind to hemoglobin, but it does so at a much lower affinity compared to oxygen and carbon monoxide. Nitrogen is generally inert in this context and does not have a direct significant binding interaction with hemoglobin. Hydrogen sulfide can have biological activity but does not bind to hemoglobin in the same manner as carbon monoxide, and its physiological effects are quite different. The extreme affinity of carbon monoxide for hemoglobin is a critical aspect of understanding not only its biochemical interaction but also the clinical implications regarding carbon monoxide poisoning.

**10. What is the term for an antigen capable of eliciting an immune response?**

- A. Membrane Protein**
- B. Immunogen**
- C. Carbohydrate Antigen**
- D. Pathogen**

The term for an antigen capable of eliciting an immune response is known as an immunogen. Immunogens are specific types of antigens that can provoke an immune response when introduced into the body. They are typically recognized as foreign by the immune system and can stimulate the production of antibodies or activate T-cells. Membrane proteins, while they can serve as antigens, do not specifically describe the capability to elicit an immune response as a defining characteristic. Carbohydrate antigens may also serve as antigens but not all carbohydrates are capable of inducing an immune response; hence they do not exclusively define immunogenicity. Pathogens, such as bacteria or viruses, often carry immunogens, but the term itself refers to the organisms that can cause disease, rather than the specific ability to evoke an immune response. Thus, immunogen is the most accurate term representing the concept of an antigen that can stimulate an immune response effectively.

## Next Steps

**Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.**

**As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.**

**If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at [hello@examzify.com](mailto:hello@examzify.com).**

**Or visit your dedicated course page for more study tools and resources:**

**<https://aabmtgeneralist.examzify.com>**

**We wish you the very best on your exam journey. You've got this!**

SAMPLE