

Airport Fire and Rescue Operations - Aircraft, Map, and Firefighting Techniques Practice Test (Sample)

Study Guide



Everything you need from our exam experts!

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 - 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

Questions

SAMPLE

- 1. How quickly can a munitions fire detonate after exposure to ignition?**
 - A. In as little as 45 seconds.**
 - B. Approximately 10 minutes.**
 - C. Only after several hours.**
 - D. Never.**

- 2. What materials are used in aircraft construction?**
 - A. Steel, aluminum, magnesium, titanium, alloys, composites, wood, and plastics.**
 - B. Aluminum, magnesium, titanium, and steel only.**
 - C. Wood, fabric, and leather.**
 - D. Composites, ceramics, and glass.**

- 3. Which of the following lists high-yield ARFF rescue/entry tools?**
 - A. Pry bars and sledgehammers.**
 - B. Circular saw, pneumatic air chisel, PPV fan, come-a-long, de-arming tool, airbags, hydraulic tools, chains, pins, and cribbing.**
 - C. Only flashlights and radios.**
 - D. Water hoses and foam concentrate.**

- 4. What is the foam-concentrate mixing rule?**
 - A. Always mix concentrates from different manufacturers.**
 - B. Never mix even if MILSPEC compatibility is claimed.**
 - C. Do not mix different manufacturers in apparatus tanks unless MILSPEC AFFF designed to be compatible.**
 - D. Mix only with water.**

- 5. What do L, R, and C mean after a runway number?**
 - A. Long, Radius, and Center; unrelated.**
 - B. Left, Center, and Right; misordered.**
 - C. Left, Right, and Crest; not used.**
 - D. Left, Right, and Center; parallel runway designators.**

- 6. What are fixed and mobile water supplies?**
- A. Fixed: hydrants, pools, lakes; Mobile tenders/tankers and fire apparatus, but with limited supply.**
 - B. Fixed supply is only hydrants; Mobile supply is unlimited.**
 - C. Fixed supply refers to water from aircraft; Mobile supply is from fire trucks only.**
 - D. Fixed supply is from rainwater cisterns; Mobile supply is from river pumps.**
- 7. What PPE is recommended when handling hydrazine/monopropellant?**
- A. Full PPE and SCBA.**
 - B. No PPE required.**
 - C. Only gloves.**
 - D. Only eye protection.**
- 8. What is the interior fire stream/ventilation high-yield approach?**
- A. Do not ventilate to preserve heat.**
 - B. Use hydraulic ventilation to remove steam/smoke early; apply short, straight streams overhead to inhibit flashover.**
 - C. Use wide fog streams at low elevation; avoid overhead ventilation.**
 - D. Ventilate only after the fire is fully suppressed.**
- 9. What best describes hydro-chem/wet chemical?**
- A. Dry chemical injected into a water or foam master stream**
 - B. Foam concentrate injected directly into the air stream**
 - C. Water stream used alone without additives**
 - D. Halogen gas extinguishing agent**
- 10. What does flashing white signal indicate?**
- A. Steady green = proceed**
 - B. Steady red = stop**
 - C. Flashing white = return to start**
 - D. Flashing red = clear runway**

Answers

SAMPLE

1. A
2. D
3. B
4. C
5. D
6. A
7. A
8. B
9. A
10. C

SAMPLE

Explanations

SAMPLE

1. How quickly can a munitions fire detonate after exposure to ignition?

- A. In as little as 45 seconds.**
- B. Approximately 10 minutes.**
- C. Only after several hours.**
- D. Never.**

When ignition starts, detonation of a munition can come quickly, leaving only a short window to react. This reflects how the initiating system in many munitions drives a rapid progression to an explosive event, so a device that ignites can detonate within a time frame on the order of seconds to under a minute. The phrase “in as little as 45 seconds” captures that urgency—the danger exists even though there is a brief countdown before detonation. Because of that, responders treat any ignition as an imminent detonation threat, keep a wide safety distance, evacuate the area, and call for explosive ordnance disposal experts. Timings of minutes, hours, or never after ignition do not align with how these devices behave once they’re triggered, so the emphasis is on the very limited time available to move people away and secure the scene.

2. What materials are used in aircraft construction?

- A. Steel, aluminum, magnesium, titanium, alloys, composites, wood, and plastics.**
- B. Aluminum, magnesium, titanium, and steel only.**
- C. Wood, fabric, and leather.**
- D. Composites, ceramics, and glass.**

Aircraft construction today relies on a blend of material families, chosen to balance weight, strength, and functionality. The best answer highlights three broad categories that play major roles across modern systems: composites, ceramics, and glass. Composites, such as carbon-fiber or fiberglass-reinforced polymers, are used extensively because they offer high strength with much lower weight than traditional metals. This weight savings improves fuel efficiency and performance, and composites can be tailored for specific load paths and stiffness in the airframe and components. Ceramics find their main use in high-temperature areas, like engine hot sections and thermal protection coatings, where their ability to withstand heat without degrading helps protect metal parts and extend component life. They enable components to operate at temperatures where metals would lose strength. Glass is used primarily in windows and windscreens, where clear visibility and impact resistance are essential. Modern cockpit windows often involve laminated glass or acrylic, providing safety and visibility while withstanding operational stresses. While metals such as aluminum, titanium, and steel are still important in many parts of an aircraft, the combination of composites, ceramics, and glass reflects the key material families that define current design approaches for weight efficiency, high-temperature performance, and visibility. The other options mix historical materials or omit major modern categories, making them less representative of contemporary aircraft construction.

3. Which of the following lists high-yield ARFF rescue/entry tools?

- A. Pry bars and sledgehammers.**
- B. Circular saw, pneumatic air chisel, PPV fan, come-a-long, de-arming tool, airbags, hydraulic tools, chains, pins, and cribbing.**
- C. Only flashlights and radios.**
- D. Water hoses and foam concentrate.**

High-yield ARFF rescue/entry tools are those that enable rapid access, stabilization, and extrication in an aircraft incident. In these scenarios, responders must cut through panels, remove fasteners, create ventilation, move debris, and lift or stabilize heavy components while also dealing with locking mechanisms and rigging. The set that includes a circular saw for cutting, a pneumatic air chisel for metal work, a PPV fan to push smoke and heat away, a come-a-long for controlled pulling, a de-arming tool to unlock latches, airbags for lifting or stabilization, hydraulic tools for spreading or cutting, plus chains, pins, and cribbing for rigging and support, covers all of these essential rescue functions in one package. This breadth directly enhances access and safety during extraction, making it the best choice. The other options are narrower in scope: basic entry tools, or equipment focused on lighting/communication, or firefighting gear like hoses and foam, none of which provide the same comprehensive rescue capability.

4. What is the foam-concentrate mixing rule?

- A. Always mix concentrates from different manufacturers.**
- B. Never mix even if MILSPEC compatibility is claimed.**
- C. Do not mix different manufacturers in apparatus tanks unless MILSPEC AFFF designed to be compatible.**
- D. Mix only with water.**

Foam concentrates are formulated with different chemistries, and not all blends mix cleanly. If you pour concentrates from different manufacturers into the same tank, they can misbehave, causing incomplete film formation, poor foam quality, or even solidified residue that can clog lines and equipment. The safe rule is to avoid mixing different manufacturers in apparatus tanks unless the MILSPEC AFFF product is specifically designed and labeled to be compatible with others. That MILSPEC compatibility indicates testing shows the concentrates can be combined without compromising performance or safety, and you should follow the manufacturer's instructions for compatibility, mixing ratios, and use. This keeps foam performance reliable and protects equipment and personnel. The other options break with practical safety and performance considerations. Mixing everything from different manufacturers ignores compatibility issues; requiring mixing never if MILSPEC compatibility is claimed is too strict because the claim means it's acceptable when properly specified; and mixing only with water omits the essential need to use the correct foam concentrate as part of the foam solution.

5. What do L, R, and C mean after a runway number?

- A. Long, Radius, and Center; unrelated.**
- B. Left, Center, and Right; misordered.**
- C. Left, Right, and Crest; not used.**
- D. Left, Right, and Center; parallel runway designators.**

The letters after a runway number show which of the parallel runways share that same heading. L means Left, R means Right, and C means Center. They're used to distinguish between multiple runways that run in the same direction. For example, if an airport has three parallel runways with the same heading, they'll be designated as 04L, 04C, and 04R. If there are only two, you'd typically see 04L and 04R. The designations are relative to the approach direction—the leftmost is L, the rightmost is R, and the middle is C. This system keeps communication precise when selecting a runway for takeoff or landing.

6. What are fixed and mobile water supplies?

- A. Fixed: hydrants, pools, lakes; Mobile tenders/tankers and fire apparatus, but with limited supply.**
- B. Fixed supply is only hydrants; Mobile supply is unlimited.**
- C. Fixed supply refers to water from aircraft; Mobile supply is from fire trucks only.**
- D. Fixed supply is from rainwater cisterns; Mobile supply is from river pumps.**

In airport firefighting, water sources are grouped into fixed and mobile supplies. Fixed water supplies are those that are permanently in place and can deliver water to the scene without needing to be moved. This includes hydrants tied into the airport or municipal water system, and natural or man-made bodies of water like pools and lakes that can be drafted from or connected to for a steady source. Mobile water supplies, on the other hand, are carried by vehicles that bring their own water to the incident. These are water tenders or tankers and other fire apparatus that transport water to the scene, but they have a finite amount of water per load, so the overall supply may be limited and often needs refilling from fixed sources or other mobile units to sustain operations. That makes the described pairing correct: fixed supplies include hydrants, pools, and lakes, while mobile supplies consist of tenders/tankers and other apparatus carrying limited water.

7. What PPE is recommended when handling hydrazine/monopropellant?

- A. Full PPE and SCBA.**
- B. No PPE required.**
- C. Only gloves.**
- D. Only eye protection.**

Handling hydrazine/monopropellant requires protection against skin contact, eye injury, and inhalation of toxic vapors. This chemical is highly toxic, corrosive, and volatile, so you need a barrier that covers skin and eyes and a way to breathe clean air. Wearing full chemical protective clothing with chemical-resistant gloves, eye protection or a face shield, and boots, plus a self-contained breathing apparatus, ensures you're protected from splashes and from inhaling hazardous vapors. The aim is to block all exposure routes, not just one part of the body, because even small exposure can cause serious health effects. Choosing only gloves or only eye protection leaves critical routes exposed, and skipping PPE altogether is unsafe.

8. What is the interior fire stream/ventilation high-yield approach?

- A. Do not ventilate to preserve heat.**
- B. Use hydraulic ventilation to remove steam/smoke early; apply short, straight streams overhead to inhibit flashover.**
- C. Use wide fog streams at low elevation; avoid overhead ventilation.**
- D. Ventilate only after the fire is fully suppressed.**

The key idea is to combine interior heat/smoke removal with targeted extinguishing from overhead to maximize control of the fire early. Hydraulic ventilation uses the force of water streams to push smoke and hot gases out through openings, cooling the space and breaking up the hot ceiling jet. Pairing that with short, straight streams directed overhead delivers a concentrated cooling effect to the upper layer, rapidly reducing heat and inhibiting flashover. In an aircraft interior, this approach clears visibility, reduces thermal layering, and allows crews to move in more safely and effectively. Waiting to ventilate or using low, wide streams can push heat downward, obscure visibility, or waste valuable time before the fire is under control.

9. What best describes hydro-chem/wet chemical?

- A. Dry chemical injected into a water or foam master stream**
- B. Foam concentrate injected directly into the air stream**
- C. Water stream used alone without additives**
- D. Halogen gas extinguishing agent**

Hydro-chem, or wet chemical, is described by delivering a dry chemical additive into a water- or foam-delivered master stream. The dry chemical mixes with the water (or foam) to create a wetting and soaping action that cools the fuel and, for grease/oil fires, saponifies fats to form a soapy layer that helps suppress the fire. This delivery method—using a dry chemical carried by the water/foam stream—matches how wet chemical systems are designed to operate. It isn't simply foam injected into the air stream, or water used alone without additives, and it isn't a halogen gas extinguishing agent.

10. What does flashing white signal indicate?

- A. Steady green = proceed**
- B. Steady red = stop**
- C. Flashing white = return to start**
- D. Flashing red = clear runway**

Flashing white on the airport surface signals is a specific ground signal telling the pilot to return to the starting point on the movement area. It's used to reset your position or to backtrack to where you began before continuing taxiing or coordinating with ATC. This makes sense because, in busy airfields, pilots need a clear way to reposition without making abrupt or unsafe movements, and returning to the start is the safest, most straightforward instruction. Steady green and steady red convey different clearances or restrictions depending on context (in the air vs. on the ground), and flashing red indicates an unsafe condition or to stop and clear the runway in most scenarios. Those do not describe returning to the initial point, which is why flashing white is the best match for returning to start.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

<https://airportfirerescueops.examzify.com>

We wish you the very best on your exam journey. You've got this!

SAMPLE