

ARCHER READINESS ASSESSMENT PRACTICE TEST (SAMPLE)

STUDY GUIDE



Prepare with structure. Pass with confidence



Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright	1
Table of Contents	2
Introduction	3
How to Use This Guide	4
Questions	5
Answers	8
Explanations	10
Next Steps	16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

Questions

SAMPLE

1. Which disease is characterized by the presence of cardiac murmurs?

- A. Influenza
- B. Pulmonary tuberculosis
- C. Infective endocarditis
- D. Chronic bronchitis

2. Which medication should a patient avoid when taking prednisone?

- A. Aspirin
- B. Naproxen
- C. Acetaminophen
- D. Ibuprofen

3. What is a common challenge encountered in risk assessments?

- A. High employee turnover rates
- B. Incomplete or inaccurate data collection
- C. Developing new business strategies
- D. Cultivating customer loyal

4. What client finding is associated with compartment syndrome?

- A. Persistent swelling in the affected area
- B. Intact sensation
- C. Pain in the affected extremity
- D. Cool skin temperature

5. What is the response for severe hypoglycemia if the individual is unconscious?

- A. Call 911 and administer glucose
- B. Give a dose of glucagon
- C. Provide food if possible
- D. Monitor blood pressure

- 6. When administering a nitroglycerin patch, what is the most crucial nursing action related to client safety?**
- A. Encourage hydration
 - B. Instruct client to rise slowly
 - C. Avoid all physical activity
 - D. Remove the patch after 2 hours
- 7. What is a critical aspect of providing respite care?**
- A. Minimizing communication with the caregiver
 - B. Understanding the caregiver's stressors and needs
 - C. Focusing solely on the patient's condition
 - D. Limiting it to professional caregivers only
- 8. Which temperature is appropriate for a neonate after experiencing cold stress during initial assessments?**
- A. 36.5-37.5°C
 - B. 35.0-36.0°C
 - C. 37.5-38.5°C
 - D. 34.5-35.5°C
- 9. What should a nurse do if a client expresses uncertainty about the need for an upcoming procedure?**
- A. Encourage the client to proceed
 - B. Inform the physician
 - C. Provide the client with more information
 - D. Immediately cancel the procedure
- 10. What type of feedback is essential after conducting a risk assessment?**
- A. General feedback to encourage participation
 - B. Constructive feedback to refine and improve future assessments
 - C. Positive reinforcement for successful assessments
 - D. None of the above

Answers

SAMPLE

1. C
2. B
3. B
4. C
5. B
6. B
7. B
8. A
9. C
10. B

SAMPLE

Explanations

SAMPLE

1. Which disease is characterized by the presence of cardiac murmurs?

- A. Influenza
- B. Pulmonary tuberculosis
- C. Infective endocarditis**
- D. Chronic bronchitis

The presence of cardiac murmurs is primarily associated with infective endocarditis. This condition occurs when the inner lining of the heart (the endocardium) becomes infected, often by bacteria. As a result of the infection, the heart valves or the surrounding tissues may become damaged, leading to turbulent blood flow through the heart. This turbulence is what produces the characteristic sounds known as murmurs. Infective endocarditis can also lead to further complications such as emboli, which can cause serious systemic problems. The identification of murmurs in a patient presenting with symptoms suggestive of infection is a critical clue in diagnosing this potentially life-threatening condition. In contrast, while conditions like influenza, pulmonary tuberculosis, and chronic bronchitis can significantly impact a person's health, they do not typically lead to changes in heart valve structure or function that would result in audible cardiac murmurs.

2. Which medication should a patient avoid when taking prednisone?

- A. Aspirin
- B. Naproxen**
- C. Acetaminophen
- D. Ibuprofen

The medication that should be avoided when taking prednisone is naproxen. Prednisone is a corticosteroid that can cause stomach irritation and increase the risk of gastrointestinal side effects such as ulcers or bleeding, especially when combined with nonsteroidal anti-inflammatory drugs (NSAIDs) like naproxen. Naproxen, being an NSAID, can exacerbate these gastrointestinal risks. Patients taking prednisone should instead consider safer alternatives for pain relief that have a lower risk of causing gastrointestinal problems. Acetaminophen is a safer option in this context as it does not have the same gastrointestinal side effects associated with NSAIDs. Both aspirin and ibuprofen, like naproxen, should also be used with caution, as they share similar risks of gastrointestinal irritation when used alongside corticosteroids.

3. What is a common challenge encountered in risk assessments?

- A. High employee turnover rates
- B. Incomplete or inaccurate data collection**
- C. Developing new business strategies
- D. Cultivating customer loyalty

Incomplete or inaccurate data collection is a notable challenge in risk assessments because the reliability of the assessment largely depends on the quality of the data gathered. When data is incomplete or inaccurate, it can lead to a misunderstanding of potential risks, a misallocation of resources, and ineffective risk mitigation strategies. Accurate data ensures that analysts can identify, evaluate, and prioritize risks accurately, enabling organizations to implement appropriate controls and responses. If the data is flawed, the entire risk assessment process becomes compromised, resulting in decisions based on potentially misleading information. In contrast, high employee turnover rates, while impactful, do not inherently affect the risk assessment process itself but rather how risks are managed or mitigated post-assessment. Developing new business strategies and cultivating customer loyalty are important business functions but are not directly related to the challenges faced during the data collection phase of risk assessments.

4. What client finding is associated with compartment syndrome?

- A. Persistent swelling in the affected area
- B. Intact sensation
- C. Pain in the affected extremity**
- D. Cool skin temperature

Pain in the affected extremity is a key finding associated with compartment syndrome. This condition occurs when pressure builds up within a muscle compartment, leading to decreased blood flow and potential damage to the nerves and muscles. The pain in compartment syndrome is usually described as severe and disproportionate to any external injuries. It can also be exacerbated by stretching the muscles in the affected compartment. Other findings that could potentially be present with compartment syndrome include numbness, tingling, and reduced pulse in the affected area due to compromised blood flow, further emphasizing the significance of severe pain as a hallmark symptom. This symptom is one of the earliest and most important indicators prompting further evaluation and potential intervention to prevent long-term damage.

5. What is the response for severe hypoglycemia if the individual is unconscious?

- A. Call 911 and administer glucose
- B. Give a dose of glucagon**
- C. Provide food if possible
- D. Monitor blood pressure

In the context of severe hypoglycemia, where the individual is unconscious, administering glucagon is the most appropriate response. Glucagon is a hormone that raises blood glucose levels by promoting the release of glucose stored in the liver. It is specifically designed for situations where a person is unable to ingest food or drink safely, such as when they are unconscious or unable to swallow. The reason glucagon is the correct choice is that it acts quickly and effectively to elevate blood sugar levels, thereby potentially preventing further complications associated with severe hypoglycemia, like seizures or loss of consciousness. After administering glucagon, it's critical to ensure the individual receives further medical attention, which is why calling for help is also important afterward. Other options, while relevant in different scenarios, are not suitable in this case. For instance, calling 911 and administering glucose directly would not be feasible since the person cannot safely take anything by mouth. Providing food isn't an option for an unconscious individual, and monitoring blood pressure does not address the immediate need to raise blood glucose levels. Thus, administering glucagon is the only action that directly resolves the critical situation at hand.

6. When administering a nitroglycerin patch, what is the most crucial nursing action related to client safety?

- A. Encourage hydration
- B. Instruct client to rise slowly**
- C. Avoid all physical activity
- D. Remove the patch after 2 hours

In the context of administering a nitroglycerin patch, instructing the client to rise slowly is a crucial nursing action related to client safety. Nitroglycerin is a medication commonly used for angina and heart-related issues, and one of its effects is to cause vasodilation. This can lead to a decrease in blood pressure, and when a client stands up too quickly after using the patch, they may experience orthostatic hypotension, which can result in dizziness, lightheadedness, or even fainting. By advising the client to rise slowly, the nurse is helping to mitigate the risk of these adverse effects, promoting safer transitions from sitting or lying to standing. This precaution is especially important in patients who may already have fluctuations in blood pressure or those who are elderly and may be more susceptible to such effects. Other options, while they may contribute to overall care, do not address the immediate risk associated with the use of nitroglycerin in the context of movement and blood pressure changes as directly as the recommendation to rise slowly does. This focus on the patient's immediate safety upon standing reinforces best practices in patient education and nursing intervention.

7. What is a critical aspect of providing respite care?

- A. Minimizing communication with the caregiver
- B. Understanding the caregiver's stressors and needs**
- C. Focusing solely on the patient's condition
- D. Limiting it to professional caregivers only

A critical aspect of providing respite care is understanding the caregiver's stressors and needs. Respite care is designed to offer temporary relief to caregivers who may be overwhelmed by the demands of caring for someone with a chronic illness or disability. By recognizing and addressing the unique challenges that caregivers face, respite care providers can tailor their support to ensure it is effective and beneficial. Understanding the caregiver's stressors involves listening to their concerns, empathizing with their situation, and being aware of the emotional, physical, and financial pressures they might be experiencing. This insight allows respite care to not only provide a break for the caregiver but also to facilitate a supportive environment that helps them recharge, maintaining their well-being in the long run. In contrast, focusing solely on the patient's condition neglects the caregiver's perspective and needs, which can lead to increased stress for both parties. Minimizing communication with the caregiver would further isolate them, undermining the supportive relationship that is essential in respite care. Lastly, limiting respite care to professional caregivers overlooks the valuable role that family and informal caregivers play in the caregiving process and their need for support as well.

8. Which temperature is appropriate for a neonate after experiencing cold stress during initial assessments?

- A. 36.5-37.5°C**
- B. 35.0-36.0°C
- C. 37.5-38.5°C
- D. 34.5-35.5°C

The appropriate temperature range for a neonate after experiencing cold stress during initial assessments is between 36.5-37.5°C. This range is considered normothermic for neonates and indicates a stable temperature that promotes metabolic function and overall well-being. Maintaining a temperature within this range is crucial for neonates because they are particularly vulnerable to hypothermia due to their low body fat and a high surface area-to-volume ratio, which can lead to rapid heat loss. If a neonate experiences cold stress, warming them to reach this normothermic level is essential for ensuring that their physiological processes can function properly. Continually monitoring the neonate's temperature helps to prevent complications associated with hypothermia, such as increased oxygen demand and impaired metabolic processes. Thus, ensuring that a neonate achieves a stable temperature within the specified range after cold stress is an important aspect of neonatal care.

9. What should a nurse do if a client expresses uncertainty about the need for an upcoming procedure?

- A. Encourage the client to proceed
- B. Inform the physician
- C. Provide the client with more information**
- D. Immediately cancel the procedure

When a client expresses uncertainty about the need for an upcoming procedure, the most appropriate response is to provide the client with more information. By doing so, the nurse addresses the client's concerns and helps clarify any misunderstandings or lack of knowledge regarding the procedure. This approach empowers the client to make informed decisions about their care, ensuring that they understand the reasons for the procedure, its benefits, risks, and what to expect. Clear communication and education are essential components of patient-centered care, facilitating trust and reducing anxiety related to medical interventions. Encouraging the client to proceed without addressing their concerns may leave them feeling invalidated or confused, while simply informing the physician does not directly solve the client's uncertainty. Canceling the procedure outright can be unnecessary, especially when the issue could potentially be resolved with proper information and discussion.

10. What type of feedback is essential after conducting a risk assessment?

- A. General feedback to encourage participation
- B. Constructive feedback to refine and improve future assessments**
- C. Positive reinforcement for successful assessments
- D. None of the above

Constructive feedback is crucial after conducting a risk assessment because it focuses on identifying specific areas that need improvement and refining the methodology used for future assessments. This type of feedback allows organizations to learn from any shortcomings or challenges faced during the assessment process and provides actionable insights that can enhance the effectiveness of subsequent evaluations. Through constructive feedback, teams can discuss what worked well and what did not, which promotes continuous improvement in the risk assessment process. This iterative approach ensures that future assessments are more thorough and accurate, ultimately leading to better risk management practices. In contrast, general feedback may lack the detail necessary for measurable improvement, while positive reinforcement, although encouraging, does not address the potential areas for development that constructive feedback does. Therefore, focusing on constructive feedback not only supports immediate learning but also builds a stronger foundation for ongoing risk management efforts.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

<https://archerreadinessassmt.examzify.com>

We wish you the very best on your exam journey. You've got this!

SAMPLE