

ARCHER READINESS ASSESSMENT PRACTICE TEST (SAMPLE)

STUDY GUIDE



**SAMPLE STUDY GUIDE
WITH LIMITED QUESTIONS**

**VISIT US ONLINE FOR
THE FULL VERSION STUDY GUIDE**

<https://archerreadinessassmt.examzify.com>



Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright	1
Table of Contents	2
Introduction	3
How to Use This Guide	4
Questions	5
Answers	8
Explanations	10
Next Steps	15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

Questions

SAMPLE

- 1. For a client with Borderline Personality Disorder, what action is important for the nurse to take?**
 - A. Encourage the client to leave therapy early.
 - B. Assess for suicidal ideation.
 - C. Maximize social interactions immediately.
 - D. Introduce all therapy methods simultaneously.
- 2. In risk management, what is a common method for documenting risk decisions?**
 - A. Making verbal agreements
 - B. Utilizing a formal report or documentation process
 - C. Using informal emails
 - D. Revising past assessments without records
- 3. Which condition is characterized by symptoms like night sweats?**
 - A. Flu
 - B. Infective endocarditis
 - C. Pulmonary tuberculosis
 - D. Both A and B
- 4. What are Key Risk Indicators (KRIs)?**
 - A. Metrics used to assess employee performance
 - B. Metrics used to provide early warning signs of increasing risk exposure
 - C. Metrics that define market trends
 - D. Metrics related to financial growth
- 5. What is typically assessed during a risk evaluation?**
 - A. The historical performance of the organization
 - B. The methodologies used in previous audits
 - C. The likelihood and impact of identified risks
 - D. The marketing strategies of a company

- 6. What is included in the required personal protective equipment for Ebola patients?**
- A. Reusable gloves
 - B. Single-use fluid-resistant gown
 - C. Standard surgical mask
 - D. Fabric face shield
- 7. What is a key characteristic of effective communication in risk management?**
- A. Flexibility in messaging
 - B. Clarity and transparency in discussing risks and management strategies
 - C. Emphasis on visual presentations alone
 - D. Avoiding difficult conversations
- 8. Why is documentation critical in the case management role of nursing?**
- A. Provides evidence for insurance claims
 - B. Ensures client satisfaction
 - C. Records interactions and treatments for continuity of care
 - D. Minimizes workload for healthcare professionals
- 9. In risk assessment, what is the primary purpose of prioritizing risks?**
- A. To evenly distribute resources across all risks
 - B. To focus attention on the most significant risks first
 - C. To eliminate the need for a response plan
 - D. To involve more stakeholders in discussions
- 10. What is the average age of diagnosis for Wilms tumor in children?**
- A. One year
 - B. Three years
 - C. Five years
 - D. Seven years

Answers

SAMPLE

1. B
2. B
3. D
4. B
5. C
6. B
7. B
8. C
9. B
10. B

SAMPLE

Explanations

SAMPLE

1. For a client with Borderline Personality Disorder, what action is important for the nurse to take?

- A. Encourage the client to leave therapy early.
- B. Assess for suicidal ideation.**
- C. Maximize social interactions immediately.
- D. Introduce all therapy methods simultaneously.

In the context of a client with Borderline Personality Disorder (BPD), assessing for suicidal ideation is a critical and necessary intervention. Patients with BPD often experience intense emotions and may have a higher risk for self-harm or suicidal thoughts due to their unstable interpersonal relationships and self-image. This assessment allows the nurse to identify any immediate safety concerns, which is paramount in providing appropriate care and interventions to ensure the client's safety. By focusing on assessing for suicidal ideation, the nurse can take proactive steps to manage any identified risks, such as involving mental health professionals, creating a safety plan, or increasing supervision if necessary. This intervention embodies a crucial aspect of nursing care that prioritizes the patient's well-being and safety, especially given the challenges associated with BPD. Other actions present in the choices, while they may seem relevant in some contexts, do not prioritize the immediate safety of the client as effectively as an assessment for suicidal ideation does. In this case, the focus on assessment directly addresses the complex emotional state often experienced by individuals with BPD and fosters a supportive therapeutic environment.

2. In risk management, what is a common method for documenting risk decisions?

- A. Making verbal agreements
- B. Utilizing a formal report or documentation process**
- C. Using informal emails
- D. Revising past assessments without records

Utilizing a formal report or documentation process is a common method for documenting risk decisions because it provides a structured, clear, and traceable record of the decisions made and the rationale behind them. This formal documentation ensures that all stakeholders are informed and can reference the decisions as needed, fostering transparency and accountability in the risk management process. A formal report allows for the inclusion of relevant data, analysis, and risk assessments, ensuring that decisions are not based on assumptions or unverified information. This method also provides a framework for future reference, enabling teams to track the effectiveness of risk management strategies over time and facilitating continuous improvement. In contrast, making verbal agreements, using informal emails, or revising past assessments without maintaining records risk creating confusion and lack of clarity, as these methods often lead to misunderstandings, miscommunication, and can result in lost information.

3. Which condition is characterized by symptoms like night sweats?

- A. Flu
- B. Infective endocarditis
- C. Pulmonary tuberculosis
- D. Both A and B**

Night sweats are a common symptom associated with various medical conditions, including the flu, infective endocarditis, and pulmonary tuberculosis. When considering the correct answer, both the flu and infective endocarditis can present with fever and systemic symptoms that lead to night sweats. In cases of the flu, these symptoms are often accompanied by body aches, chills, and fatigue as the body responds to the viral infection. Similarly, infective endocarditis, an infection of the inner lining of the heart, can manifest with systemic symptoms like fever, chills, and sweating, including night sweats. Pulmonary tuberculosis is another condition where night sweats are a hallmark symptom, often presenting alongside a persistent cough weight loss, and difficulty breathing. Given this context, since the question asks which condition is characterized by night sweats, both the flu and infective endocarditis meet the criteria, making the choice that encapsulates both the flu and infective endocarditis correct. The inclusion of pulmonary tuberculosis as a separate option also highlights its relevance but distracts from the specific conditions listed in the question.

4. What are Key Risk Indicators (KRIs)?

- A. Metrics used to assess employee performance
- B. Metrics used to provide early warning signs of increasing risk exposure**
- C. Metrics that define market trends
- D. Metrics related to financial growth

Key Risk Indicators (KRIs) are essential metrics used to provide early warning signs of increasing risk exposure within an organization. They help in identifying potential risks before they materialize into actual problems, allowing businesses to take proactive measures to mitigate those risks. KRIs can be quantitative or qualitative and are often linked to the organization's specific risk appetite. By monitoring KRIs, organizations can track risk trends over time, identify areas that require attention, and better inform decision-making processes. This proactive approach to risk management is vital in maintaining operational stability and ensuring that an organization's risks remain within acceptable levels. Using KRIs allows organizations to remain vigilant and responsive to changes in their risk environment.

5. What is typically assessed during a risk evaluation?

- A. The historical performance of the organization
- B. The methodologies used in previous audits
- C. The likelihood and impact of identified risks**
- D. The marketing strategies of a company

In a risk evaluation, the primary focus is on understanding the likelihood and impact of identified risks. This process involves systematically identifying potential risks that could affect the organization's objectives and assessing how probable it is that these risks will occur, as well as the potential severity of their consequences. By prioritizing risks based on these assessments, organizations can allocate resources effectively to mitigate or manage the most critical risks. The correct answer emphasizes the importance of a thorough analysis of risk characteristics, which is crucial for informed decision-making and developing risk management strategies. This approach enables organizations to proactively address and manage uncertainties that could impact their performance and goals. Other options do not form the central component of a risk evaluation. While historical performance and methodologies used in audits may provide context, they do not directly pertain to the current evaluation of risks. Similarly, marketing strategies, while important for the overall functioning of a business, do not relate to the assessment of risks within a risk evaluation framework.

6. What is included in the required personal protective equipment for Ebola patients?

- A. Reusable gloves
- B. Single-use fluid-resistant gown**
- C. Standard surgical mask
- D. Fabric face shield

The correct choice highlights the necessity of a single-use fluid-resistant gown as part of the required personal protective equipment (PPE) for Ebola patients. This specific type of gown is crucial because it provides comprehensive coverage to protect healthcare workers from exposure to infectious bodily fluids that are common in Ebola cases. In the context of handling Ebola patients, the risk of exposure to bodily fluids such as blood, vomit, and other secretions is significant. A fluid-resistant gown ensures that these fluids do not penetrate the fabric, thereby minimizing the chance of transmission of the virus to healthcare workers. The single-use aspect also emphasizes the importance of preventing cross-contamination, as reusing gowns could lead to the spread of infection. In situations involving high-risk infectious diseases like Ebola, appropriate PPE is paramount to ensuring the safety of healthcare providers. This underscores the critical role of using fluid-resistant materials specifically designed for high-risk scenarios as an effective barrier against pathogens.

7. What is a key characteristic of effective communication in risk management?

- A. Flexibility in messaging
- B. Clarity and transparency in discussing risks and management strategies**
- C. Emphasis on visual presentations alone
- D. Avoiding difficult conversations

Clarity and transparency in discussing risks and management strategies is essential in effective communication within risk management. This characteristic ensures that all stakeholders, including team members and decision-makers, fully understand the nature of the risks involved and the planned strategies to mitigate them. Clear communication helps to align expectations, enhances trust, and encourages collaboration among all parties involved in the project or organizational objectives. When risks are communicated transparently, it allows for informed decision-making and enables proactive steps to be taken, which can better prepare a team to handle potential issues before they escalate. It fosters an environment where concerns can be openly addressed, allowing for comprehensive risk assessments and the identification of appropriate management strategies. This level of openness is pivotal in achieving successful outcomes and minimizing the likelihood of misunderstandings or oversights that could adversely impact the project's success.

8. Why is documentation critical in the case management role of nursing?

- A. Provides evidence for insurance claims
- B. Ensures client satisfaction
- C. Records interactions and treatments for continuity of care**
- D. Minimizes workload for healthcare professionals

Documentation is fundamental in the case management role of nursing because it serves as a comprehensive record of interactions and treatments administered to clients, which is essential for ensuring continuity of care. When nurses document patient assessments, interventions, and responses, they create a clear and accessible history that can be referenced by all members of the healthcare team. This continuity is crucial, particularly in complex cases where multiple professionals are involved, as it allows for informed decision-making based on a complete understanding of the patient's condition and care trajectory. Additionally, well-maintained documentation facilitates seamless transitions between care settings, ensuring that any changes in the patient's status or treatment plan are communicated effectively. This thorough record-keeping supports better coordination among healthcare providers, ultimately leading to improved patient outcomes and safety within the healthcare system.

9. In risk assessment, what is the primary purpose of prioritizing risks?

- A. To evenly distribute resources across all risks
- B. To focus attention on the most significant risks first**
- C. To eliminate the need for a response plan
- D. To involve more stakeholders in discussions

The primary purpose of prioritizing risks is to focus attention on the most significant risks first. In risk assessment, not all risks hold the same level of potential impact or likelihood of occurrence; therefore, it becomes essential to identify which risks could have the most severe consequences on the organization or project. By prioritizing these risks, teams can allocate their resources and efforts efficiently to address the issues that pose the greatest threat. This focused approach allows for more effective risk management strategies, ensuring that the most critical risks are managed appropriately before moving on to less significant ones, thereby optimizing overall risk management efforts. Other choices do not align with the primary purpose of prioritization in risk assessment. For instance, evenly distributing resources across all risks may dilute attention from critical threats, making it ineffective. Similarly, the ability to eliminate the need for a response plan is not a goal of prioritizing risks, as plans will still be necessary for managing risks appropriately. Finally, involving more stakeholders in discussions can be beneficial, but it does not directly relate to the act of prioritization itself.

10. What is the average age of diagnosis for Wilms tumor in children?

- A. One year
- B. Three years**
- C. Five years
- D. Seven years

The average age of diagnosis for Wilms tumor, which is a type of kidney cancer that primarily affects children, is indeed around three years. This is significant because Wilms tumor commonly occurs in children between the ages of one and five, with the peak incidence occurring around the ages of two to three. Understanding this age range helps in early detection and timely treatment, which can greatly affect patient outcomes. Diagnosing Wilms tumor earlier can help healthcare providers implement appropriate treatment strategies more effectively. Some other choices reflect ages that are either too young or too old, straying from the typical incidence range for this condition.

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

<https://archerreadinessassmt.examzify.com>

We wish you the very best on your exam journey. You've got this!

SAMPLE