

ASATT National Certification Exam (NCE) Practice Exam (Sample)

Study Guide



Everything you need from our exam experts!

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright	1
Table of Contents	2
Introduction	3
How to Use This Guide	4
Questions	5
Answers	8
Explanations	10
Next Steps	16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

Questions

SAMPLE

1. What factors directly affect resistance in ventilation through an endotracheal tube?
 - A. Length and pressure
 - B. Volume and compliance
 - C. Length and diameter
 - D. Diameter and pressure

2. In which clinical situation would you most likely use a simple (vented) oxygen mask?
 - A. During continuous sedation
 - B. For emergency intubation
 - C. In low-flow oxygen therapy
 - D. During surgical anesthesia

3. Measuring a patient's prothrombin time may reflect concern about which aspect of care?
 - A. Vascular health under anesthesia
 - B. Coagulation factor replacement during a massive transfusion
 - C. Electrolyte balance during surgery
 - D. Postoperative infection risk

4. An active scavenging system in anesthesia requires which type of pressure?
 - A. Positive pressure
 - B. Neutral pressure
 - C. Negative pressure
 - D. Variable pressure

5. The main function of hemoglobin is to?
 - A. Filter carbon dioxide
 - B. Transport nutrients
 - C. Transport oxygen
 - D. Regulate pH

6. Which organization mandates training and periodic review of basic safety topics?
- A. The Joint Commission (TJC)
 - B. American Society of Anesthesiologists (ASA)
 - C. Center for Disease Control (CDC)
 - D. National Institutes of Health (NIH)
7. A cell-saving device is most likely utilized during which surgical procedure?
- A. Pneumonectomy
 - B. Liver transplant
 - C. Cardiothoracic surgery
 - D. Appendectomy
8. In what situation is proper airway management critical to patient safety?
- A. Difficult airway management
 - B. During routine check-ups
 - C. For patients under general anesthesia
 - D. Both a and c
9. What are some physiological consequences of spinal anesthesia?
- A. Hypertension and tachycardia
 - B. Hypotension and bradycardia
 - C. Nausea and vomiting
 - D. Headaches
10. What is a common treatment for delusional hyponatremia after a transurethral resection of the prostate (TURP)?
- A. Diuretics
 - B. Intravenous fluids
 - C. Electrolyte supplements
 - D. Antidepressants

Answers

SAMPLE

1. C
2. C
3. B
4. C
5. C
6. A
7. B
8. D
9. B
10. A

SAMPLE

Explanations

SAMPLE

1. What factors directly affect resistance in ventilation through an endotracheal tube?

- A. Length and pressure
- B. Volume and compliance
- C. Length and diameter
- D. Diameter and pressure

The correct answer focuses on the length and diameter of the endotracheal tube, as both of these factors significantly impact the resistance to airflow during ventilation. In terms of length, a longer tube increases resistance due to friction, as air has to travel a greater distance and comes into contact with more surface area. As the tube length increases, the airflow becomes more turbulent, which can further contribute to increased resistance. Diameter is equally crucial; a larger diameter tube allows for greater airflow with less friction, thereby reducing resistance. According to the principles of fluid dynamics, resistance to flow is inversely related to the fourth power of the radius of the tube. This means that even minor increases in diameter can lead to substantial decreases in resistance. Together, these factors create a critical balance that affects ventilation efficacy, especially in clinical settings where airway management is essential.

2. In which clinical situation would you most likely use a simple (vented) oxygen mask?

- A. During continuous sedation
- B. For emergency intubation
- C. In low-flow oxygen therapy
- D. During surgical anesthesia

A simple (vented) oxygen mask is primarily designed for low-flow oxygen therapy. This type of mask allows for the delivery of supplemental oxygen to the patient while still permitting ambient air to mix with the oxygen, which can help maintain a more comfortable breathing experience for the patient. The open design of the vents allows exhaled carbon dioxide to escape while providing a constant flow of oxygen, making it effective for maintaining adequate oxygenation for individuals with mild to moderate respiratory distress or those needing supplemental oxygen without requiring high concentrations. In situations such as continuous sedation or surgical anesthesia, more controlled and higher concentration oxygen delivery methods would typically be employed, such as a non-rebreather mask or high-flow nasal cannula. For emergency intubation, the focus is on securing the airway, and the use of an oxygen mask would not suffice; rather, ventilation would be directly managed through the endotracheal tube. Thus, the context of low-flow oxygen therapy aligns perfectly with the optimal use of a simple vented oxygen mask.

3. Measuring a patient's prothrombin time may reflect concern about which aspect of care?

A. Vascular health under anesthesia

B. Coagulation factor replacement during a massive transfusion

C. Electrolyte balance during surgery

D. Postoperative infection risk

Measuring a patient's prothrombin time (PT) is crucial for evaluating the coagulation status of a patient, particularly in settings where there's a concern about bleeding and the effectiveness of clotting factors. Prothrombin time assesses the extrinsic pathway of coagulation and reflects the functionality of specific clotting factors such as factor I (fibrinogen), II (prothrombin), V, VII, and X. When patients undergo a massive transfusion, there's a risk of dilutional coagulopathy, wherein the massive volume of blood products can dilute the patient's own clotting factors and lead to abnormal bleeding. Monitoring PT allows healthcare providers to determine if coagulation factor replacement is necessary to restore hemostatic function and avoid complications such as excessive bleeding during or after surgery. The other options do not align with the role of PT. For instance, vascular health under anesthesia primarily pertains to maintaining adequate perfusion and oxygenation, and while electrolyte balance is important for overall homeostasis, it is not directly assessed through PT. Postoperative infection risk is unrelated, as this is more associated with the patient's immune status and the surgical environment rather than coagulation status. Thus, the measurement of prothrombin time is most relevant in

4. An active scavenging system in anesthesia requires which type of pressure?

A. Positive pressure

B. Neutral pressure

C. Negative pressure

D. Variable pressure

An active scavenging system in anesthesia is designed to remove excess anesthetic gases from the operating room environment to ensure safety for both the medical staff and the patient. This system operates under negative pressure, which creates a vacuum effect that pulls the waste gases away from the anesthesia machine and into a disposal system, such as a ventilation system or an external gas disposal location. By maintaining negative pressure in the scavenging system, the risk of gas accumulation in the operating room is minimized, thereby preventing exposure to potentially harmful anesthetic agents. This is critical, as prolonged exposure to these gases can pose health risks to operating room personnel and patients. Other types of pressure, like positive pressure, would not be suitable for scavenging systems because they could risk forcing gases back into the environment instead of removing them. Neutral and variable pressures also do not align with the fundamental operation needed for effective scavenging of anesthetic gases. Hence, negative pressure is essential for the efficient performance of active scavenging systems in anesthesia.

5. The main function of hemoglobin is to?

- A. Filter carbon dioxide
- B. Transport nutrients
- C. Transport oxygen
- D. Regulate pH

The primary function of hemoglobin is to transport oxygen throughout the body. Hemoglobin is a protein found in red blood cells that binds to oxygen molecules in the lungs and carries them to the tissues and organs where they are needed for cellular respiration. This process is vital for maintaining the energy levels necessary for bodily functions, as oxygen is essential for metabolizing nutrients and producing ATP, the energy currency of the cell. In addition to its role in oxygen transport, hemoglobin also assists in the transport of carbon dioxide, a waste product of metabolism, back to the lungs for exhalation, but this is not its main function. The transport of nutrients and regulation of pH are also important physiological processes, however, they do not pertain to the specific role of hemoglobin.

6. Which organization mandates training and periodic review of basic safety topics?

- A. The Joint Commission (TJC)
- B. American Society of Anesthesiologists (ASA)
- C. Center for Disease Control (CDC)
- D. National Institutes of Health (NIH)

The Joint Commission (TJC) is recognized for its role in establishing standards for healthcare organizations, including the requirement for training and ongoing education related to safety. TJC sets forth guidelines that healthcare facilities must adhere to in order to ensure a safe environment for patients and staff. This includes mandating the training of personnel on essential safety topics, as well as regular reviews to ensure compliance and understanding of best practices. The TJC's focus on safety training helps to enhance quality of care and reduce the risk of incidents related to patient safety, ensuring that all staff members are prepared to respond appropriately in various situations. This is aligned with their overall mission to improve healthcare quality and safety. In contrast, the other organizations mentioned have different primary missions. The American Society of Anesthesiologists (ASA) focuses on advancing the practice of anesthesiology and providing educational resources, but it does not mandate safety training across all healthcare settings. The Centers for Disease Control and Prevention (CDC) is concerned with public health and disease prevention, providing guidelines for infection control and other health matters rather than specific training requirements. The National Institutes of Health (NIH) primarily supports medical research and funding and does not play a direct role in establishing training standards for safety in healthcare environments.

7. A cell-saving device is most likely utilized during which surgical procedure?

- A. Pneumonectomy
- B. Liver transplant
- C. Cardiothoracic surgery
- D. Appendectomy

A cell-saving device is typically employed during procedures where significant blood loss is anticipated, and it is crucial to minimize the need for allogeneic (donor) blood transfusions. In this context, liver transplant surgeries often involve substantial blood loss due to the complexity of the procedure, the highly vascular nature of the liver, and the potential for bleeding from both the donor and the recipient sites. Utilizing a cell-saving device allows for the intraoperative collection and reinfusion of the patient's blood, thereby preserving blood volume and reducing the risk of transfusion-related complications. This technology enhances patient safety by minimizing reliance on external blood sources during a critical surgical intervention. In contrast, procedures such as pneumonectomy, cardiothoracic surgery, and appendectomy do not generally necessitate the same degree of blood loss management as liver transplants, making the use of cell-saving devices less common in those contexts.

8. In what situation is proper airway management critical to patient safety?

- A. Difficult airway management
- B. During routine check-ups
- C. For patients under general anesthesia
- D. Both a and c

Proper airway management is critical to patient safety in several situations, particularly in cases of difficult airway management and for patients under general anesthesia. In difficult airway management, the anatomical or physiological challenges can make it hard to secure an airway effectively and safely. Failure to manage the airway properly can lead to inadequate oxygenation and ventilation, potentially resulting in severe complications or even respiratory arrest. Therefore, recognizing and responding to a difficult airway scenario promptly and with the appropriate techniques and equipment is essential to ensure patient safety. For patients under general anesthesia, the loss of protective airway reflexes and the sedative effects of anesthetic agents increase the risk of airway obstruction. These patients require vigilant monitoring and proactive airway management strategies to maintain airway patency and ensure that they can breathe adequately throughout the surgical procedure. Any interruption in airway management during this time can result in significant adverse outcomes. While routine check-ups might have some elements of airway assessment, they typically do not involve the same level of critical airway management needed in difficult airway scenarios or during general anesthesia. Hence, the importance of proper airway management is underscored in both difficult airway situations and in the context of patients undergoing general anesthesia.

9. What are some physiological consequences of spinal anesthesia?

- A. Hypertension and tachycardia
- B. Hypotension and bradycardia
- C. Nausea and vomiting
- D. Headaches

Spinal anesthesia can lead to hypotension and bradycardia due to the effects it has on the sympathetic nervous system. In spinal anesthesia, local anesthetics are injected into the cerebrospinal fluid, resulting in a temporary loss of motor and sensory function below the level of the injection. This technique can block sympathetic fibers, which often leads to vasodilation of the blood vessels and a subsequent drop in blood pressure, known as hypotension. Bradycardia occurs because the autonomic nervous system is affected by the anesthesia; the decrease in sympathetic tone can enhance vagal activity, which slows the heart rate. These physiological changes are critical for anesthesiologists to monitor and manage during procedures to ensure patient safety. The other options do not align with the typical physiological effects associated with spinal anesthesia. While nausea and vomiting, as well as headaches, may occur as side effects in certain situations, they are not direct consequences of the physiological impact on the cardiovascular system caused by spinal anesthesia. Hypertension and tachycardia are not typically seen; rather, they are more associated with other forms of anesthesia or reactions to surgical stress.

10. What is a common treatment for delusional hyponatremia after a transurethral resection of the prostate (TURP)?

- A. Diuretics
- B. Intravenous fluids
- C. Electrolyte supplements
- D. Antidepressants

The correct treatment for delusional hyponatremia following a transurethral resection of the prostate (TURP) is a focus on managing fluid balance and correcting sodium levels. In the context of TURP, patients can experience a condition known as TURP syndrome, which often leads to fluid overload and hyponatremia. This occurs due to the absorption of irrigating fluid during the procedure. Diuretics, specifically, help in this situation by promoting the excretion of excess water, thereby assisting in normalizing sodium levels. This is critical in addressing the hemodilution that causes the sodium levels to drop. By removing excess fluid, diuretics can help mitigate symptoms associated with hyponatremia and restore a healthier electrolyte balance. While intravenous fluids and electrolyte supplements may seem like viable options in therapy for hyponatremia, they could potentially exacerbate the fluid overload in these patients, especially given the context of TURP syndrome. Antidepressants are unrelated to the management of electrolyte imbalances and do not play a role in treating hyponatremia. Thus, diuretics are the most appropriate choice for treating delusional hyponatremia in this clinical scenario.

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

<https://asattnce.examzify.com>

We wish you the very best on your exam journey. You've got this!

SAMPLE