

ATI FUNDAMENTALS II PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR
THE FULL VERSION STUDY GUIDE

<https://atufundamentals2.examzify.com>



Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright	1
Table of Contents	2
Introduction	3
How to Use This Guide	4
Questions	5
Answers	8
Explanations	10
Next Steps	16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

Questions

SAMPLE

- 1. When a patient with prostate cancer declines to discuss concerns, what is the best response from the nurse?**
 - A. I believe it is important for you to talk
 - B. Let me know if you need anything
 - C. I am available to talk if you should change your mind
 - D. You should really discuss this with someone
- 2. What is a significant risk for patients receiving IV therapy?**
 - A. Reduced mobility
 - B. Enhanced fluid absorption
 - C. Infection at the insertion site
 - D. Lowered heart rate
- 3. What role do interdisciplinary teams play in patient care?**
 - A. To ensure each discipline works independently for better outcomes
 - B. To collaborate and integrate different professional expertise to optimize patient outcomes
 - C. To focus solely on primary care without outside consultation
 - D. To take charge of the patient's care plan without patient involvement
- 4. What is the appropriate method for ensuring accurate blood pressure readings?**
 - A. Ensure the bladder of the cuff surrounds 50% of the patient's arm
 - B. Place the cuff above the elbow
 - C. Ensure the bladder of the blood pressure cuff surrounds 80% of the patient's arm
 - D. Use a child-sized blood pressure cuff
- 5. What type of transmission precautions should a nurse initiate for a patient with a purulent drainage wound?**
 - A. Airborne Precautions
 - B. Contact Precautions
 - C. Droplet Precautions
 - D. Standard Precautions

- 6. What does the acronym "AIDS" stand for?**
- A. Acquired Immune Disease Syndrome
 - B. Autoimmune Immunodeficiency Syndrome
 - C. Acquired Immunodeficiency Syndrome
 - D. Affective Immune Deficiency Syndrome
- 7. For septic patients, which vital sign assessment is crucial?**
- A. Monitoring blood glucose
 - B. Monitoring temperature and heart rate
 - C. Monitoring blood oxygen levels
 - D. Monitoring respiratory rate
- 8. Which complementary therapy is contraindicated for a patient with herpes zoster?**
- A. Massage therapy
 - B. Herbal supplements
 - C. Acupuncture
 - D. Hot compresses
- 9. What is an immediate action a nurse should take if a patient shows signs of a myocardial infarction?**
- A. Administer pain relief medication
 - B. Call for emergency assistance
 - C. Start patient education on heart health
 - D. Perform immediate CPR
- 10. What is the best protocol for the use of fax machines in a healthcare setting?**
- A. Send documents without consent if urgent
 - B. Use a cover sheet with confidentiality notices
 - C. Fax information to multiple recipients simultaneously
 - D. Automatically store sent documents for retrieval

Answers

SAMPLE

1. C
2. C
3. B
4. C
5. B
6. C
7. B
8. C
9. B
10. B

SAMPLE

Explanations

SAMPLE

1. When a patient with prostate cancer declines to discuss concerns, what is the best response from the nurse?

- A. I believe it is important for you to talk
- B. Let me know if you need anything
- C. I am available to talk if you should change your mind**
- D. You should really discuss this with someone

The response that states, "I am available to talk if you should change your mind," is particularly effective because it respects the patient's autonomy while also showing support and openness. It communicates that the nurse is willing to provide assistance and is available to discuss any concerns when the patient feels ready to do so. This approach fosters a trusting relationship, allowing the patient to feel comfortable reaching out for help in the future without feeling pressured. In contrast, suggesting that it is important for the patient to talk may come across as dismissive or judgmental about their feelings. The phrase "Let me know if you need anything" hints at the nurse's willingness to help, but it does not specifically address the patient's emotional needs or concerns about their situation. Finally, telling the patient that they should really discuss this with someone can imply that they are not handling their situation appropriately, which may create feelings of shame or defensiveness and discourage open communication. Thus, the selected response successfully balances the patient's current wishes with an invitation for future support.

2. What is a significant risk for patients receiving IV therapy?

- A. Reduced mobility
- B. Enhanced fluid absorption
- C. Infection at the insertion site**
- D. Lowered heart rate

In the context of patients receiving IV therapy, a significant risk associated with the procedure is the potential for infection at the insertion site. This risk arises because the insertion of an intravenous line breaks the skin barrier, which can introduce bacteria and lead to localized infections or even systemic infections, such as bacteremia or sepsis. Proper aseptic technique during insertion and care of the IV site is essential in minimizing this risk. Regular monitoring of the insertion site for signs of infection—such as redness, swelling, warmth, or discharge—is also critical for early detection and management. While reduced mobility, enhanced fluid absorption, and lowered heart rate could be concerns in certain situations, they do not present the same acute and significant risk that infection at the insertion site does during IV therapy. Infection control is a paramount consideration in the administration of IV therapy, making this risk particularly noteworthy.

3. What role do interdisciplinary teams play in patient care?

- A. To ensure each discipline works independently for better outcomes
- B. To collaborate and integrate different professional expertise to optimize patient outcomes**
- C. To focus solely on primary care without outside consultation
- D. To take charge of the patient's care plan without patient involvement

Interdisciplinary teams play a crucial role in patient care by collaborating and integrating diverse professional expertise, which leads to optimized patient outcomes. This teamwork brings together various healthcare professionals, such as doctors, nurses, social workers, and therapists, who each bring their unique skills and perspectives to the table. By working together, these teams can develop a comprehensive care plan that considers all aspects of a patient's health and well-being. The collaborative nature of interdisciplinary teams allows for improved communication and coordination among healthcare providers, reducing the risk of misunderstandings or discrepancies in treatment. It also promotes holistic care, ensuring that all of the patient's needs—physical, emotional, and social—are addressed. This collaborative approach has been shown to enhance the quality of care, improve patient satisfaction, and ultimately lead to better health outcomes for patients. Other options suggest working independently or focusing on singular aspects of care, which does not reflect the benefits of collaboration inherent in interdisciplinary practices. Choices that propose a lack of patient involvement or outside consultation also overlook the importance of including the patient in the decision-making process, which is vital for patient-centered care.

4. What is the appropriate method for ensuring accurate blood pressure readings?

- A. Ensure the bladder of the cuff surrounds 50% of the patient's arm
- B. Place the cuff above the elbow
- C. Ensure the bladder of the blood pressure cuff surrounds 80% of the patient's arm**
- D. Use a child-sized blood pressure cuff

The correct method for ensuring accurate blood pressure readings is to use a cuff that surrounds approximately 80% of the average adult's arm circumference. This is essential because a cuff that is too small may lead to falsely high readings, while a cuff that is too large can result in falsely low readings. The proper fit of the blood pressure cuff is crucial for obtaining reliable measurements, as it allows the inflatable bladder to compress the artery adequately and accurately reflect the blood pressure within the system. By ensuring that the bladder of the cuff surrounds about 80% of the patient's arm, healthcare providers can achieve a proper balance, minimizing the risk of errors in the measurement process. This is particularly important in clinical settings where accurate blood pressure readings are vital for diagnosing hypertension or managing a patient's cardiovascular health.

5. What type of transmission precautions should a nurse initiate for a patient with a purulent drainage wound?

- A. Airborne Precautions
- B. Contact Precautions**
- C. Droplet Precautions
- D. Standard Precautions

For a patient with a purulent drainage wound, Contact Precautions are necessary because the presence of a wound with purulent drainage indicates the potential for transmission of infectious agents through direct or indirect contact with surfaces, medical equipment, or individuals. These precautions help to prevent the spread of pathogens that may be present in the wound drainage. Contact Precautions typically involve wearing appropriate personal protective equipment (PPE), such as gloves and gowns, when interacting with the patient or handling items that may be contaminated. This approach is essential to safeguard healthcare providers and other patients within the healthcare environment from the risk of infection related to the wound drainage. Other precautionary measures like Airborne, Droplet, and Standard Precautions do not apply here to the same extent, as they are designed for different modes of transmission. Airborne Precautions are used for infections that can be transmitted through tiny droplets in the air, such as tuberculosis, while Droplet Precautions are for illnesses spread through larger respiratory droplets. Standard Precautions would be generally applied to all patients but do not provide the specific protections needed for handling potentially contaminated drainage from a wound, which is why Contact Precautions are the most appropriate choice in this scenario.

6. What does the acronym "AIDS" stand for?

- A. Acquired Immune Disease Syndrome
- B. Autoimmune Immunodeficiency Syndrome
- C. Acquired Immunodeficiency Syndrome**
- D. Affective Immune Deficiency Syndrome

The acronym "AIDS" stands for Acquired Immunodeficiency Syndrome. This term reflects the condition that arises due to the infection with the Human Immunodeficiency Virus (HIV), which progressively weakens the immune system. The word "acquired" indicates that the syndrome is not inherited but is developed after exposure to the virus. "Immunodeficiency" refers to the reduced ability of the immune system to fight off infections and diseases. "Syndrome" signifies that it encompasses a group of symptoms and signs associated with the progression of HIV infection. The other options include terms that do not accurately reflect the medical terminology used to describe the disease. For instance, "Autoimmune Immunodeficiency Syndrome" implies an autoimmune origin, which is not the case for AIDS, since it is caused by a viral infection. Similarly, "Affective Immune Deficiency Syndrome" and "Acquired Immune Disease Syndrome" misstate the nature of the syndrome and do not correspond with established medical terminology for this condition. Understanding the correct terminology is crucial for healthcare professionals to communicate effectively about HIV/AIDS and its implications.

7. For septic patients, which vital sign assessment is crucial?

- A. Monitoring blood glucose
- B. Monitoring temperature and heart rate**
- C. Monitoring blood oxygen levels
- D. Monitoring respiratory rate

For patients experiencing septic shock, monitoring temperature and heart rate is crucial as they are key indicators of the body's response to infection. In sepsis, a dysregulated immune response can lead to fever or hypothermia, and significant changes in heart rate are often observed as the body attempts to maintain blood flow and perfusion to vital organs despite underlying complications. An increased heart rate can signal an attempt to compensate for decreased blood pressure and may indicate the progression of sepsis. While monitoring blood glucose, oxygen levels, and respiratory rate can also be significant in the overall management of a septic patient, temperature and heart rate are the primary vital signs that directly reflect the physiological response to infection and help guide treatment decisions. This focus is essential for early detection of deterioration and timely intervention in a patient who is becoming septic.

8. Which complementary therapy is contraindicated for a patient with herpes zoster?

- A. Massage therapy
- B. Herbal supplements
- C. Acupuncture**
- D. Hot compresses

Acupuncture is contraindicated for a patient with herpes zoster because the condition involves an active viral infection that can cause inflammation and pain in the affected dermatome. Acupuncture involves the insertion of needles into specific points on the body, which may stimulate the nervous system and promote an immune response. However, in the case of herpes zoster, introducing needles can lead to irritation or unintended complications in an area already vulnerable due to the viral infection. Additionally, there are risks related to open lesions and the potential for spreading the virus. This consideration makes acupuncture inappropriate in this situation, while the other therapies, like massage therapy, herbal supplements, and hot compresses, may have therapeutic benefits or be used with caution depending on individual circumstances and severity of symptoms.

9. What is an immediate action a nurse should take if a patient shows signs of a myocardial infarction?

- A. Administer pain relief medication
- B. Call for emergency assistance**
- C. Start patient education on heart health
- D. Perform immediate CPR

When a patient shows signs of a myocardial infarction, the priority is to ensure that emergency assistance is summoned promptly. This action is critical because a myocardial infarction, commonly known as a heart attack, can lead to severe complications and can be life-threatening. The sooner emergency responders are on the scene, the more likely it is that the patient will receive timely and effective treatment, which is essential in minimizing heart damage and improving outcomes. Calling for emergency assistance also allows for advanced care to be mobilized, including the possibility of transport to a medical facility where interventions such as angioplasty or the administration of thrombolytics can take place. This immediate step takes precedence over administering pain relief, providing patient education, or other actions, as the first concern in this scenario is the patient's safety and stabilization before any other interventions can occur. Thus, sending for help is the most appropriate and urgent course of action in dealing with a suspected myocardial infarction.

10. What is the best protocol for the use of fax machines in a healthcare setting?

- A. Send documents without consent if urgent
- B. Use a cover sheet with confidentiality notices**
- C. Fax information to multiple recipients simultaneously
- D. Automatically store sent documents for retrieval

Using a cover sheet with confidentiality notices is essential in the healthcare setting when utilizing fax machines. This protocol serves multiple purposes. First, it provides a clear identification of the document's origin, indicating that the contents are intended for a specific recipient. Second, it includes confidentiality statements that remind recipients of their legal and ethical obligations to protect the information being transmitted. This is particularly important in healthcare, where patient privacy is governed by regulations such as HIPAA (Health Insurance Portability and Accountability Act). The cover sheet acts as a first line of defense, ensuring that unintended recipients are aware that the information is sensitive and should not be disclosed. Additionally, in case a fax is sent to the wrong recipient, having a confidentiality disclaimer can mitigate potential breaches by informing them that they are not authorized to view the information. Options related to sending documents without consent, faxing to multiple recipients, or automatic storage of sent documents would compromise patient confidentiality and security protocols, and they do not adhere to best practices recommended for protecting sensitive healthcare information. Thus, using a cover sheet with confidentiality notices is the most prudent and recognized approach for ensuring secure communication via fax in a healthcare environment.

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

<https://atufundamentals2.examzify.com>

We wish you the very best on your exam journey. You've got this!

SAMPLE