

B3/61 CONTRACTOR TRADE PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR
THE FULL VERSION STUDY GUIDE

<https://b361contractortrade.examzify.com>



Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright	1
Table of Contents	2
Introduction	3
How to Use This Guide	4
Questions	5
Answers	8
Explanations	10
Next Steps	15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

Questions

SAMPLE

- 1. How much can be notched from a load bearing stud without compromising it's structural integrity?**
 - A. 50%
 - B. 40%
 - C. 25%
 - D. 33%
- 2. In emergency egress requirements for sleeping rooms, the minimum net clear opening width is at least how many inches?**
 - A. 20 inches
 - B. 30 inches
 - C. 24 inches
 - D. 27 inches
- 3. Which material is not permissible as underlayment for hardwood floors?**
 - A. OSB Plywood
 - B. CDX Plywood
 - C. Particle Board
 - D. Plywood CC
- 4. What is the purpose of solid blocking in floor framing?**
 - A. Increases vertical load capacity
 - B. Provides lateral restraint of joist ends
 - C. Acts as a moisture barrier
 - D. Reduces heat transfer
- 5. Which value represents the minimum pitch for asphalt roof systems expressed as a fraction per 12 horizontal?**
 - A. 3/12
 - B. 2/12
 - C. 4/12
 - D. 5/12

6. While trenching and excavating, OSHA requires that materials stored near the trench or excavation be at least _____ of the trench or excavation.
- A. 2 ft
 - B. 4 ft
 - C. 3 ft
 - D. 1 ft
7. When excavating, what problem does water in the trench create?
- A. puddling
 - B. unstable soil
 - C. makes it unrippable
 - D. makes the trench too wide
8. PSF stands for which phrase in structural design?
- A. Pounds per square foot
 - B. Pounds per square footage
 - C. Pounds per square foot measurement
 - D. Pounds per square foundation
9. Where the roof and exterior walls come together, how much higher should the exterior wall be than the roof on a built up roof ?
- A. 40 inches
 - B. 10 inches
 - C. 30 inches
 - D. 20 inches
10. What type of connection should be used when an I-joist and a beam meet?
- A. Joist hanger
 - B. Metal hurricane clips
 - C. Metal framing ties
 - D. Railing Tie

Answers

SAMPLE

1. C
2. A
3. C
4. B
5. B
6. A
7. C
8. C
9. C
10. A

SAMPLE

Explanations

SAMPLE

1. How much can be notched from a load bearing stud without compromising its structural integrity?

- A. 50%
- B. 40%
- C. 25%**
- D. 33%

Notching a load-bearing stud reduces the wood that carries vertical loads, so there's a safety limit. For a load-bearing stud, you're allowed to notch only up to 25% of the stud's width. With a standard 2x4 (actual width 3.5 inches), that's about 0.875 inches deep. Going deeper weakens the stud, and you'd need reinforcement (like a steel nail plate, or sistering/replacing the stud) or an alternative routing method. The other percentages would exceed what's considered safe for a load-bearing member, which is why 25% is the correct guideline. If you're working with non-load-bearing walls, different allowances can apply.

2. In emergency egress requirements for sleeping rooms, the minimum net clear opening width is at least how many inches?

- A. 20 inches**
- B. 30 inches
- C. 24 inches
- D. 27 inches

The key idea is the size of an emergency escape and rescue opening in sleeping rooms. The opening must be at least 20 inches wide, measured as the net clear width, to ensure someone can pass through quickly in an emergency. This width is the minimum to allow a person to fit through the opening, with other dimensional requirements (like height and overall opening area) also applying to make the opening usable. In practice, openings wider than 20 inches meet the requirement, and the sill height is typically limited (not more than about 44 inches above the floor) to keep the opening reachable.

3. Which material is not permissible as underlayment for hardwood floors?

- A. OSB Plywood
- B. CDX Plywood
- C. Particle Board**
- D. Plywood CC

Underlayment for hardwood floors must provide a stable, smooth surface that won't swell, delaminate, or loosen fasteners, and it should resist moisture enough to keep the floor level and quiet over time. Particle board fails these tests because it absorbs moisture readily, swells and deteriorates, and doesn't hold nails or screws well. That makes it unsuitable as an underlayment for hardwood. In contrast, materials like OSB or plywood (including grades such as CDX or CC) offer better dimensional stability, a solid nailing or bonding surface, and greater resistance to moisture-related distortion when used with the proper installation details.

4. What is the purpose of solid blocking in floor framing?

- A. Increases vertical load capacity
- B. Provides lateral restraint of joist ends**
- C. Acts as a moisture barrier
- D. Reduces heat transfer

Solid blocking between floor joists mainly provides lateral restraint to the joist ends, tying the joists together so the floor behaves as a single, rigid unit. By filling the gaps between adjacent joists, blocking prevents the ends from twisting or spreading under load and helps transfer shear across the floor, reducing deflection and squeaks. It also gives a solid nailing surface and helps stabilize long-span floors. This isn't about increasing vertical load capacity by itself, nor is it a moisture barrier or a primary way to cut heat transfer.

5. Which value represents the minimum pitch for asphalt roof systems expressed as a fraction per 12 horizontal?

- A. 3/12
- B. 2/12**
- C. 4/12
- D. 5/12

The key idea is the slope needed for asphalt shingles to shed water properly and allow correct installation. For asphalt roof systems, the minimum pitch is 2/12, meaning the roof must rise 2 inches for every 12 inches of horizontal run (about a 1:6 ratio). This level provides enough drainage and workable space for fastening and sealing shingles. Pitches of 3/12, 4/12, or 5/12 are steeper and would still function, but they exceed the minimum, which is why 2/12 is the correct minimum value.

6. While trenching and excavating, OSHA requires that materials stored near the trench or excavation be at least _____ of the trench or excavation.

- A. 2 ft**
- B. 4 ft
- C. 3 ft
- D. 1 ft

The main concept is keeping materials and spoil away from the edge of a trench to prevent hazards from cave-ins or falling loads. OSHA requires that materials stored near the trench be kept at least two feet from the edge. This minimum spacing helps ensure that spoil piles, equipment, and other loads can't slide or topple into the trench, keeps the trench face stable, and provides space for safe entry, exit, and operation around the trench. The other distances aren't the standard minimum: one foot is too close, and three or four feet exceed the minimum without changing the required safety baseline.

7. When excavating, what problem does water in the trench create?

- A. puddling
- B. unstable soil
- C. makes it unrippable**
- D. makes the trench too wide

Water in the trench weakens the soil, reducing its shear strength and adding hydrostatic pressure against the walls. This combination makes the trench unstable and prone to collapse. That instability is the key hazard created by water, so the best description is unstable soil. Puddling is related but more about muddy, waterlogged pockets, while the other options don't capture the main danger—water doesn't widen the trench or make the soil unrippable.

8. PSF stands for which phrase in structural design?

- A. Pounds per square foot
- B. Pounds per square footage
- C. Pounds per square foot measurement**
- D. Pounds per square foundation

The main concept here is that PSF is a unit of load or pressure expressed as pounds of force on each square foot of area. In structural design, this is used to specify how much weight a floor, beam, or other element must carry per square foot. The standard phrase is pounds per square foot. The other options don't fit because they use awkward or incorrect wording—"square footage" isn't the unit naming, adding "measurement" isn't part of the term, and "foundation" changes the meaning entirely. So PSF = pounds per square foot.

9. Where the roof and exterior walls come together, how much higher should the exterior wall be than the roof on a built up roof ?

- A. 40 inches
- B. 10 inches
- C. 30 inches**
- D. 20 inches

Parapet height around a built-up roof is the idea being tested. On a built-up roof, the exterior wall should extend thirty inches above the roof surface to form a protective parapet. This height provides a proper edge condition for flashing and weatherproofing, helps resist wind-driven rain at the roof line, and gives a safe, practical edge for maintenance and coping installation. If the wall were much lower, there wouldn't be enough protection or a suitable surface for flashing details; being much higher adds unnecessary cost without added functional benefit. Thirty inches is the standard practice for achieving these edge conditions.

10. What type of connection should be used when an I-joist and a beam meet?

A. Joist hanger

B. Metal hurricane clips

C. Metal framing ties

D. Railing Tie

When an I-joist meets a beam, use a purpose-built joist hanger. This connector is designed to receive the end of the I-joist and fasten it securely to the supporting beam, transferring the load straight down and preventing rotation or shifting. Joist hangers are manufactured to fit I-joist flanges and depths, and they come with the appropriate fasteners specified for this connection, ensuring proper bearing and alignment. The other options aren't correct for this application. Hurricane clips are intended to resist wind uplift at roof connections, not to transfer flooring loads where an I-joist sits on a beam. Metal framing ties are general connectors used in wall framing or other assemblies and don't provide the secure, load-transfer connection required between an I-joist and a beam. Railing ties are for railing systems and have no role in floor framing connections.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

<https://b361contractortrade.examzify.com>

We wish you the very best on your exam journey. You've got this!

SAMPLE