

Basic Principles of Cranes Practice Test (Sample)

Study Guide



Everything you need from our exam experts!

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 - 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

Questions

SAMPLE

- 1. Which technique involves using a plumb bob to verify that the crane is level?**
 - A. Place a level at two points on the slew gear perpendicular to each other**
 - B. Raise the boom to a high angle, lower the load line close to the ground, and swing while watching to see if the load line stays in line with the boom (a plumb bob)**
 - C. Raise the boom to a high angle and slowly swing while watching the LMI values for boom angle**
 - D. Use a laser level at the cab**

- 2. Which boom type is typically used for pile driving due to its strength and simplicity?**
 - A. Lattice**
 - B. Telescopic**
 - C. Knuckle**
 - D. Floating**

- 3. This type of crane requires the boom to swing independent of the controls.**
 - A. Fixed cab (stationary controls)**
 - B. Mobile cab (remote controls)**
 - C. Hydraulic cab (adjustable controls)**
 - D. Rotating cab (joystick integrated)**

- 4. Who approves a lift plan?**
 - A. The crane operator**
 - B. A competent person or supervisor**
 - C. The client**
 - D. The safety officer**

- 5. Most cranes require them to be level to within what tolerance?**
 - A. 0.25 degrees**
 - B. 1% or 0.57 degrees**
 - C. 2% or 1.14 degrees**
 - D. 5% or 2.85 degrees**

- 6. If the ground under the outriggers collapses, which of the following describes the crane's condition?**
- A. Center of gravity shifts forward**
 - B. Radius decreases**
 - C. Stability increases**
 - D. Load height decreases**
- 7. What role do outriggers play in crane stability?**
- A. They increase the crane's lifting speed.**
 - B. They reduce operator fatigue.**
 - C. They widen the base and transfer load to the ground, preventing tipping.**
 - D. They provide weather protection.**
- 8. How do you determine the crane's stable working radius for a lift?**
- A. Consult the load chart for the current configuration and confirm the load does not exceed the charted capacity at that radius and boom length.**
 - B. Estimate based on prior lifts without checking the chart.**
 - C. The radius is the same for all configurations.**
 - D. Use the operator's seat position to judge distance.**
- 9. Which crane type tends to have the highest front-end capacities?**
- A. Rough terrain cranes (RT)**
 - B. All-terrain cranes (AT)**
 - C. Crawler cranes**
 - D. Tower cranes**
- 10. How should weather conditions be managed during lifting?**
- A. Ignoring weather changes during lifting.**
 - B. Only check weather if there is a storm.**
 - C. Weather has no impact on lifting.**
 - D. Monitor conditions, halt operations for lightning, heavy rain, high winds, and fix ground conditions.**

Answers

SAMPLE

1. B
2. A
3. A
4. B
5. B
6. A
7. C
8. A
9. A
10. D

SAMPLE

Explanations

SAMPLE

1. Which technique involves using a plumb bob to verify that the crane is level?
 - A. Place a level at two points on the slew gear perpendicular to each other
 - B. Raise the boom to a high angle, lower the load line close to the ground, and swing while watching to see if the load line stays in line with the boom (a plumb bob)**
 - C. Raise the boom to a high angle and slowly swing while watching the LMI values for boom angle
 - D. Use a laser level at the cab

Using a plumb bob provides a true vertical reference to gravity, which lets you verify that the crane's load path stays aligned with the boom as you move. By raising the boom, lowering the load line toward the ground, and then swinging while watching the load line in relation to the plumb bob, you're checking whether the line of action of the load remains in line with the boom. If it does, the crane is effectively level with respect to gravity; if not, you've got a tilt or out-of-level condition to address. This direct, gravity-based check is why this technique is the appropriate method. Other methods don't use the plumb bob as the vertical reference and therefore don't test level in the same way: placing a level on the slew gear checks the machine's alignment but not the load path during swing; following LMI readings focuses on angles and load calculations rather than true vertical alignment; a laser level from the cab provides a level reference without the plumb-bob comparison.

2. Which boom type is typically used for pile driving due to its strength and simplicity?
 - A. Lattice**
 - B. Telescopic
 - C. Knuckle
 - D. Floating

Pile driving needs a boom that can withstand heavy impact forces and stay very stiff, while also being reliable on rough job sites. Lattice booms achieve this through their truss design, which provides high stiffness for a given weight. That stiffness minimizes deflection under hammer impact and supports the large loads required when driving piles. The simpler, more robust construction with fewer moving parts also makes them easier to transport, assemble, and maintain on-site. In contrast, telescopic booms rely on hydraulic extensions and can be more susceptible to bending and damage under repeated impacts; knuckle booms are better for close-range material handling and don't offer the same long-reach stiffness; floating booms are used on ships, not typical land pile driving. So the lattice boom is the best fit for pile driving because of its strength and simplicity.

3. This type of crane requires the boom to swing independent of the controls.

- A. Fixed cab (stationary controls)**
- B. Mobile cab (remote controls)**
- C. Hydraulic cab (adjustable controls)**
- D. Rotating cab (joystick integrated)**

Understanding how control layout affects boom movement is essential. With a fixed cab, the operator's station remains stationary relative to the ground, and the boom's swing is driven by a dedicated hydraulic circuit that is not tied to the cab's orientation or the other control inputs. This means the boom can move laterally on its own, or be kept steady, without being affected by how the operator is seated or by the crane's other movements. The result is that the boom swing operates independently of the main controls, which is important for precise positioning in confined spaces. In configurations where the cab rotates or where controls are integrated with the joystick or remote systems, the boom swing tends to be linked to those inputs and cab orientation, so it isn't truly independent. Therefore, the fixed cab with stationary controls best satisfies the requirement that the boom swing be independent of the controls.

4. Who approves a lift plan?

- A. The crane operator**
- B. A competent person or supervisor**
- C. The client**
- D. The safety officer**

The plan for a lift is authorized by someone who has both the authority to approve work and the knowledge to verify all safety controls are in place. A competent person prepares the lift plan, laying out hazards, rigging, crane setup, load weight and limits, the planned path, site conditions, weather considerations, exclusion zones, and the emergency procedures. The actual approval is given by a supervisor or another competent person who has the authority to authorize the lift and ensure that the plan is feasible with the available resources and safety safeguards. The crane operator implements the plan but does not approve it. The client may require or review the work, but they don't typically hold the formal approval authority. The safety officer can review for compliance, but the official sign-off comes from the competent person or supervisor designated to approve the lift.

5. Most cranes require them to be level to within what tolerance?

A. 0.25 degrees

B. 1% or 0.57 degrees

C. 2% or 1.14 degrees

D. 5% or 2.85 degrees

Maintaining level is about keeping the crane's horizontal plane very close to true level to ensure even load distribution and stable operation. The standard tolerance is 1% slope, which corresponds to about 0.57 degrees. In practical terms, this means for every 100 units of horizontal distance, the crane should not tilt more than one unit of height. This tight tolerance helps prevent side loading on the hoist, reduces load swing, and keeps the crane's rated capacity valid. The other options are not used because they either imply a much looser or much tighter angle than typical practice. A 0.25-degree tilt is about 0.44% slope, which isn't the standard tolerance most cranes are held to. A 2% tilt (about 1.14 degrees) or a 5% tilt (about 2.85 degrees) would allow significantly more deviation and increase the risk of instability or abnormal loads. So the best answer is 1% or approximately 0.57 degrees.

6. If the ground under the outriggers collapses, which of the following describes the crane's condition?

A. Center of gravity shifts forward

B. Radius decreases

C. Stability increases

D. Load height decreases

When a crane is supported by outriggers, stability comes from keeping the entire weight (the center of gravity) over the base footprint. If the ground under the outriggers collapses, that side loses support and the crane tilts toward it. The whole system then pivots, and the combined center of gravity shifts forward relative to the base. That forward shift increases the tipping tendency and reduces stability. The other options don't describe what happens: the radius to the load doesn't automatically get smaller just from a support failure, stability doesn't improve, and load height isn't a guaranteed consequence of the ground collapse.

7. What role do outriggers play in crane stability?

- A. They increase the crane's lifting speed.
- B. They reduce operator fatigue.
- C. They widen the base and transfer load to the ground, preventing tipping.**
- D. They provide weather protection.

Outriggers broaden the crane's base and transfer the lifting forces into the ground, preventing tipping. By extending outward and applying downward force with hydraulic jacks, they increase the contact area with a firm surface and create a counteracting moment to resist the overturning tendency caused by the lifted load and boom position. This stability is crucial when the load is heavy, far from the base, or the ground is uneven, and it helps keep the crane level during lifts. For outriggers to do their job, they must be placed on solid, level ground and used with appropriate pads or mats. They don't affect lifting speed, operator fatigue, or weather protection—their role is solely to improve stability and load transfer to the ground.

8. How do you determine the crane's stable working radius for a lift?

- A. Consult the load chart for the current configuration and confirm the load does not exceed the charted capacity at that radius and boom length.**
- B. Estimate based on prior lifts without checking the chart.
- C. The radius is the same for all configurations.
- D. Use the operator's seat position to judge distance.

The key idea is that the stable working radius comes from the crane's load chart specific to the current setup. The chart links radius, boom length, and the exact configuration (outriggers deployed, counterweights, attachments) to the maximum load the crane can safely lift at that radius. To determine stability, you identify the crane's current configuration, find the corresponding section of the chart, and verify that the load you plan to lift does not exceed the charted capacity at that radius and boom length. If the load is greater, you must reduce the radius, shorten the boom, lighten the load, or adjust the setup until the chart shows sufficient capacity. Relying on memory from previous lifts isn't reliable because every configuration changes the stability, and the chart reflects those precise conditions. The radius isn't the same for all configurations, so you can't assume a universal value. The operator's seat position doesn't change the actual distance to the load. Using the chart ensures a true, configuration-specific assessment of stability.

9. Which crane type tends to have the highest front-end capacities?

- A. Rough terrain cranes (RT)**
- B. All-terrain cranes (AT)**
- C. Crawler cranes**
- D. Tower cranes**

The key idea is how stability at a short radius affects how much weight can be safely lifted in front of the crane. Rough terrain cranes are built with a wide, stable four-outrigger setup and a compact frame, which distribute the weight effectively and maximize stability when the boom is near the front. That makes their load charts at small radii higher than other crane types, so they can lift more load straight out in front before stability limits are reached. Tower cranes, crawler cranes, and all-terrain cranes are optimized for different conditions (height and reach, ground stability or travel across uneven ground), which typically means their front-end capacity at short radius isn't as high as that of rough terrain units. Of course, actual capacity depends on the specific model and configuration, but in general rough terrain cranes tend to provide the greatest front-end lifting capacity.

10. How should weather conditions be managed during lifting?

- A. Ignoring weather changes during lifting.**
- B. Only check weather if there is a storm.**
- C. Weather has no impact on lifting.**
- D. Monitor conditions, halt operations for lightning, heavy rain, high winds, and fix ground conditions.**

Weather conditions directly impact crane safety, so this topic centers on how to plan and control lifts in changing conditions. You should continuously monitor what's happening outside and be prepared to stop work if the conditions become unsafe. Lightning is a clear hazard to personnel and equipment, so lifting must halt when lightning is present or in the vicinity. Heavy rain can make surfaces slippery, reduce ground bearing, and lower visibility, all of which increase the risk of slips, ground movement, or miscommunication—so operations should stop until the weather improves and the ground can be assessed. High winds add dangerous load sway and can push a crane beyond its safe operating limits, so lifting should not continue if wind speeds exceed the established limits. Ground conditions can deteriorate when it's wet, affecting outrigger support and level stability, so you must inspect and fix the ground or mats before resuming. Other options ignore or downplay these factors, suggesting weather doesn't matter or that you only check in certain situations, which is unsafe because weather changes can rapidly create unsafe lifting conditions.

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

<https://basicprinciplesofcranes.examzify.com>

We wish you the very best on your exam journey. You've got this!

SAMPLE