

CERTIFIED NURSING ASSISTANT (CNA) PROMETRIC PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

**VISIT US ONLINE FOR
THE FULL VERSION STUDY GUIDE**

<https://certifiednursingassistant-prometric.examzify.com>



Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright	1
Table of Contents	2
Introduction	3
How to Use This Guide	4
Questions	5
Answers	8
Explanations	10
Next Steps	16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

Questions

SAMPLE

- 1. What statement best supports a dying cancer patient's need for hope?**
 - A. You should focus on making arrangements
 - B. You seem stronger today, you sat up for 2 hours while visiting with your son
 - C. It's important to be realistic about your condition
 - D. Let's discuss your treatment options

- 2. What should a nurse aide avoid doing while assisting a resident with eating?**
 - A. Asking the resident if they need assistance
 - B. Rushing the feeding process
 - C. Ensuring a comfortable dining environment
 - D. Encouraging the resident to chew thoroughly

- 3. Which practice is essential for infection control in a healthcare setting?**
 - A. Wearing gloves when providing personal care
 - B. Using scented lotions to mask odors
 - C. Changing bed linens only once a week
 - D. Using alcohol wipes on resident's skin

- 4. What is an appropriate action to take if a resident is unable to participate in physical activities?**
 - A. Discourage the resident from talking
 - B. Offer alternatives like seated exercises
 - C. Allow the resident to remain inactive
 - D. Tell the resident they should try harder

- 5. How should a nurse aide handle a resident demonstrating aggressive behavior?**
 - A. Confront the resident directly
 - B. Calmly redirect the resident's attention
 - C. Report the behavior immediately
 - D. Leave the resident alone

- 6. What should a nurse aide do when a resident complains of cold feet?**
- A. Ignore the complaint
 - B. Ask if the resident needs socks and blankets
 - C. Check the room temperature for warmth
 - D. Change the resident's shoes
- 7. How long should a nurse aide wait to take an oral temperature after a patient consumes a cold drink?**
- A. 5 minutes
 - B. 10 minutes
 - C. 15 minutes
 - D. 20 minutes
- 8. Why is a resident with a skin tear at an increased risk for infection?**
- A. The resident's immune system is compromised
 - B. The skin opening allows for bacteria to enter the body
 - C. The area is often exposed to dirt
 - D. The resident is not taking antibiotics
- 9. When should you offer a drink while feeding a patient?**
- A. Only at the end of the meal
 - B. Before meals and every 2-3 bites
 - C. Only when requested by the patient
 - D. Once at the beginning of the meal
- 10. During a seizure, if a resident begins to fall, what is the appropriate action for the nurse aide to take?**
- A. Catch the resident to prevent a fall
 - B. Call for help
 - C. Perform first aid immediately
 - D. Try to calm the resident down

Answers

SAMPLE

1. B
2. B
3. A
4. B
5. B
6. B
7. C
8. B
9. B
10. B

SAMPLE

Explanations

SAMPLE

1. What statement best supports a dying cancer patient's need for hope?

- A. You should focus on making arrangements
- B. You seem stronger today, you sat up for 2 hours while visiting with your son**
- C. It's important to be realistic about your condition
- D. Let's discuss your treatment options

The statement that best supports a dying cancer patient's need for hope is the one that recognizes and acknowledges the patient's efforts and small victories, which can be incredibly uplifting during a difficult time. By stating that the patient seems stronger today because they sat up for two hours while visiting with their son, it highlights a positive moment in their day, emphasizing resilience and the importance of personal connections. This approach can foster a sense of agency and accomplishment, which is vital for maintaining hope. It shows support and encouragement, reminding the patient that there are still moments of joy and strength, even amidst their illness. Recognizing such incremental progress can help sustain a sense of hope and emotional well-being, which is crucial for patients facing terminal conditions. The other options, while possibly having their merits, focus either on practicalities or realism that may not align with the psychological and emotional needs of a patient in this stage of life. They do not provide the same encouragement or acknowledgment of the patient's feelings and experiences, which are essential in nurturing hope.

2. What should a nurse aide avoid doing while assisting a resident with eating?

- A. Asking the resident if they need assistance
- B. Rushing the feeding process**
- C. Ensuring a comfortable dining environment
- D. Encouraging the resident to chew thoroughly

Rushing the feeding process can lead to negative outcomes for residents, such as choking, aspiration, or less enjoyment of their meal. A calm and unhurried approach allows the resident to fully engage in the process of eating, encouraging mindful eating habits and facilitating better digestion. Taking the time to assist and allowing the resident to eat at their own pace can help foster independence, dignity, and satisfaction during mealtime. Conversely, asking the resident if they need assistance, ensuring a comfortable dining environment, and encouraging thorough chewing are all actions that promote safety, comfort, and health during the eating process. These behaviors are aligned with providing person-centered care, which is essential in a nursing environment.

3. Which practice is essential for infection control in a healthcare setting?

A. Wearing gloves when providing personal care

B. Using scented lotions to mask odors

C. Changing bed linens only once a week

D. Using alcohol wipes on resident's skin

Wearing gloves when providing personal care is essential for infection control in a healthcare setting because gloves act as a barrier between healthcare workers and patients, preventing the transfer of pathogens. This practice helps to protect both the patient and the caregiver from the potential transmission of infections, which is particularly important in settings where individuals may have compromised immune systems or open wounds. Additionally, using gloves indicates adherence to standard precautions, which are critical in minimizing the risk of healthcare-associated infections (HAIs). The other options do not adequately address the primary needs for infection control. Scented lotions to mask odors do not contribute to infection prevention and could potentially irritate the skin or cause allergic reactions. Changing bed linens only once a week may not suffice to prevent the accumulation of pathogens, especially in high-risk environments where patients may be at risk of infection. Utilizing alcohol wipes on a resident's skin may be beneficial for cleaning but cannot replace the need for proper hand hygiene and wearing protective equipment.

4. What is an appropriate action to take if a resident is unable to participate in physical activities?

A. Discourage the resident from talking

B. Offer alternatives like seated exercises

C. Allow the resident to remain inactive

D. Tell the resident they should try harder

Offering alternatives like seated exercises is an appropriate action to take when a resident is unable to participate in traditional physical activities. This approach recognizes the resident's limitations while promoting engagement and physical activity in a way that is safe and accessible. Seated exercises can provide the benefits of movement, such as improving circulation, maintaining muscle strength, and enhancing overall well-being, without overexerting the resident. Encouraging participation in modified exercises helps to foster a positive environment that values the resident's abilities and promotes their health. This approach not only supports physical fitness but also boosts morale and instills a sense of agency in the resident, showing that their needs and capabilities are respected and taken into account. By providing suitable options, you enhance the resident's quality of life and encourage social interaction, which is key for emotional health as well.

5. How should a nurse aide handle a resident demonstrating aggressive behavior?

- A. Confront the resident directly
- B. Calmly redirect the resident's attention**
- C. Report the behavior immediately
- D. Leave the resident alone

Handling a resident demonstrating aggressive behavior requires a skilled and careful approach to ensure safety and de-escalate the situation. Calming and redirecting the resident's attention is the most appropriate response because it helps to diffuse potential conflict and prevents further escalation of aggressive behavior. By using calm and non-threatening verbal and non-verbal communication, the aide can create a more stable environment for both the resident and themselves. Redirecting attention can involve engaging the resident in a different activity, changing the environment, or using soothing techniques. This approach acknowledges the resident's feelings without provoking them further, demonstrating empathy, and maintaining the dignity of the individual. Confronting the resident directly might increase their aggression and lead to a more volatile situation, while immediate reporting should be reserved for severe or ongoing incidents that pose a risk to safety, rather than as an immediate response to a single episode. Leaving the resident alone could escalate feelings of isolation or frustration, potentially worsening their behavior. Therefore, the goal is to maintain a calm demeanor and effectively redirect their focus to promote a peaceful resolution.

6. What should a nurse aide do when a resident complains of cold feet?

- A. Ignore the complaint
- B. Ask if the resident needs socks and blankets**
- C. Check the room temperature for warmth
- D. Change the resident's shoes

When a resident complains of cold feet, asking if they need socks and blankets is the most appropriate response because it directly addresses the resident's discomfort and potential need for warmth. Providing additional layers, such as socks and blankets, can help alleviate the sensation of cold feet and improve the resident's overall comfort. This approach is also respectful, as it considers the resident's needs and preferences, thus promoting a patient-centered care environment. Responding to discomfort in a caring and supportive manner is a fundamental aspect of the role of a nurse aide. Inquiring about the resident's needs demonstrates attentiveness and fosters trust in the caregiver. Ensuring that residents are comfortable is vital for their well-being and can contribute positively to their health outcomes. Other actions, like checking room temperature or changing shoes, while they may be relevant in different circumstances, do not directly offer the immediate relief that additional clothing or bedding would provide.

7. How long should a nurse aide wait to take an oral temperature after a patient consumes a cold drink?

- A. 5 minutes
- B. 10 minutes
- C. 15 minutes**
- D. 20 minutes

To ensure accurate oral temperature readings, it's crucial to allow enough time for the patient's mouth to return to a neutral temperature after consuming something cold, like a cold drink. The recommended waiting period is typically around 15 minutes. This timeframe allows the oral cavity to stabilize and reflects a more accurate body temperature, minimizing the impact that the cold drink might have on the reading. If taken too soon after consuming cold substances, the temperature measured may be artificially low, leading to incorrect assessments of the patient's condition. Thus, waiting 15 minutes is standard practice in nursing to ensure the reliability of the oral temperature measurement.

8. Why is a resident with a skin tear at an increased risk for infection?

- A. The resident's immune system is compromised
- B. The skin opening allows for bacteria to enter the body**
- C. The area is often exposed to dirt
- D. The resident is not taking antibiotics

A resident with a skin tear is at an increased risk for infection primarily because the skin opening creates a direct pathway for bacteria to enter the body. The skin serves as a critical barrier to infection; when it is compromised, such as through a tear, pathogens can easily infiltrate this barrier. This can lead to localized infections, such as cellulitis, or more systemic infections if the bacteria enter the bloodstream. While it is true that a compromised immune system can increase infection risk, it is not the primary reason for the increased risk due to a skin tear. Additionally, although exposure to dirt can contribute to the likelihood of infection, the main concern with a skin tear is the direct access it provides to harmful microorganisms. Lastly, not taking antibiotics does not have a direct causal relationship with the risk presented by a skin tear; antibiotics would only be relevant if an infection were already present needing treatment, rather than being able to prevent exposure through intact skin. Therefore, the presence of an open wound is the most significant factor in this scenario.

9. When should you offer a drink while feeding a patient?

- A. Only at the end of the meal
- B. Before meals and every 2-3 bites**
- C. Only when requested by the patient
- D. Once at the beginning of the meal

Offering a drink before meals and every 2-3 bites during the feeding process is crucial for several reasons. First, it helps to ensure that the patient stays hydrated, which is essential for overall health and can aid in the digestion of food. Additionally, providing liquids throughout the meal can help moistening dry food, making it easier to swallow and preventing potential choking hazards, especially for patients with swallowing difficulties. By allowing patients to have sips of their drink frequently, it can enhance their comfort during eating and may even encourage them to eat more, as a dry mouth can often diminish appetite. This approach promotes a more pleasant eating experience, accommodating the patient's needs for hydration and making swallowing easier. It's a practice aligned with patient-centered care, ensuring that the patient's comfort and safety are prioritized during mealtimes.

10. During a seizure, if a resident begins to fall, what is the appropriate action for the nurse aide to take?

- A. Catch the resident to prevent a fall
- B. Call for help**
- C. Perform first aid immediately
- D. Try to calm the resident down

The appropriate action to take when a resident begins to fall during a seizure is to call for help. This response ensures that additional assistance arrives quickly, providing the necessary support and safety measures for the resident. During a seizure, the individual may be at a high risk for injury, and calling for help alerts other staff members who can assist in managing the situation safely. Once help arrives, trained personnel can secure the environment, provide the necessary first aid, and monitor the resident's condition while ensuring that they are safe and comfortable. Additionally, while it may be instinctual to catch the resident, doing so could lead to injury for both the resident and the nurse aide, particularly if the aide is not able to prevent the fall effectively. A calm demeanor and reassurance can also be helpful, but the primary focus should be on securing assistance to address the potential risks associated with the seizure.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

<https://certifiednursingassistant-prometric.examzify.com>

We wish you the very best on your exam journey. You've got this!

SAMPLE