

# **CERTIFIED OPHTHALMIC ASSISTANT PRACTICE EXAM (SAMPLE)**

**STUDY GUIDE**



**SAMPLE STUDY GUIDE  
WITH LIMITED QUESTIONS**

**VISIT US ONLINE FOR  
THE FULL VERSION STUDY GUIDE**

<https://ophthalmicassistant.examzify.com>



**Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.**

**ALL RIGHTS RESERVED.**

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

# Table of Contents

|                             |    |
|-----------------------------|----|
| Copyright .....             | 1  |
| Table of Contents .....     | 2  |
| Introduction .....          | 3  |
| How to Use This Guide ..... | 4  |
| Questions .....             | 5  |
| Answers .....               | 8  |
| Explanations .....          | 10 |
| Next Steps .....            | 14 |

SAMPLE

# Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

# How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

## 1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

## 2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

## 3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

## 4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

## 5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

## 6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

## Questions

SAMPLE

1. The drug that treats glaucoma by decreasing aqueous humor production is
  - A. Apraclonidine
  - B. Brimonidine
  - C. Latanoprost
  - D. Timolol maleate
2. The estimation of anterior chamber depth is done by shining a penlight in what area of the patient's eye?
  - A. Cornea
  - B. Pupil
  - C. Retina
  - D. Side
3. What test plates are used to assess color vision?
  - A. Hardy-Rand-Ritter
  - B. Ishihara
  - C. Schirmer
  - D. Titmus/Wirt
4. Scotomas located immediately nasal or temporal to fixation are known as?
  - A. Arcuate
  - B. Central
  - C. Paracentral
  - D. Peripheral
5. What is the recommended distance used for assessing distance acuity?
  - A. 10 feet or 3 meters
  - B. 15 feet or 4.5 meters
  - C. 20 feet or 6 meters
  - D. 25 feet or 7.5 meters
6. According to the information provided, does pain in the eye always indicate a severe corneal condition?
  - A. True
  - B. False

- 7. What ensures maintenance of fixation during an eye examination?**
- A. Intermittent blinking
  - B. Occasional saccades
  - C. Wandering fixation
  - D. Sustained fixation without nystagmus
- 8. The distance from the cornea to the back surface of the spectacle lens is the**
- A. apex distance
  - B. lens distance
  - C. vertex distance
  - D. optic distance
- 9. Why should impact-resistant glasses be worn in an industrial environment?**
- A. To enhance vision clarity
  - B. To comply with regulations
  - C. To prevent ocular injury
  - D. To reduce glare
- 10. An important difference between soft and rigid lenses is that soft contact lenses are**
- A. Less durable
  - B. Less comfortable
  - C. Usually more comfortable
  - D. More affordable

## **Answers**

SAMPLE

1. D
2. D
3. B
4. C
5. C
6. B
7. D
8. C
9. C
10. C

SAMPLE

## **Explanations**

SAMPLE

**1. The drug that treats glaucoma by decreasing aqueous humor production is**

- A. Apraclonidine
- B. Brimonidine
- C. Latanoprost
- D. Timolol maleate**

*Timolol maleate is a beta-blocker medication that works by reducing the production of aqueous humor in the eye. By decreasing the production of aqueous humor, Timolol helps lower intraocular pressure, which is crucial in managing glaucoma. Therefore, Timolol maleate is the correct choice for a drug that treats glaucoma by decreasing aqueous humor production. The other options listed: A. Apraclonidine and B. Brimonidine are alpha-agonists that work by increasing the drainage of aqueous humor from the eye. C. Latanoprost is a prostaglandin analog that works by increasing the outflow of aqueous humor from the eye.*

**2. The estimation of anterior chamber depth is done by shining a penlight in what area of the patient's eye?**

- A. Cornea
- B. Pupil
- C. Retina
- D. Side**

*The estimation of anterior chamber depth is done by shining a penlight from the side of the patient's eye. This technique helps in visualizing the depth of the anterior chamber, which is the space between the cornea and the iris. By shining the light from the side, the examiner can observe the position of the structures within the eye and assess the depth accurately. Options A, B, and C are incorrect because: - Shining the penlight directly on the cornea, pupil, or retina would not accurately estimate the anterior chamber depth. The best visualization is achieved by illuminating the eye from the side to observe the spatial relationship between the cornea and iris.*

**3. What test plates are used to assess color vision?**

- A. Hardy-Rand-Ritter
- B. Ishihara**
- C. Schirmer
- D. Titmus/Wirt

*The correct answer is B. Ishihara. Ishihara test plates are commonly used to assess color vision. These plates consist of a series of colored dots or plates with numbers or patterns embedded within them. Individuals with color vision deficiencies may have difficulty distinguishing the numbers or patterns within the Ishihara plates. The other options are not used to assess color vision: A. Hardy-Rand-Ritter test plates are used to test color vision deficiencies in individuals with acquired color vision disturbances. C. Schirmer test is used to assess tear production in the eyes. D. Titmus/Wirt test is used for stereoscopic vision or depth perception assessment.*

**4. Scotomas located immediately nasal or temporal to fixation are known as?**

- A. Arcuate
- B. Central
- C. Paracentral**
- D. Peripheral

*Scotomas located immediately nasal or temporal to fixation are known as paracentral scotomas. These scotomas are typically smaller than central scotomas, which affect the central part of the visual field, and different from arcuate scotomas, which are typically arc-shaped and associated with certain conditions like glaucoma. Peripheral is not a recognized term in ophthalmology.*

**5. What is the recommended distance used for assessing distance acuity?**

- A. 10 feet or 3 meters
- B. 15 feet or 4.5 meters
- C. 20 feet or 6 meters**
- D. 25 feet or 7.5 meters

*The recommended distance used for assessing distance acuity is 20 feet or 6 meters. This distance is standard in ophthalmic practice for measuring visual acuity as it allows for accurate comparisons between different individuals and across different eye care settings. It is essential to use a consistent distance to obtain reliable and comparable results when assessing a patient's visual acuity.*

**6. According to the information provided, does pain in the eye always indicate a severe corneal condition?**

- A. True
- B. False**

*Pain in the eye does not always indicate a severe corneal condition. While eye pain can be associated with various serious issues, it can also result from less critical problems such as dry eyes, conjunctivitis, or minor scratches on the cornea that may resolve without significant intervention. Understanding that the presence of pain alone is not a definitive indicator of the severity of a corneal condition is crucial in clinical practice. It is essential for healthcare professionals to assess other symptoms and perform a thorough examination to determine the underlying cause of the pain, rather than automatically assuming it signifies a serious condition.*

**7. What ensures maintenance of fixation during an eye examination?**

- A. Intermittent blinking
- B. Occasional saccades
- C. Wandering fixation
- D. Sustained fixation without nystagmus**

*Sustained fixation without nystagmus is essential to ensure maintenance of fixation during an eye examination. Nystagmus refers to involuntary eye movements that can affect the accuracy of the examination results. By maintaining sustained fixation without nystagmus, the patient's eyes remain stable, allowing the ophthalmic assistant to accurately assess visual acuity, eye movements, and other important aspects of the eye examination. Choices A, B, and C (Intermittent blinking, occasional saccades, wandering fixation) do not contribute to the necessary stability and focus required during an eye examination.*

**8. The distance from the cornea to the back surface of the spectacle lens is the**

- A. apex distance
- B. lens distance
- C. vertex distance**
- D. optic distance

*The distance from the cornea to the back surface of the spectacle lens is referred to as the vertex distance. This distance is important to consider when prescribing corrective lenses to ensure proper vision correction for the patient. Options A, B, and D are not the correct terms used to describe the distance from the cornea to the back surface of the spectacle lens. The apex distance typically refers to the distance from the back surface of a lens to the apex of the cornea. The lens distance is a vague term and not commonly used in ophthalmic practice. The optic distance typically refers to the distance from the front surface of the cornea to the fovea in the retina.*

**9. Why should impact-resistant glasses be worn in an industrial environment?**

- A. To enhance vision clarity
- B. To comply with regulations
- C. To prevent ocular injury**
- D. To reduce glare

*Impact-resistant glasses should be worn in an industrial environment primarily to prevent ocular injury. In industrial settings, there is an increased risk of debris, chemicals, or objects that could potentially impact the eyes. Regular eyeglasses may not provide sufficient protection against such hazards, which is why impact-resistant glasses are recommended to help safeguard the eyes from injury. While wearing impact-resistant glasses may indirectly lead to enhanced vision clarity by preventing injuries that could compromise vision, the primary and most crucial reason for wearing such glasses in this environment is to protect against possible eye injuries. Compliance with regulations and reducing glare are also important issues but are not the primary reasons for choosing impact-resistant glasses in an industrial work environment.*

**10. An important difference between soft and rigid lenses is that soft contact lenses are**

- A. Less durable
- B. Less comfortable
- C. Usually more comfortable**
- D. More affordable

*Soft contact lenses are usually more comfortable compared to rigid lenses because they are made of a soft, flexible plastic material that conforms to the shape of the eye. This flexibility allows for a more comfortable fit and easier adaptation for the wearer. Rigid lenses, also known as gas permeable or hard lenses, are made of a firm material that does not conform to the eye's shape as easily, which can lead to initial discomfort and a longer adaptation period for the wearer.*

## Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at [hello@examzify.com](mailto:hello@examzify.com).

Or visit your dedicated course page for more study tools and resources:

<https://ophthalmicassistant.examzify.com>

We wish you the very best on your exam journey. You've got this!

SAMPLE