

DAVITA PATIENT CARE TECHNICIAN (PCT) PRACTICE EXAM (SAMPLE)

STUDY GUIDE



**SAMPLE STUDY GUIDE
WITH LIMITED QUESTIONS**

**VISIT US ONLINE FOR
THE FULL VERSION STUDY GUIDE**

<https://davitapct.examzify.com>



Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright	1
Table of Contents	2
Introduction	3
How to Use This Guide	4
Questions	5
Answers	8
Explanations	10
Next Steps	16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

Questions

SAMPLE

- 1. Why is patient education essential for dialysis patients?**
 - A. To ensure patients feel confident about managing their therapy
 - B. To minimize the number of treatments required
 - C. To avoid all medication usage
 - D. To limit patient interaction during treatment
- 2. Why is meticulous hand hygiene so important in healthcare?**
 - A. It's required by law
 - B. It's the single most important intervention in preventing HAI's
 - C. It reduces patient waiting time
 - D. It's a standard practice with no significant impact
- 3. What is the "Reasonable and Prudent" Standard of care regarding PCT supervision?**
 - A. The licensed nurse is responsible for ensuring PCTs follow physician orders only
 - B. The licensed nurse must ensure teammates perform procedures as per DaVita's Policies and Procedures
 - C. PCTs can perform tasks without any oversight
 - D. The licensed nurse has no responsibility for non-licensed personnel
- 4. When should the cannulation site be cleaned if a patient is prescribed topical anesthetic spray?**
 - A. After applying the spray
 - B. Immediately after cannulation
 - C. Before applying the spray
 - D. At any time during the procedure
- 5. What factor can indicate a potentially successful outcome of dialysis treatment?**
 - A. Reduction in fluid retention symptoms
 - B. A patient's request for fewer treatments
 - C. Increased appetite
 - D. Improved skin appearance

- 6. What is the correct procedure for using hemostatic sponges, such as SureSeal, after achieving hemostasis?**
- A. Leave the sponge in place for 24 hours
 - B. Remove the sponge and dress the needle site with sterile gauze or a band-aid
 - C. Just apply a band-aid without removing the sponge
 - D. Rinse the area with saline before dressing
- 7. What is the primary purpose of phosphate binders?**
- A. To increase bone mass
 - B. To prevent phosphorus absorption from meals
 - C. To reduce blood pressure
 - D. To enhance vitamin absorption
- 8. What should be monitored closely in a patient undergoing dialysis treatment?**
- A. Patient's mental status
 - B. Fluid intake and output
 - C. Skin integrity
 - D. All of the above
- 9. What should a technician do if a patient experiences bleeding after needle removal?**
- A. Apply direct pressure to the site
 - B. Wait to see if it stops on its own
 - C. Call for immediate medical assistance
 - D. Use ice to reduce swelling
- 10. What is a common psychological effect on patients undergoing dialysis?**
- A. Increased happiness
 - B. Feelings of isolation and depression
 - C. Heightened energy levels
 - D. Reduced stress about their health

Answers

SAMPLE

1. A
2. B
3. B
4. C
5. A
6. B
7. B
8. D
9. A
10. B

SAMPLE

Explanations

SAMPLE

1. Why is patient education essential for dialysis patients?

- A. To ensure patients feel confident about managing their therapy
- B. To minimize the number of treatments required
- C. To avoid all medication usage
- D. To limit patient interaction during treatment

Patient education is vital for dialysis patients as it significantly empowers them to take an active role in managing their therapy. When patients understand their condition, the purpose of dialysis, and the procedures they will undergo, they are more likely to feel confident and engaged in their treatment process. This knowledge helps patients to adhere to their prescribed regimens, recognize the importance of maintaining their diet and fluid intake, and understand the significance of reporting symptoms or changes in their health status. As a result, educated patients can improve their health outcomes and overall quality of life. This focus on patient confidence and involvement contrasts with the other options, which do not represent the primary goals of patient education in the context of dialysis. Minimizing the number of treatments required would not align with the intended frequency of dialysis, which is often essential for maintaining health. Avoiding all medication usage is unrealistic, as managing chronic kidney disease and its complications typically requires medication. Limiting patient interaction during treatment does not promote a supportive care environment; rather, fostering communication and connections among patients and caregivers is crucial for emotional and psychological support during treatment.

2. Why is meticulous hand hygiene so important in healthcare?

- A. It's required by law
- B. It's the single most important intervention in preventing HAI's
- C. It reduces patient waiting time
- D. It's a standard practice with no significant impact

Meticulous hand hygiene is critical in healthcare primarily because it significantly reduces the risk of healthcare-associated infections (HAIs). These infections can occur when pathogens are transferred from healthcare personnel or the environment into a patient's body, often during procedures or through direct contact. When healthcare workers maintain high standards of hand hygiene, such as washing hands properly with soap and water or using hand sanitizers, they effectively eliminate many of the germs that can cause these infections. The significance of hand hygiene extends beyond just a legal requirement or standard practice; it represents a foundational principle in infection control protocols. By implementing thorough hand hygiene, healthcare facilities can drastically decrease the incidence of HAIs, leading to improved patient outcomes, reduced healthcare costs, and enhanced overall safety in healthcare environments. This proactive measure is recognized as the single most effective way to minimize the risk of infection, thus underscoring why it is assigned such importance in healthcare settings.

3. What is the "Reasonable and Prudent" Standard of care regarding PCT supervision?

- A. The licensed nurse is responsible for ensuring PCTs follow physician orders only
- B. The licensed nurse must ensure teammates perform procedures as per DaVita's Policies and Procedures**
- C. PCTs can perform tasks without any oversight
- D. The licensed nurse has no responsibility for non-licensed personnel

The "Reasonable and Prudent" standard of care emphasizes that the licensed nurse must ensure that patient care technicians (PCTs) perform their procedures according to established policies and guidelines set forth by the healthcare organization, in this case, DaVita. This standard reflects the responsibility of the licensed nurse to provide guidance and oversight, ensuring that all actions taken by PCTs adhere to best practices and protocols, which are in place to protect patient safety and assure high-quality care. This entails a thorough understanding of the policies and procedures that govern the practice environment. It requires the licensed nurse to actively engage in monitoring the PCTs' performance, offering necessary training and education, and being accountable for the overall care provided to patients. Upholding these standards not only meets regulatory requirements but also cultivates a safe and effective healthcare environment for both patients and team members. In this context, not ensuring adherence to the organization's policies could lead to increased risks and potential harm to patients, as well as liability issues for the healthcare professionals involved.

4. When should the cannulation site be cleaned if a patient is prescribed topical anesthetic spray?

- A. After applying the spray
- B. Immediately after cannulation
- C. Before applying the spray**
- D. At any time during the procedure

The cannulation site should be cleaned before applying the spray to ensure that the area is free of contaminants and pathogens. Proper cleaning reduces the risk of introducing bacteria into the bloodstream during the cannulation process. This step is crucial for maintaining aseptic technique in a clinical setting, as it creates a sterile environment for the procedure. By preparing the skin before any anesthetic is applied, the chance of infection is minimized, which is particularly important for patients with compromised health or those undergoing frequent procedures like dialysis. Cleaning after the spray or at any time during the procedure would not be appropriately timed to ensure the effectiveness of the anesthetic while maintaining sterility at the site. Proper protocols dictate that cleaning is done first to set a safe stage for subsequent actions involved in cannulation.

5. What factor can indicate a potentially successful outcome of dialysis treatment?

- A. Reduction in fluid retention symptoms**
- B. A patient's request for fewer treatments
- C. Increased appetite
- D. Improved skin appearance

A reduction in fluid retention symptoms is a significant indicator of potentially successful outcomes in dialysis treatment. In patients undergoing dialysis, fluid retention can lead to various complications, including hypertension, heart failure, and pulmonary edema. When symptoms such as swelling, shortness of breath, or weight gain from fluid overload are alleviated, it typically suggests that the dialysis is effectively removing excess fluid and toxins from the patient's body. This improvement points to the treatment's success in restoring the patient's fluid balance and overall health status, which are crucial for their well-being. While a patient's request for fewer treatments may reflect their comfort or a desire for convenience, it does not necessarily correlate with the effectiveness of the treatment itself. Similarly, increased appetite and improved skin appearance, though positive signs of health, are not specific indicators of dialysis efficacy related to fluid management or toxin clearance, which are central to the treatment's goals. The reduction in fluid retention symptoms stands out as the most direct measure of successful dialysis treatment.

6. What is the correct procedure for using hemostatic sponges, such as SureSeal, after achieving hemostasis?

- A. Leave the sponge in place for 24 hours
- B. Remove the sponge and dress the needle site with sterile gauze or a band-aid**
- C. Just apply a band-aid without removing the sponge
- D. Rinse the area with saline before dressing

The correct procedure for using hemostatic sponges, such as SureSeal, after achieving hemostasis is to remove the sponge and dress the needle site with sterile gauze or a band-aid. This is important because maintaining optimal wound care and ensuring a clean, infection-free environment is crucial for patient recovery. The hemostatic sponge is designed to assist in stopping bleeding, but it is not intended for long-term retention at the site. Once hemostasis is achieved, removing the sponge helps prevent potential complications such as localized infection or irritation. After removing the sponge, applying sterile gauze or a band-aid serves to protect the site, absorb any remaining fluid, and promote healing. Protocols generally emphasize the importance of monitoring the site after the sponge is removed to ensure that bleeding has completely stopped and that the area is clean. This step is vital in promoting efficient healing and minimizing the risk of further bleeding or infection.

7. What is the primary purpose of phosphate binders?

- A. To increase bone mass
- B. To prevent phosphorus absorption from meals**
- C. To reduce blood pressure
- D. To enhance vitamin absorption

The primary purpose of phosphate binders is to prevent phosphorus absorption from meals. In patients with kidney disease, particularly those undergoing dialysis, the kidneys are less effective at filtering excess phosphorus from the blood. Elevated phosphorus levels can lead to various complications, including cardiovascular disease and bone disorders. Phosphate binders work by binding to dietary phosphorus in the gastrointestinal tract, thereby reducing its absorption into the bloodstream. This helps maintain appropriate phosphorus levels, which is crucial for overall health in patients with compromised kidney function. Increasing bone mass, reducing blood pressure, and enhancing vitamin absorption are not functions of phosphate binders. While managing phosphorus levels can have indirect positive effects on bone health, the primary mechanism of phosphate binders focuses solely on phosphorus management.

8. What should be monitored closely in a patient undergoing dialysis treatment?

- A. Patient's mental status
- B. Fluid intake and output
- C. Skin integrity
- D. All of the above**

Monitoring a patient's condition during dialysis treatment is crucial for their overall health and safety. Close attention to all aspects mentioned is essential for effective patient care. Focusing on the patient's mental status is important because changes may indicate complications such as electrolyte imbalances or inadequate blood flow during treatment. These factors can severely impact a patient's health. Fluid intake and output monitoring is vital, as patients undergoing dialysis have specific restrictions to avoid fluid overload, which can lead to serious cardiovascular complications. Keeping track of fluid balance ensures that patients do not exceed their recommended intake and that any excess is properly managed during treatment. Skin integrity must also be monitored, especially since patients may be at risk for skin breakdown due to limited mobility or prolonged exposure to certain conditions during dialysis. Maintaining skin health is critical to preventing complications such as infections or pressure ulcers. By encompassing all these factors, monitoring them together ensures a comprehensive approach to patient care during dialysis, making "all of the above" the most thorough and correct answer.

9. What should a technician do if a patient experiences bleeding after needle removal?

- A. Apply direct pressure to the site**
- B. Wait to see if it stops on its own
- C. Call for immediate medical assistance
- D. Use ice to reduce swelling

Applying direct pressure to the site is the appropriate response when a patient experiences bleeding after needle removal. This technique is vital as it helps to stimulate clotting at the site of the wound, which is essential for controlling the bleeding. By applying consistent pressure, the technician can assist in managing the situation effectively and prevent further blood loss. If bleeding continues, the technician may elevate the limb to reduce blood flow to the area. Maintaining direct pressure for several minutes is often sufficient to help ensure that the bleeding subsides. Other responses, such as waiting to see if it stops on its own, can lead to a delay in necessary intervention, which might worsen the situation. Calling for immediate medical assistance could be warranted in more severe cases, but it is not the first step in a manageable scenario like minor bleeding after needle removal. Using ice may provide some benefits for swelling but would not directly address the bleeding issue, making it less appropriate in this immediate context.

10. What is a common psychological effect on patients undergoing dialysis?

- A. Increased happiness
- B. Feelings of isolation and depression**
- C. Heightened energy levels
- D. Reduced stress about their health

Patients undergoing dialysis often experience feelings of isolation and depression due to the chronic nature of their condition and the significant lifestyle changes that accompany it. Dialysis not only requires a considerable time commitment—often several sessions a week for hours at a time—but it can also limit social interactions and normal activities, leading to a sense of disconnection from friends, family, and community. The frequent medical appointments and the necessity of managing a complex treatment regimen can exacerbate feelings of anxiety and stress, making it challenging for patients to maintain a positive outlook. Additionally, the physical symptoms associated with kidney failure and dialysis, such as fatigue, can contribute to a lower mood and feelings of hopelessness. Thus, the psychological impact can be quite profound, making awareness and support for these emotional challenges essential in the care of dialysis patients. The other choices do not accurately reflect the common emotional experiences of these patients. For instance, while increased happiness or heightened energy levels might be possible outcomes in some healthcare scenarios, they are not typical for patients undergoing such a life-altering and physically taxing treatment like dialysis. Similarly, reduced stress about health is generally not a common effect, as ongoing medical concerns typically heighten stress rather than alleviate it.

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

<https://davitapct.examzify.com>

We wish you the very best on your exam journey. You've got this!

SAMPLE