

DENTAL BOARD – GENERAL CHAIRSIDE PRACTICE EXAM (SAMPLE)

STUDY GUIDE



Prepare with structure. Pass with confidence



Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright	1
Table of Contents	2
Introduction	3
How to Use This Guide	4
Questions	5
Answers	8
Explanations	10
Next Steps	16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

Questions

SAMPLE

- 1. Which occurs when an alginate impression is stored in water or a very wet paper towel?**
 - A. Syneresis
 - B. Hydrocolloid
 - C. Imbibition
 - D. Polymerization
- 2. What should be included in a dental assistant's job description?**
 - A. Only patient care duties
 - B. Responsibilities like patient care, instrument sterilization, and administrative duties
 - C. Only administrative duties
 - D. Conducting dental surgeries
- 3. Unconsciousness, increased body temperature, rapid heartbeat, and increased blood pressure are symptoms of:**
 - A. a petite mal seizure
 - B. a grand mal seizure
 - C. hypoglycemia
 - D. hyperglycemia
- 4. Who bears legal responsibility to report suspected child abuse within a dental practice?**
 - A. The entire dental team
 - B. The dentist only
 - C. The dental hygienist
 - D. The dental assistant
- 5. When is it necessary for a dental assistant to use a face shield?**
 - A. During patient check-in
 - B. When diagnosing cavities
 - C. During procedures that may produce splatter or when working with potentially infectious materials
 - D. When taking dental X-rays

6. How is a mesioocclusobuccal restoration abbreviated in progress notes?
- A. BuOcM
 - B. BOM
 - C. MOD
 - D. MOB
7. Which instrument is used to curette the inside of a tooth to the pulp chamber's base?
- A. long-shank spoon
 - B. reamer
 - C. file
 - D. explorer
8. A stabilizing finger rest that reduces the possibility of slipping or traumatizing tissue is a:
- A. hinge point
 - B. rest point
 - C. fulcrum
 - D. base
9. What is a common over-the-counter option for pain management after dental procedures?
- A. Aspirin
 - B. Ibuprofen
 - C. Acetaminophen
 - D. Naproxen
10. A porcelain-fused-to-metal crown is being seated. The assistant will mix the cement to a _____ or _____ consistency:
- A. base; secondary
 - B. cementation; secondary
 - C. base; primary
 - D. cementation; primary

Answers

SAMPLE

1. C
2. B
3. B
4. B
5. C
6. D
7. A
8. C
9. B
10. D

SAMPLE

Explanations

SAMPLE

1. Which occurs when an alginate impression is stored in water or a very wet paper towel?

- A. Syneresis
- B. Hydrocolloid
- C. Imbibition**
- D. Polymerization

When an alginate impression is stored in water or a very wet paper towel, imbibition occurs. This is the process where hydrophilic materials like alginate absorb water, leading to an increase in size due to the influx of moisture. Alginate impressions are made from a hydrocolloid material that can readily take up water, which can alter their dimensions and potentially affect the quality of any subsequent casts or models made from these impressions. In the context of dental practices, understanding imbibition is crucial for managing the handling and storage of impressions. If alginate impressions absorb too much water, they may distort, which can compromise the accuracy of the dental models produced from them, leading to potential issues in fitting dental appliances or restorations. The other terms do not apply to the scenario described. Syneresis refers to the expulsion of water from a gel, typically resulting in shrinkage. Hydrocolloid is a general term for substances that can form a gel with water, but it doesn't describe the specific reaction to being stored in water. Polymerization refers to a chemical process that transforms monomers into a polymer, which is not relevant to the wet storage of alginate impressions. Thus, imbibition is the correct term for the

2. What should be included in a dental assistant's job description?

- A. Only patient care duties
- B. Responsibilities like patient care, instrument sterilization, and administrative duties**
- C. Only administrative duties
- D. Conducting dental surgeries

A comprehensive job description for a dental assistant should encompass a variety of responsibilities that extend beyond just patient care. Including responsibilities like patient care, instrument sterilization, and administrative tasks provides a well-rounded view of what the role entails. Patient care duties may involve preparing patients for treatments, assisting during procedures, and providing post-treatment instructions. Instrument sterilization is crucial in maintaining a safe and hygienic environment to prevent infections and ensure compliance with health regulations. Administrative duties such as scheduling appointments, managing patient records, and billing are also essential, as they contribute to the overall efficiency and operation of the dental practice. By acknowledging this multifaceted role, a job description accurately reflects the diverse skill set needed for a dental assistant, promoting clarity for potential candidates regarding their expected contributions to the dental team. This comprehensive approach is key in ensuring that all necessary aspects of patient interaction and clinic operations are covered.

3. Unconsciousness, increased body temperature, rapid heartbeat, and increased blood pressure are symptoms of:

- A. a petite mal seizure
- B. a grand mal seizure**
- C. hypoglycemia
- D. hyperglycemia

The symptoms described—unconsciousness, increased body temperature, rapid heartbeat, and increased blood pressure—are characteristic of a grand mal seizure. During a grand mal seizure, which is a type of generalized seizure, the individual may lose consciousness and experience violent muscle contractions. The physiological stress caused by the seizure can lead to an increase in body temperature due to muscle activity, and the body's response to stress often results in an elevated heart rate and blood pressure. In a petit mal seizure, on the other hand, the person typically experiences brief lapses in consciousness without the dramatic physical symptoms seen in grand mal seizures. Hypoglycemia and hyperglycemia refer to low and high blood sugar levels, respectively, and while they can cause various symptoms, they do not typically present with the dramatic physical manifestations or loss of consciousness associated with a grand mal seizure. Therefore, the presence of the combination of symptoms provided strongly points to a grand mal seizure as the correct answer.

4. Who bears legal responsibility to report suspected child abuse within a dental practice?

- A. The entire dental team
- B. The dentist only**
- C. The dental hygienist
- D. The dental assistant

In a dental practice, the legal responsibility to report suspected child abuse primarily falls on the dentist. This is due to their role as the primary caregiver and the responsible party in the healthcare setting who has the authority and legal obligation to ensure the welfare of their patients. Dentists are mandated reporters, meaning they are legally obliged to report any suspicions of child abuse or neglect to the appropriate authorities. They often have the most training and experience in assessing signs of abuse and are in a position to make informed decisions regarding the health and safety of their patients, particularly minors. While other members of the dental team, such as dental hygienists and dental assistants, may also have concerns or observations related to suspected abuse, the legal responsibility typically resides with the dentist, who must take the appropriate actions to report their findings to the necessary agencies. This does not diminish the importance of teamwork in recognizing signs of abuse; however, the final obligation to report remains with the dentist.

5. When is it necessary for a dental assistant to use a face shield?

- A. During patient check-in
- B. When diagnosing cavities
- C. During procedures that may produce splatter or when working with potentially infectious materials**
- D. When taking dental X-rays

A face shield is an important piece of personal protective equipment (PPE) that helps protect the dental assistant from exposure to blood, saliva, and other potentially infectious materials during procedures. The specific circumstances under which a face shield is necessary include any dental procedures that may generate splatter or aerosolization of bodily fluids. This can include tasks such as performing extractions, using high-speed handpieces, or other procedures where saliva and blood may be expelled, thereby increasing the risk of exposure to infectious agents. Face shields provide a barrier to protect the face, eyes, and mucous membranes from contamination, which is crucial in maintaining a safe working environment for both dental professionals and patients. Wearing a face shield alongside other PPE, such as gloves and masks, is a standard practice in infection control protocols within the dental setting, particularly during situations where there is an increased likelihood of exposure to fluids. In contrast, wearing a face shield is not necessary during patient check-in, as this process does not typically involve exposure to infectious materials. Diagnosing cavities generally involves visual examination and may not create splatter. Similarly, taking dental X-rays does not require a face shield, as this process does not involve exposure to the types of fluids that would necessitate additional facial protection.

6. How is a mesioocclusobuccal restoration abbreviated in progress notes?

- A. BuOcM
- B. BOM
- C. MOD
- D. MOB**

A mesioocclusobuccal restoration is abbreviated as MOB in progress notes because this notation captures the specific surfaces involved in the restoration. The abbreviation starts with "M" for mesial, which refers to the surface of the tooth closest to the midline of the dental arch. "O" stands for occlusal, indicating the top surface of the tooth where chewing occurs. Lastly, "B" denotes the buccal surface, which is the outer surface of the tooth facing the cheeks. Using this abbreviation allows dental professionals to communicate clearly and efficiently about the specific restoration type used for a patient's tooth. This precise notation aids in ensuring accurate records are maintained, which is important for future treatments and patient care continuity. Understanding these abbreviations is essential for anyone involved in clinical dentistry, as it helps streamline documentation and improves communication within the dental team.

7. Which instrument is used to curette the inside of a tooth to the pulp chamber's base?

A. long-shank spoon

B. reamer

C. file

D. explorer

The long-shank spoon is specifically designed for removing debris and decay from the inside of a tooth, particularly when accessing the pulp chamber. This instrument has a rounded, scooping end that allows for effective scraping and removal of materials from the walls of the cavity, leading down to the base of the pulp chamber. Its design provides the necessary reach and control, making it ideal for delicate procedures involved in preparing a tooth for root canal treatment or other restorative work. In contrast to the long-shank spoon, instruments such as the reamer, file, and explorer serve different purposes. A reamer is primarily used for enlarging the canal space within a tooth during endodontic procedures, while files are utilized for shaping and cleaning the canal. The explorer is designed to detect cavities and check the integrity of a tooth's surface. Thus, the long-shank spoon's design and function make it the most appropriate choice for curetting the tooth to reach the base of the pulp chamber effectively.

8. A stabilizing finger rest that reduces the possibility of slipping or traumatizing tissue is a:

A. hinge point

B. rest point

C. fulcrum

D. base

The correct answer is a fulcrum. In dental practice, a fulcrum refers to a specific point of stability that a dental professional uses to enhance control during procedures. Using a fulcrum allows the practitioner to stabilize their hand or instrument, reducing the likelihood of unintentional movement. This stabilization is crucial for minimizing the risk of slipping or causing trauma to surrounding tissues, ensuring that procedures can be performed accurately and safely. In contrast, other terms like hinge point and base lack the specific connotation related to hand stability and control during dental procedures. A hinge point typically refers to a pivot point in mechanics but doesn't apply directly to finger rests in dentistry. Similarly, while a rest point might suggest a place for support, it does not encapsulate the concept of stability and control that a fulcrum provides in the context of dental work. Overall, the use of a fulcrum is essential for precision and patient safety in chairside practices.

9. What is a common over-the-counter option for pain management after dental procedures?

- A. Aspirin
- B. Ibuprofen**
- C. Acetaminophen
- D. Naproxen

Ibuprofen is a common over-the-counter option for pain management after dental procedures primarily because of its effectiveness in reducing both pain and inflammation. As a nonsteroidal anti-inflammatory drug (NSAID), it works by inhibiting enzymes involved in the production of prostaglandins, which are substances that mediate inflammation and pain. This dual action makes it particularly useful in the context of dental procedures where inflammation is often a significant source of discomfort. Patients typically find ibuprofen effective for managing post-operative pain associated with procedures such as tooth extractions or periodontal work. Moreover, it has a relatively short half-life, allowing for dosing every few hours to stay ahead of pain. While other options like aspirin and acetaminophen are also available, they serve slightly different purposes. Aspirin can cause stomach upset and is not usually recommended due to its blood-thinning effects, which can lead to increased bleeding during dental procedures. Acetaminophen is effective for pain relief; however, it does not have the anti-inflammatory properties that ibuprofen offers, which may limit its effectiveness after certain procedures. Naproxen, another NSAID, tends to have a longer duration of action but may also have a greater risk of gastrointestinal side effects and is less commonly recommended in certain

10. A porcelain-fused-to-metal crown is being seated. The assistant will mix the cement to a _____ or _____ consistency:

- A. base; secondary
- B. cementation; secondary
- C. base; primary
- D. cementation; primary**

When seating a porcelain-fused-to-metal crown, it is essential for the dental assistant to mix the cement to the appropriate consistency. The correct choices are "cementation" and "primary." A cementation consistency is paste-like, providing adequate flow and adherence to ensure that the crown fits properly and securely onto the prepared tooth. This consistency facilitates a proper seal and helps to prevent microleakage, which could lead to decay or other complications. The term "primary" refers to the initial and most critical phase of the cementing process. In this context, it emphasizes the need for a consistency that allows the cement to remain effective during the setting phase while also providing an adequate bond to secure the dental crown. This blending of ideal properties in cement consistency is crucial for achieving a successful long-term outcome with crowns, as it impacts both the immediate seating process and the longevity of the restoration.

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

<https://dentalboardgenchairside.examzify.com>

We wish you the very best on your exam journey. You've got this!

SAMPLE