

EMERGENCY NURSE PRACTITIONER (ENP) PRACTICE TEST (SAMPLE)

STUDY GUIDE



**SAMPLE STUDY GUIDE
WITH LIMITED QUESTIONS**

**VISIT US ONLINE FOR
THE FULL VERSION STUDY GUIDE**

<https://enp.examzify.com>



Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright	1
Table of Contents	2
Introduction	3
How to Use This Guide	4
Questions	5
Answers	8
Explanations	10
Next Steps	16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

Questions

SAMPLE

- 1. What does NPA overlay provide as a solution?**
 - A. A method to integrate new area codes in different geographic areas
 - B. An opportunity to upgrade phone network infrastructure
 - C. A way to retain phone numbers while changing carriers
 - D. A possibility to introduce a new area code in the same geographic area
- 2. What is the proper intervention for a suspected spinal injury?**
 - A. Immediate mobilization of the patient
 - B. Application of a cervical collar and spinal board
 - C. Performing a detailed head-to-toe assessment
 - D. Giving fluid resuscitation
- 3. What is included in performance management besides performance planning communication?**
 - A. Employee training programs
 - B. Team-building exercises
 - C. Corporate social responsibility initiatives
 - D. Measuring results, feedback, evaluation of results
- 4. What is the term for the carrier of long-distance service to the LEC or CLEC at competitive rates and provider of the connection between LEC's or LATA's?**
 - A. Data stream
 - B. Inter-exchange
 - C. NG911 (Next Gen 911)
 - D. Job analysis
- 5. What is the most effective way to manage an opioid overdose?**
 - A. Administer activated charcoal
 - B. Encourage the patient to drink water
 - C. Administration of naloxone
 - D. Give the patient a sedative

- 6. What are the symptoms of a tension pneumothorax?**
- A. Mild respiratory distress and headache
 - B. Severe respiratory distress, hypotension, and unilateral decreased breath sounds
 - C. Fever and cough
 - D. Abdominal pain and nausea
- 7. What is the recommended action for foreign body airway obstruction in infants?**
- A. Perform the Heimlich maneuver
 - B. Administer back blows and chest thrusts
 - C. Encourage coughing
 - D. Use a suction device
- 8. In a stroke assessment, what does the acronym F.A.S.T. stand for?**
- A. Face, Arm, Speech, Time
 - B. Facial droop, Arm movement, Speech clarity, Time to hospital
 - C. Fast action, Stable test, Telemetry
 - D. Focus, Assess, Secure, Treat
- 9. What immediate action is indicated for a patient suspected of having anaphylaxis?**
- A. Steroid administration
 - B. Call for additional support
 - C. Administer epinephrine
 - D. Monitor vital signs only
- 10. What term is used for the process of reducing or eliminating the risks posed by potential disasters?**
- A. Inter-exchange
 - B. NG911 (Next Gen 911)
 - C. Mitigation
 - D. Job analysis

Answers

SAMPLE

1. D
2. B
3. D
4. B
5. C
6. B
7. B
8. A
9. C
10. C

SAMPLE

Explanations

SAMPLE

1. What does NPA overlay provide as a solution?

- A. A method to integrate new area codes in different geographic areas
- B. An opportunity to upgrade phone network infrastructure
- C. A way to retain phone numbers while changing carriers
- D. A possibility to introduce a new area code in the same geographic area**

The correct response identifies the NPA (Number Planning Area) overlay as a strategy that allows for the introduction of a new area code within the same geographic area where an existing area code operates. This approach is particularly useful when the demand for phone numbers exceeds the availability within a specific region. By implementing an overlay, service providers can continue to assign new phone numbers without requiring customers to change their existing numbers. This preserves the current phone numbering system, ensuring minimal disruption for users in that area. The other options do not accurately reflect the primary purpose of an NPA overlay. For instance, integrating new area codes or upgrading network infrastructure are not the primary functions of an overlay. Additionally, retaining phone numbers while changing carriers pertains more to number portability rather than the specifics of area code management.

2. What is the proper intervention for a suspected spinal injury?

- A. Immediate mobilization of the patient
- B. Application of a cervical collar and spinal board**
- C. Performing a detailed head-to-toe assessment
- D. Giving fluid resuscitation

The appropriate intervention for a suspected spinal injury involves the application of a cervical collar and spinal board. This approach is essential because it serves to stabilize the spine and prevent further injury to the spinal cord during transport or movement. A cervical collar immobilizes the head and neck, minimizing any movement that could exacerbate potential injuries. The use of a spinal board provides a flat, rigid surface that supports the entire body while maintaining proper alignment, which is critical in protecting a patient from additional harm while they are being moved or transported. This intervention is particularly important in emergency settings where an initial assessment may not fully reveal the extent of the spinal injury, and any movement might worsen the condition. By ensuring that the spine is secured and stabilized, healthcare providers prioritize the patient's safety and welfare, reducing the risk of long-term complications such as paralysis or neurological deficits that may arise from an unprotected spinal injury.

3. What is included in performance management besides performance planning communication?

- A. Employee training programs
- B. Team-building exercises
- C. Corporate social responsibility initiatives
- D. Measuring results, feedback, evaluation of results**

In the context of performance management, performance planning communication refers to setting goals and expectations for an employee. While employee training programs, team-building exercises, and corporate social responsibility initiatives may all contribute to overall employee performance, they are not specifically included in performance management. Measuring results, providing feedback, and evaluating results are all key components of performance management as they allow for a continuous review of an employee's performance and provide opportunities for improvement. Therefore, D is the most accurate choice as it directly relates to the main focus of performance management.

4. What is the term for the carrier of long-distance service to the LEC or CLEC at competitive rates and provider of the connection between LEC's or LATA's?

- A. Data stream
- B. Inter-exchange**
- C. NG911 (Next Gen 911)
- D. Job analysis

The correct term for the carrier of long-distance service to the LEC or CLEC at competitive rates and provider of the connection between LEC's or LATA's is inter-exchange. This term specifically refers to the connection between two local exchange carriers (LECs) or local access and transport areas (LATAs), which is essential for long-distance service. Other options such as data stream, NG911, and job analysis are all unrelated and do not accurately describe this specific carrier or connection. A data stream refers to a constant flow of digital data, NG911 is a term related to emergency services, and job analysis is a process used in human resource management. Therefore, inter-exchange is the most appropriate and accurate term given in this context.

5. What is the most effective way to manage an opioid overdose?

- A. Administer activated charcoal
- B. Encourage the patient to drink water
- C. Administration of naloxone**
- D. Give the patient a sedative

The most effective way to manage an opioid overdose is the administration of naloxone. Naloxone is an opioid antagonist that works by competitively binding to the same receptors in the brain that opioids occupy, effectively reversing the effects of the overdose. This can restore normal respiration and consciousness in patients who are experiencing life-threatening respiratory depression due to opioid use. In cases of suspected opioid overdose, prompt intervention is critical. Naloxone can quickly counteract the effects of opioids, which is especially important in emergency situations where time is of the essence. Its administration can be done intranasally or intramuscularly, making it accessible and easily administered by both medical personnel and bystanders. Other methods such as administering activated charcoal are generally not appropriate in acute overdose situations, especially if the patient is unresponsive or not protected from aspiration. Encouraging a patient to drink water is not an effective intervention for an overdose, as it does not address the immediate life-threatening effects. Similarly, administering a sedative would further depress the respiratory system, exacerbating the overdose and increasing the risk of severe complications or death. Thus, naloxone stands out as the specific antidote for reversing opioid overdoses quickly and effectively.

6. What are the symptoms of a tension pneumothorax?

- A. Mild respiratory distress and headache
- B. Severe respiratory distress, hypotension, and unilateral decreased breath sounds**
- C. Fever and cough
- D. Abdominal pain and nausea

The symptoms associated with a tension pneumothorax are well characterized by severe respiratory distress, hypotension, and unilateral decreased breath sounds. In a tension pneumothorax, air enters the pleural space and is trapped, leading to increased pressure that collapses the lung on the affected side and pushes the mediastinum towards the opposite side. This results in significant respiratory distress, as the lung cannot expand properly, causing difficulty in breathing and reduced ventilation efficiency. Hypotension occurs because the increased pressure in the pleural space can restrict venous return to the heart, leading to reduced cardiac output. The shift in mediastinal structures can also compromise cardiovascular function, exacerbating hypotension. Unilateral decreased breath sounds indicate that the lung on the affected side is not functioning due to compression, a hallmark sign of tension pneumothorax. In contrast, the other options do not align with the typical clinical presentation of a tension pneumothorax. Mild respiratory distress and headache, fever and cough, or abdominal pain and nausea are not characteristic symptoms of this acute and life-threatening condition. Therefore, recognizing the combination of severe respiratory distress, hypotension, and unilateral decreased breath sounds is crucial for timely diagnosis and management of tension pneumothorax.

7. What is the recommended action for foreign body airway obstruction in infants?

- A. Perform the Heimlich maneuver
- B. Administer back blows and chest thrusts**
- C. Encourage coughing
- D. Use a suction device

The recommended action for foreign body airway obstruction in infants is to administer back blows and chest thrusts. This technique is specifically designed for infants, who are not capable of effectively using traditional methods like the Heimlich maneuver or encouraging coughing due to their age and size. Back blows, delivered between the infant's shoulder blades, can help dislodge an obstruction, while chest thrusts, applied just below the nipple line, provide a forceful push to expel the foreign body. This combination is effective in clearing the airway and preventing respiratory distress or failure. Methods such as using a suction device or encouraging coughing are not suitable in this scenario as they may not provide immediate relief or could result in additional complications. The Heimlich maneuver is not recommended for infants because of their delicate anatomy. Thus, back blows and chest thrusts serve as the safest and most effective approach for this age group facing airway obstruction.

8. In a stroke assessment, what does the acronym F.A.S.T. stand for?

- A. Face, Arm, Speech, Time**
- B. Facial droop, Arm movement, Speech clarity, Time to hospital
- C. Fast action, Stable test, Telemetry
- D. Focus, Assess, Secure, Treat

*The acronym F.A.S.T. is critical in the assessment of potential stroke patients and represents essential factors to recognize and respond to a stroke quickly. It stands for Face, Arm, Speech, and Time. - **Face**: The assessment of facial symmetry is important. If one side of the face droops or cannot smile, it may indicate a stroke. - **Arm**: Patients are asked to raise both arms. If one arm drifts downward or cannot be lifted, this suggests potential weakness or paralysis on one side of the body. - **Speech**: Assessment involves checking if the patient can speak clearly and understand what is being said. Slurred speech or difficulty finding words is a red flag for stroke. - **Time**: This refers to the urgency of getting medical help. Recognizing these symptoms and calling emergency services promptly can significantly affect patient outcomes, as timely treatment is crucial for stroke care. The other options do not adequately represent the components necessary for a quick and effective stroke assessment. Focusing on the recognized protocol of F.A.S.T. not only aids in identification but also emphasizes the importance of time in stroke intervention, which can be the difference in recovery outcomes.*

9. What immediate action is indicated for a patient suspected of having anaphylaxis?

- A. Steroid administration
- B. Call for additional support
- C. Administer epinephrine**
- D. Monitor vital signs only

Administering epinephrine is the critical and immediate action indicated for a patient suspected of having anaphylaxis. Anaphylaxis is a severe and potentially life-threatening allergic reaction that can occur rapidly after exposure to an allergen. Epinephrine works by causing vasoconstriction, which increases blood pressure, and bronchodilation, which opens the airways, thus addressing both circulatory and respiratory complications typical of anaphylaxis. Quick administration of epinephrine can prevent further progression of the reaction within minutes. It is essential to use an intramuscular injection in the mid anterolateral thigh to achieve optimal absorption. Early epinephrine administration is critical in improving patient outcomes and minimizing potential morbidity and mortality resulting from anaphylactic shock. Other interventions, such as calling for additional support or administering steroids, while important in managing allergic responses, are not the first-line treatment for anaphylaxis. Monitoring vital signs is also important, but it should not replace the immediate need for epinephrine in this high-risk scenario. Therefore, recognizing the urgency of epinephrine administration in cases of suspected anaphylaxis is vital in emergency nursing practice.

10. What term is used for the process of reducing or eliminating the risks posed by potential disasters?

A. Inter-exchange

B. NG911 (Next Gen 911)

C. Mitigation

D. Job analysis

Mitigation is the term used for the process of reducing or eliminating the risks posed by potential disasters. Option A, Inter-exchange, refers to the direct exchange of goods and services between countries. Option B, NG911, is a communication technology related to emergency response systems. Option D, Job analysis, is a process used by organizations to define and organize job positions. These options do not accurately describe the process of reducing risks of disasters. Mitigation is the specific term used for this process.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

<https://enp.examzify.com>

We wish you the very best on your exam journey. You've got this!

SAMPLE