

FISDAP OPERATIONS PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR
THE FULL VERSION STUDY GUIDE

<https://fisdapoperations.examzify.com>



Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright	1
Table of Contents	2
Introduction	3
How to Use This Guide	4
Questions	5
Answers	8
Explanations	10
Next Steps	16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

Questions

SAMPLE

- 1. What action should be taken for a pulseless, apneic infant with rigor mortis while still dressed in sleepwear?**
 - A. Tell the mom there is nothing you can do and offer to call the funeral home
 - B. Perform CPR and transport; the hospital staff will be better able to inform the mother of her loss
 - C. Offer the mother time alone with the infant while you contact the appropriate agencies
 - D. Question the mom about medical history and age of the infant to rule out SID's

- 2. What does a system's "utilization rate" measure?**
 - A. The efficiency of volunteer coordination
 - B. The cost-effectiveness of EMS operations
 - C. The level to which EMS resources are engaged in service provision
 - D. The satisfaction of EMS personnel

- 3. If a patient is breathing but unresponsive during triage, how should they be classified?**
 - A. Immediate
 - B. Delayed
 - C. Minor
 - D. Deceased

- 4. When do you need a patient's agreement to share their treatment information?**
 - A. Giving condition information to the patient's roommate
 - B. Speaking to a reporting agency about a victim of elder abuse
 - C. Providing information to a hospital for treatment purposes
 - D. Notifying a family member of the patient's location

- 5. In which situations would "mutual aid agreements" be utilized?**
 - A. For regular training and inter-agency meetings
 - B. During large-scale incidents requiring additional resources from neighboring jurisdictions
 - C. When providing routine services in residential areas
 - D. To share equipment for non-emergency situations

- 6. What is a key feature of effective emergency response plans?**
- A. Emphasis on training volunteers in non-critical roles
 - B. Categorization of incidents based on geographical areas
 - C. Incorporation of public communication strategies
 - D. Use of a single response team for all emergencies
- 7. A 26-year-old patient complains of chest pain and a productive cough. What is your first action upon learning he just flew back from Africa?**
- A. Put on an N95 mask on yourself
 - B. Listen to lung sounds
 - C. Take vitals
 - D. Put HEPA mask on the patient
- 8. How should you handle a patient who is displaying signs of shock during assessment?**
- A. Place them in Trendelenburg position
 - B. Keep them calm and reassured
 - C. Administer fluids immediately
 - D. Transport to the nearest hospital
- 9. Which aspect is crucial during post-incident analysis in EMS?**
- A. Collecting feedback from the public on the service
 - B. Documenting the financial costs associated with the incident
 - C. Identifying performance strengths and areas for improvement
 - D. Reviewing only the actions taken by senior staff
- 10. How often should EMS protocols be reviewed and updated?**
- A. Only when there is a major incident
 - B. Every five years
 - C. Regularly, at least annually or as needed based on new evidence
 - D. Once protocols are created, they should remain unchanged

Answers

SAMPLE

1. C
2. C
3. A
4. A
5. B
6. C
7. A
8. B
9. C
10. C

SAMPLE

Explanations

SAMPLE

1. What action should be taken for a pulseless, apneic infant with rigor mortis while still dressed in sleepwear?

- A. Tell the mom there is nothing you can do and offer to call the funeral home
- B. Perform CPR and transport; the hospital staff will be better able to inform the mother of her loss
- C. Offer the mother time alone with the infant while you contact the appropriate agencies**
- D. Question the mom about medical history and age of the infant to rule out SID's

In this scenario, the correct action is to offer the mother time alone with the infant while contacting the appropriate agencies. This approach prioritizes the emotional needs of the family during an incredibly difficult time while also ensuring that proper protocols are followed. By providing the mother with space to grieve and say goodbye, you are recognizing the gravity of the situation and the importance of compassionate care. Additionally, contacting the appropriate agencies is essential to handle the case appropriately, as the presence of rigor mortis indicates that the infant has been deceased for some time. It's critical to ensure that all legal and procedural steps are taken to address the situation properly. Providing time with the infant allows for emotional closure, which can be incredibly beneficial for the mother to process her loss. This compassionate response also respects the mother's needs while ensuring that the incident is reported to the necessary authorities without additional trauma.

2. What does a system's "utilization rate" measure?

- A. The efficiency of volunteer coordination
- B. The cost-effectiveness of EMS operations
- C. The level to which EMS resources are engaged in service provision**
- D. The satisfaction of EMS personnel

The utilization rate of a system specifically measures the level to which emergency medical service (EMS) resources, such as ambulances and personnel, are actively engaged in providing services to the community. This metric reflects how often and how effectively the available resources are being used in response to calls for assistance, thus providing insight into operational efficiency. A high utilization rate indicates that EMS resources are frequently engaged, which can suggest a well-functioning system responding to the needs of the population. Conversely, a low utilization rate may highlight underutilization of resources, indicating potential issues such as insufficient community demand or inefficiencies in service delivery. This focus on engagement in service provision distinguishes the utilization rate from other measurements, such as efficiency in volunteer coordination, cost-effectiveness, or personnel satisfaction, which address different aspects of EMS operations. Understanding the utilization rate is critical for emergency management and planning, as it helps organizations allocate resources effectively and identify areas for improvement in service delivery.

3. If a patient is breathing but unresponsive during triage, how should they be classified?

A. Immediate

B. Delayed

C. Minor

D. Deceased

In a triage situation, the classification of a patient depends on their condition and the urgency of the medical intervention required. If a patient is breathing but unresponsive, they are still viable in terms of survival, but their lack of responsiveness indicates that they are likely experiencing a critical situation that requires prompt medical attention. Designating this patient as "Immediate" is appropriate because immediate care is essential to address potentially life-threatening conditions. This classification is reserved for those who, despite being responsive or unresponsive, need urgent intervention due to compromised airway, breathing, or circulation. Time is of the essence, and delaying treatment could result in a worse outcome. In contrast, patients who are categorized as "Delayed" would be those who have significant injuries but are stable enough that they can wait for care without immediate risk to life. "Minor" patients are typically those with non-life-threatening injuries and can wait longer for treatment. Finally, classifying a patient as "Deceased" would apply only if there were clear signs of death, such as lack of breathing, heart rate, or significant trauma that rules out any chance of survival. Thus, the classification of a patient who is breathing but unresponsive as "Immediate" aligns with the triage principles that prioritize life-saving

4. When do you need a patient's agreement to share their treatment information?

A. Giving condition information to the patient's roommate

B. Speaking to a reporting agency about a victim of elder abuse

C. Providing information to a hospital for treatment purposes

D. Notifying a family member of the patient's location

The correct choice is the scenario involving giving condition information to the patient's roommate. In healthcare, patient confidentiality is a fundamental principle protected under laws such as HIPAA (Health Insurance Portability and Accountability Act) in the United States. This regulation mandates that patient information is shared only with individuals who have a rightful need to know about the patient's treatment or condition. When it comes to sharing information with someone like a roommate, the patient has not provided implicit consent. Without the patient's explicit agreement to disclose their health status to a third party who is not involved in their care, such as a roommate, sharing this information would violate their privacy rights. Therefore, healthcare providers need to secure the patient's consent before sharing treatment information with individuals who are not part of the treatment team. In contrast, sharing treatment information with a hospital for treatment purposes or notifying a family member about a patient's location generally falls under situations in which consent or implied consent is often assumed due to the necessity of providing care or assistance. Additionally, speaking to a reporting agency about a victim of elder abuse may also not require patient consent due to mandatory reporting laws in place that prioritize safety and legal obligations over privacy in certain situations.

5. In which situations would "mutual aid agreements" be utilized?

- A. For regular training and inter-agency meetings
- B. During large-scale incidents requiring additional resources from neighboring jurisdictions**
- C. When providing routine services in residential areas
- D. To share equipment for non-emergency situations

"Mutual aid agreements" are specifically designed for situations where there is a need for additional resources during large-scale incidents that exceed the capabilities of a single agency. This often occurs in emergencies such as natural disasters, large fires, or other significant events where the local agency requires assistance from neighboring jurisdictions to effectively manage the situation and ensure public safety. These agreements facilitate a coordinated response by allowing agencies to share personnel, equipment, and expertise in real-time, thereby enhancing the overall response capability during critical scenarios. In contrast, regular training and inter-agency meetings or providing routine services in residential areas do not typically necessitate these agreements, as they do not involve the emergent resource demands that mutual aid is intended to address. Similarly, while sharing equipment for non-emergency situations might be beneficial, it does not align with the primary objective of mutual aid, which is to respond to urgent and large-scale incidents.

6. What is a key feature of effective emergency response plans?

- A. Emphasis on training volunteers in non-critical roles
- B. Categorization of incidents based on geographical areas
- C. Incorporation of public communication strategies**
- D. Use of a single response team for all emergencies

Incorporation of public communication strategies is a key feature of effective emergency response plans because effective communication is vital during a crisis. Clear and timely communication helps to ensure that the public is informed about the nature of the emergency, the steps being taken by emergency services, and any actions the public should take to ensure their safety. Effective communication strategies can help prevent panic, miscommunication, and misinformation, which can exacerbate the situation. Moreover, having established public communication protocols allows for swift dissemination of important information through various channels—such as social media, press releases, and local news outlets—ensuring that residents know what to expect and how to respond. This not only fosters public trust but also enhances the overall efficiency of the emergency response efforts. In contrast, training volunteers in non-critical roles, categorizing incidents by geographical areas, or using a single response team for all emergencies might not address the immediate need for clear communication. While these elements can be important in their own right, they do not capture the essential role that effective public communication plays in managing emergencies and facilitating a coordinated response.

7. A 26-year-old patient complains of chest pain and a productive cough. What is your first action upon learning he just flew back from Africa?

- A. Put on an N95 mask on yourself**
- B. Listen to lung sounds
- C. Take vitals
- D. Put HEPA mask on the patient

In this scenario, where the patient presents with chest pain and a productive cough shortly after returning from Africa, the first action should prioritize the protection of the healthcare provider and others in the vicinity due to the possibility of infectious disease, such as tuberculosis or other respiratory infections that are more prevalent in certain regions. By putting on an N95 mask, the healthcare provider minimizes the risk of inhaling airborne pathogens, ensuring personal safety and preparing for potential airborne transmission. This step is crucial because if the patient's condition is due to a contagious respiratory illness, it protects others in the treatment area as well. Addressing personal protection allows for a safe environment to further assess the patient's condition without putting oneself or others at risk. Following this action, vital signs and lung sounds would be assessed to further evaluate the patient's respiratory status, but prioritizing personal protective measures takes precedence in this context, making it the appropriate first action.

8. How should you handle a patient who is displaying signs of shock during assessment?

- A. Place them in Trendelenburg position
- B. Keep them calm and reassured**
- C. Administer fluids immediately
- D. Transport to the nearest hospital

When assessing a patient displaying signs of shock, maintaining a calm and reassuring demeanor is essential. This approach helps to alleviate anxiety, which can exacerbate distress and potentially worsen the patient's condition. By keeping the patient calm, you can help stabilize their physiological responses, such as heart rate and blood pressure, which may become more erratic in stressful situations. Moreover, reassurance can also promote cooperation during the assessment, making it easier to gather critical information regarding their symptoms and medical history, which is vital for providing appropriate care. Ensuring the patient feels supported can facilitate better communication, allowing you to prioritize their needs effectively during transport and treatment. While other options may seem reasonable, they don't directly address the immediate need to reduce anxiety in a patient experiencing shock, which can have a positive impact on their overall condition during assessment and before definitive care is provided.

9. Which aspect is crucial during post-incident analysis in EMS?

- A. Collecting feedback from the public on the service
- B. Documenting the financial costs associated with the incident
- C. Identifying performance strengths and areas for improvement**
- D. Reviewing only the actions taken by senior staff

Identifying performance strengths and areas for improvement is crucial during post-incident analysis in EMS because this process directly contributes to the ongoing development and enhancement of emergency medical services. After an incident, it is essential for teams to evaluate what aspects of their response were effective and which areas could have been handled better. This systematic review allows for the adaptation of practices, training updates, and policy revisions to improve future patient care and operational efficiency. By focusing on both strengths and weaknesses, EMS teams can promote a culture of learning and accountability, fostering an environment where continuous improvement is prioritized. This approach not only improves the performance of individuals and teams but ultimately leads to better patient outcomes and a higher standard of care in the community.

10. How often should EMS protocols be reviewed and updated?

- A. Only when there is a major incident
- B. Every five years
- C. Regularly, at least annually or as needed based on new evidence**
- D. Once protocols are created, they should remain unchanged

The appropriate frequency for reviewing and updating EMS protocols is at least annually or as needed based on new evidence. This practice ensures that protocols remain relevant, effective, and aligned with the latest medical research, advancements, and best practices in emergency medical services. Regular reviews help identify areas for improvement, integrate new technologies or therapies, and incorporate lessons learned from incidents or studies. Furthermore, keeping protocols current promotes adherence to standards, enhances patient care, and improves outcomes in a rapidly evolving field like emergency medicine. In contrast, solely reviewing protocols when a major incident occurs can lead to delayed improvements and could compromise patient safety. A five-year review period could allow for significant changes in practice to occur before protocols are updated, which may not adequately reflect the current state of emergency medical care. Maintaining protocols without any changes can result in outdated practices that do not incorporate new evidence or changes in patient needs, ultimately diminishing the quality of care provided. Regular and responsive updates are essential for maintaining high standards in EMS operations.

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

<https://fisdapoperations.examzify.com>

We wish you the very best on your exam journey. You've got this!

SAMPLE