

FOCUS ON DELEGATING PRIORITIZING TRIAGE DISASTER PRACTICE TEST (SAMPLE) STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

**VISIT US ONLINE FOR
THE FULL VERSION STUDY GUIDE**

<https://delegatingprioritizingtriage.examzify.com>



Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright	1
Table of Contents	2
Introduction	3
How to Use This Guide	4
Questions	5
Answers	8
Explanations	10
Next Steps	16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

Questions

SAMPLE

- 1. In a triage scenario, which victim should the nurse prioritize for treatment?**
 - A. A victim with a simple fracture
 - B. A victim with an amputated arm
 - C. A victim with minor lacerations
 - D. A victim who is conscious but confused

- 2. What should be the focus when prioritizing patients with multiple injuries?**
 - A. Treating minor injuries first
 - B. Managing life-threatening conditions first before treating non-life-threatening issues
 - C. Assigning equal treatment to all injuries
 - D. Focusing on psychological support for patients

- 3. What is the consequence of poor delegation in disaster management?**
 - A. Overlapping duties or ignored tasks leading to inefficiencies
 - B. Increased morale among team members
 - C. Greater clarity in task assignments
 - D. Faster response times to emergencies

- 4. When experiencing late decelerations, what is a critical consideration before further nursing interventions?**
 - A. Monitor the fetal heart rate
 - B. Assess for signs of maternal distress
 - C. Stop the oxytocin infusion
 - D. Change the maternal position

- 5. Why is flexibility important in emotional intelligence during disasters?**
 - A. It allows for rigid adherence to protocols
 - B. It enables adaptation to changing interpersonal dynamics
 - C. It solidifies existing workflows
 - D. It emphasizes individual performance over team goals

- 6. Which attribute is important for UAP regarding their assignment?**
- A. The UAP's level of clinical competence
 - B. The nurse's years of experience
 - C. The complexity of the clients' conditions
 - D. The time available for the shift
- 7. How does delegation affect team morale during disaster response?**
- A. It creates confusion and uncertainty
 - B. It can empower team members and build trust
 - C. It leads to resentment among members
 - D. It reduces individual accountability
- 8. What can poor follow-up after delegation lead to in a disaster scenario?**
- A. Increased confidence among team members
 - B. Unclear task assignments and operational challenges
 - C. Higher morale and collaboration
 - D. Effective use of all available resources
- 9. In a case of anaphylaxis following a bee sting, what is the first priority for the nurse?**
- A. Administer epinephrine
 - B. Place a tourniquet proximal to the sting site
 - C. Keep the child warm
 - D. Start an IV line
- 10. What should a nurse do if a client with inner maxillary fixation begins to vomit?**
- A. Administer antiemetics
 - B. Cut the mouth wires
 - C. Suction the client's mouth
 - D. Turn the client to a supine position

Answers

SAMPLE

1. B
2. B
3. A
4. C
5. B
6. A
7. B
8. B
9. B
10. B

SAMPLE

Explanations

SAMPLE

1. In a triage scenario, which victim should the nurse prioritize for treatment?

- A. A victim with a simple fracture
- B. A victim with an amputated arm**
- C. A victim with minor lacerations
- D. A victim who is conscious but confused

In a triage scenario, the priority for treatment is given to the victim with the most severe and life-threatening injuries. A victim with an amputated arm represents a critical situation, as this condition can lead to significant blood loss and poses an immediate risk to the patient's life if not treated promptly. The urgency comes from the need to control bleeding and address possible shock. In contrast, the other situations involve injuries that, while they may require medical attention, do not pose an immediate threat to the victim's life. A simple fracture, minor lacerations, and even a conscious but confused individual, provided they are stable, do not meet the same urgent criteria for lifesaving intervention as an amputation does. Thus, prioritizing the victim with the amputated arm aligns with the principles of triage, which focus on maximizing patient outcomes by treating the most critical cases first.

2. What should be the focus when prioritizing patients with multiple injuries?

- A. Treating minor injuries first
- B. Managing life-threatening conditions first before treating non-life-threatening issues**
- C. Assigning equal treatment to all injuries
- D. Focusing on psychological support for patients

Prioritizing patients with multiple injuries necessitates a clear focus on managing life-threatening conditions first. In emergency situations or disasters, the primary goal is to ensure the survival of the patient and stabilize any immediate threats to life, such as severe bleeding, airway obstructions, or compromised respiratory function. By addressing life-threatening issues before moving on to less critical injuries, healthcare providers can maximize the chances of survival and improve overall patient outcomes. This approach is grounded in the principles of triage, which is the assessment and sorting of patients based on the severity of their conditions. In a mass casualty situation, where resources may be limited, prioritizing patients who require immediate intervention is crucial. By effectively managing life-threatening conditions first, healthcare providers can help prevent further deterioration of the patient's health and prepare them for more comprehensive care once stability is achieved. While psychological support and addressing minor injuries are important aspects of patient care, they should be secondary to the immediate need to address life-threatening situations. This hierarchical approach helps ensure that those in greatest need of urgent medical attention receive it without delay.

3. What is the consequence of poor delegation in disaster management?

A. Overlapping duties or ignored tasks leading to inefficiencies

B. Increased morale among team members

C. Greater clarity in task assignments

D. Faster response times to emergencies

Poor delegation in disaster management primarily leads to overlapping duties or ignored tasks, which results in inefficiencies. Effective delegation is crucial in high-pressure environments like disaster management because it ensures that responsibilities are clearly assigned and that team members are accountable for their specific roles. When delegation is ineffective, team members may find themselves unsure of their tasks or duplicating efforts with little coordination, which can hinder progress and slow down response times to emergencies. In a disaster situation, where timely and efficient action is necessary, any inefficiency can have severe consequences. Overlapping duties can create confusion and waste valuable resources, while ignored tasks may leave critical needs unmet, thereby exacerbating the overall situation. Thus, clear and effective delegation is fundamental to ensure that every aspect of the response is covered efficiently and that teams can work harmoniously toward shared goals.

4. When experiencing late decelerations, what is a critical consideration before further nursing interventions?

A. Monitor the fetal heart rate

B. Assess for signs of maternal distress

C. Stop the oxytocin infusion

D. Change the maternal position

In the context of managing late decelerations during labor, stopping the oxytocin infusion is a critical consideration because late decelerations often indicate fetal distress related to uteroplacental insufficiency, which may be exacerbated by uterine hyperstimulation caused by oxytocin. Reducing or halting the infusion allows the uterus to relax, potentially improving placental blood flow and oxygen delivery to the fetus, which is essential in this scenario. Monitoring the fetal heart rate, assessing for maternal distress, and changing maternal position are all important interventions in the management of late decelerations. However, addressing the potential contributor to the decelerations, such as an excessive contraction pattern due to oxytocin, is a priority before these other interventions. Stopping the oxytocin allows for a more immediate response to stabilize the fetal condition and improve outcomes. Thus, it serves as a foundational step in triage and prioritizing care in this situation.

5. Why is flexibility important in emotional intelligence during disasters?

A. It allows for rigid adherence to protocols

B. It enables adaptation to changing interpersonal dynamics

C. It solidifies existing workflows

D. It emphasizes individual performance over team goals

Flexibility is crucial in emotional intelligence during disasters because it enables individuals to adapt to changing interpersonal dynamics. In high-pressure situations, the emotional climate can shift rapidly due to stress, fear, and uncertainty. Being flexible allows leaders and team members to read these shifts accurately and adjust their communication and support strategies accordingly. This adaptability fosters a more cohesive and resilient team environment, as it encourages collaboration and understanding among team members, ensuring that everyone's emotional needs are addressed during crises. The ability to adjust one's approach based on the needs of the situation and the people involved is what differentiates effective emotional intelligence in disaster scenarios. This responsiveness helps maintain morale and effectiveness, which are vital for navigating the complex and often unpredictable nature of disasters.

6. Which attribute is important for UAP regarding their assignment?

- A. The UAP's level of clinical competence
- B. The nurse's years of experience
- C. The complexity of the clients' conditions
- D. The time available for the shift

The level of clinical competence of the Unlicensed Assistive Personnel (UAP) is a crucial attribute regarding their assignment. This competence ensures that the UAP has the necessary skills and knowledge to perform assigned tasks safely and effectively. In delegation, especially within healthcare settings, the responsibility to ensure that tasks are assigned to individuals who possess the appropriate competencies lies with the licensed nurse. When UAP are assigned tasks that align with their clinical competencies, it maximizes patient safety and care quality. This is particularly important in environments where tasks may vary in complexity and require different levels of skill. A UAP who is well-trained and competent is better equipped to handle the responsibilities given to them, leading to more effective patient care and supporting the overall function of the healthcare team. Considering the other options, while the nurse's years of experience, the complexity of clients' conditions, and the time available for the shift are all relevant factors in the decision-making process, they do not directly address the specific capability of the UAP to fulfill the assigned tasks. The primary focus should be on ensuring that the UAP can competently perform their duties, which ultimately enhances patient safety and care outcomes.

7. How does delegation affect team morale during disaster response?

- A. It creates confusion and uncertainty
- B. It can empower team members and build trust
- C. It leads to resentment among members
- D. It reduces individual accountability

Delegation positively affects team morale during disaster response primarily by empowering team members and building trust. When tasks and responsibilities are effectively delegated, individuals feel a sense of ownership over their roles, which enhances their confidence and promotes a proactive attitude toward their work. This empowerment fosters an environment where team members can showcase their skills and contribute meaningfully to the collective efforts in a crisis. Additionally, delegation conveys trust from leadership to team members, reinforcing the idea that their competencies are recognized and valued. This acknowledgment can significantly boost morale, creating a collaborative atmosphere where everyone feels invested in the mission's success. In a disaster response scenario, where the stakes are high and swift action is essential, empowered team members are more likely to take initiative, communicate effectively, and support one another, leading to improved overall outcomes.

8. What can poor follow-up after delegation lead to in a disaster scenario?

- A. Increased confidence among team members
- B. Unclear task assignments and operational challenges**
- C. Higher morale and collaboration
- D. Effective use of all available resources

In a disaster scenario, poor follow-up after delegation can lead to unclear task assignments and operational challenges, which is critical for effective crisis management. When tasks are delegated without proper follow-up, the team may be left uncertain about their responsibilities and the specific expectations for their roles. This lack of clarity can result in duplications of effort, missed tasks, or essential duties being overlooked. Operational challenges arise as team members may not know whether their actions align with the objectives of the response effort, leading to confusion and inefficiencies. In high-pressure situations, such as disasters, clarity and coordination are paramount to ensure that resources are utilized effectively and that the response is as efficient as possible. When follow-up is neglected, the potential for miscommunication increases, exacerbating the chaos often associated with emergency situations. Thus, the absence of proper follow-up undermines the overall effectiveness of a disaster response.

9. In a case of anaphylaxis following a bee sting, what is the first priority for the nurse?

- A. Administer epinephrine
- B. Place a tourniquet proximal to the sting site**
- C. Keep the child warm
- D. Start an IV line

In the case of anaphylaxis, the first priority for the nurse is to administer epinephrine. Epinephrine is a life-saving medication that counteracts the severe allergic reactions that occur during anaphylaxis, such as airway constriction, drop in blood pressure, and hives. Administering epinephrine promptly can significantly reduce the risk of serious complications or death. Placing a tourniquet proximal to the sting site is not a recommended practice in this situation, as it can cause further complications and is not effective for treating systemic reactions like anaphylaxis. Keeping the child warm and starting an IV line are also important steps in managing a patient's overall condition but do not address the immediate life-threatening response triggered by anaphylaxis. The administration of epinephrine should always take precedence, as it directly targets the anaphylactic response and is critical for stabilizing the patient's condition.

10. What should a nurse do if a client with inner maxillary fixation begins to vomit?

- A. Administer antiemetics
- B. Cut the mouth wires**
- C. Suction the client's mouth
- D. Turn the client to a supine position

In the case of a client with inner maxillary fixation who begins to vomit, cutting the mouth wires is the appropriate action. This client has their jaws secured to assist with healing or stabilization, which can present significant risks during episodes of vomiting, such as aspiration or airway obstruction. When vomiting occurs, it is crucial to ensure that the airway remains clear and that the client can expel the contents effectively. Cutting the mouth wires allows for immediate relief and helps prevent complications by permitting the client to open their mouth and manage the vomit safely. Other methods, such as administering antiemetics, may help prevent nausea but do not address the immediate problem of preventing aspiration or airway blockage during vomiting. Suctioning the mouth could be difficult or ineffective if the client's mouth is secured. Placing the client in a supine position could also hinder vomitus escape, increasing the risk of aspiration and airway compromise. Thus, cutting the mouth wires is the definitive action to take in this scenario.

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

<https://delegatingprioritizingtriage.examzify.com>

We wish you the very best on your exam journey. You've got this!

SAMPLE