

# Gas Technician 3 (G3) License Practice Exam (Sample)

## Study Guide



**Everything you need from our exam experts!**

**Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.**

**ALL RIGHTS RESERVED.**

**No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.**

**Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.**

**SAMPLE**

# Table of Contents

**Copyright** ..... 1

**Table of Contents** ..... 2

**Introduction** ..... 3

**How to Use This Guide** ..... 4

**Questions** ..... 5

**Answers** ..... 8

**Explanations** ..... 10

**Next Steps** ..... 16

SAMPLE

# Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

**Remember:** successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

# How to Use This Guide

**This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:**

## **1. Start with a Diagnostic Review**

**Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.**

## **2. Study in Short, Focused Sessions**

**Break your study time into manageable blocks (e.g. 30 - 45 minutes). Review a handful of questions, reflect on the explanations.**

## **3. Learn from the Explanations**

**After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.**

## **4. Track Your Progress**

**Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.**

## **5. Simulate the Real Exam**

**Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.**

## **6. Repeat and Review**

**Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.**

**There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!**

## Questions

SAMPLE

- 1. What is the primary function of a gas vent termination?**
  - A. To enhance gas flow**
  - B. To safely exhaust combustion gases**
  - C. To regulate pressure**
  - D. To combust fuel efficiently**
  
- 2. What are the two common types of gas used in residential heating systems?**
  - A. Natural gas and butane**
  - B. Natural gas and propane**
  - C. Propane and methane**
  - D. Butane and ethane**
  
- 3. What is the main factor that determines the combustion efficiency of a gas appliance?**
  - A. Gas type used**
  - B. Air-to-fuel ratio**
  - C. Temperature of the appliance**
  - D. Size of the gas line**
  
- 4. What is the required diameter of a drip or dirt pocket in relation to the piping it serves?**
  - A. 1 inch**
  - B. 2 inches (50 mm)**
  - C. 3 inches**
  - D. 4 inches**
  
- 5. What tool is used to check for potential voltage?**
  - A. A multimeter**
  - B. A voltmeter**
  - C. An ammeter**
  - D. A continuity tester**

- 6. In a gas piping system, what is the necessary additional length considered for any fittings?**
- A. 2 feet**
  - B. 3 feet**
  - C. Length in additional fittings**
  - D. The equivalent length in feet**
- 7. What type of flame is considered undesirable on a gas appliance?**
- A. A blue flame**
  - B. A yellow or orange flame**
  - C. A green flame**
  - D. A white flame**
- 8. What is the total resistance of two 10-ohm resistors connected in parallel?**
- A. 10 ohms**
  - B. 20 ohms**
  - C. 5 ohms**
  - D. 15 ohms**
- 9. What element is critical for ensuring the combustion process in gas appliances?**
- A. Oxygen**
  - B. Humidity**
  - C. Carbon dioxide**
  - D. Natural gas pressure**
- 10. What does the movement of the 1/2 cubic foot test dial indicate if the manual shut-off valve is closed?**
- A. A normal operation**
  - B. A gas leak in the line downstream from the gas meter**
  - C. Pressure fluctuation**
  - D. Measuring error**

## Answers

SAMPLE

1. B
2. B
3. B
4. B
5. B
6. D
7. B
8. C
9. A
10. B

SAMPLE

## **Explanations**

SAMPLE

## 1. What is the primary function of a gas vent termination?

- A. To enhance gas flow
- B. To safely exhaust combustion gases**
- C. To regulate pressure
- D. To combust fuel efficiently

The primary function of a gas vent termination is to safely exhaust combustion gases. This is a critical aspect of gas appliance operation because proper venting ensures that hazardous byproducts of combustion, such as carbon monoxide, are safely directed outside of the living environment. This protects the health and safety of occupants by minimizing the risk of exposure to these toxic gases. Gas vent terminations are designed to allow combustion gases to escape effectively while preventing the backflow of air and gases into the building. They must meet specific codes and standards to ensure that they function correctly and safely, preventing the migration of dangerous gases into the areas where people live and work. Vent termination also serves to help prevent blockages caused by weather conditions or debris, maintaining the overall efficiency and safety of the gas appliance. Furthermore, the design and location of vent terminations must adhere to guidelines to avoid any possible re-entry of combustion gases, emphasizing their role in safe gas appliance operation.

## 2. What are the two common types of gas used in residential heating systems?

- A. Natural gas and butane
- B. Natural gas and propane**
- C. Propane and methane
- D. Butane and ethane

The two common types of gas used in residential heating systems are natural gas and propane. Natural gas is primarily composed of methane and is supplied through a network of pipes and utility services, making it widely available for residential heating. It is often used because it is generally more economical and efficient. Propane, on the other hand, is stored as a liquid in tanks and is frequently used in areas where natural gas services are not accessible. It is suitable for heating and has a higher energy content per unit volume compared to natural gas, which can also make it advantageous for certain applications. Both natural gas and propane are widely accepted and used in residential settings, and their combustion characteristics make them suitable for various heating appliances, including furnaces, water heaters, and fireplaces. Other types of gases mentioned in the other options, such as butane and ethane, are less common for residential heating systems due to factors like availability, infrastructure, and energy efficiency considerations.

**3. What is the main factor that determines the combustion efficiency of a gas appliance?**

**A. Gas type used**

**B. Air-to-fuel ratio**

**C. Temperature of the appliance**

**D. Size of the gas line**

The air-to-fuel ratio is the primary factor that determines the combustion efficiency of a gas appliance because it directly influences the completeness of the combustion process. An optimal air-to-fuel ratio ensures that there is enough air mixed with the fuel for complete combustion, resulting in maximum energy output and minimal emissions. When the air-to-fuel ratio is balanced, the chemical reaction between the fuel and oxygen proceeds efficiently, producing water vapor and carbon dioxide as byproducts. If the ratio is not correct—either too much fuel or too little air—the combustion process becomes inefficient, leading to unburned fuel and increased emissions, such as carbon monoxide, which is harmful and can be a safety hazard. Therefore, while other factors such as gas type, appliance temperature, and gas line size may influence an appliance's operation, it is the air-to-fuel ratio that fundamentally governs how effectively the fuel is being used and, consequently, the overall combustion efficiency of the appliance.

**4. What is the required diameter of a drip or dirt pocket in relation to the piping it serves?**

**A. 1 inch**

**B. 2 inches (50 mm)**

**C. 3 inches**

**D. 4 inches**

The required diameter of a drip or dirt pocket must be at least 2 inches (50 mm) in relation to the piping it serves to effectively collect moisture and debris from the gas line. This size is important because it ensures that there is sufficient volume to trap contaminants without causing blockages in the piping system, which could lead to operational issues or hazards. Designing drip pockets with this minimum diameter allows for better maintenance and management of the gas piping system, as it facilitates the removal of accumulated liquids and sediments. A diameter smaller than 2 inches may not provide the necessary capacity or efficiency to handle the expected conditions, while larger diameters might be unnecessarily cumbersome or complicate installation. Therefore, adhering to the 2-inch standard supports both safety and operational reliability in gas systems.

**5. What tool is used to check for potential voltage?**

- A. A multimeter
- B. A voltmeter**
- C. An ammeter
- D. A continuity tester

The use of a voltmeter is particularly suitable for checking for potential voltage because it is specifically designed to measure the electrical potential difference, or voltage, between two points in a circuit. A voltmeter typically has two probes that you place on the two points where you want to measure the voltage. The device displays the voltage level, allowing you to determine if the system is operating within the desired voltage range. A multimeter is a versatile tool that can also measure voltage, but it can perform additional functions such as measuring current and resistance. While a multimeter can be used for this task, its broader capabilities mean it isn't solely focused on voltage measurement. An ammeter is designed to measure current flow in a circuit and would not provide any indication of voltage. A continuity tester is used to check for the presence of continuity in a circuit, indicating whether a path for current flow exists. It does not measure voltage levels, thus making it unsuitable for this specific task. In summary, the voltmeter is the most directly applicable tool for checking voltage, making it the correct choice for this question.

**6. In a gas piping system, what is the necessary additional length considered for any fittings?**

- A. 2 feet
- B. 3 feet
- C. Length in additional fittings
- D. The equivalent length in feet**

The concept of "equivalent length" in the context of gas piping systems refers to the additional length that must be considered when calculating the total length of the piping due to various fittings such as elbows, tees, and valves. Each fitting introduces some resistance to the flow of gas, which is similar to the resistance created by a length of straight pipe. Determining the equivalent length involves converting the impact of these fittings into a straight length of pipe, allowing for more accurate calculations of pressure drop and system performance. For instance, a 90-degree elbow may have an equivalent length of several feet of straight pipe, depending on the pipe size and the specific fitting design. This additional length must be considered in the total piping length to ensure that the system operates efficiently and safely. Using the actual equivalent lengths in feet allows technicians to accurately size regulators and other components, ensuring proper flow rates and minimizing the risk of problems due to inadequate gas supply or excessive pressure drops in the piping system. Therefore, recognizing and incorporating the equivalent length for fittings is crucial for effective gas system design and installation.

**7. What type of flame is considered undesirable on a gas appliance?**

- A. A blue flame**
- B. A yellow or orange flame**
- C. A green flame**
- D. A white flame**

A yellow or orange flame is considered undesirable on a gas appliance primarily because it indicates incomplete combustion of the gas. In a properly functioning gas appliance, the ideal flame color is blue, which signifies that the gas is burning efficiently and completely. When a flame is yellow or orange, it suggests that there may be an excess of carbon particles being produced, which can lead to the formation of soot and potentially harmful carbon monoxide. The presence of a yellow or orange flame may also indicate issues such as improper air-to-gas ratio, blockages in the burner ports, or a dirty burner, all of which can negatively impact the efficiency and safety of the appliance. Maintaining a blue flame ensures optimal performance and safety standards are upheld, making it critical for operators and technicians to recognize and rectify any unusual flame colors as part of regular maintenance and safety checks.

**8. What is the total resistance of two 10-ohm resistors connected in parallel?**

- A. 10 ohms**
- B. 20 ohms**
- C. 5 ohms**
- D. 15 ohms**

To find the total resistance of two resistors connected in parallel, you can use the formula:  $1 / R_{total} = 1 / R_1 + 1 / R_2$  In your case, both resistors have a value of 10 ohms. Substituting the values into the formula gives:  $1 / R_{total} = 1 / 10 + 1 / 10$   $1 / R_{total} = 0.1 + 0.1$   $1 / R_{total} = 0.2$  Now, taking the reciprocal to find  $R_{total}$ :  $R_{total} = 1 / 0.2$   $R_{total} = 5$  ohms This result shows that when two 10-ohm resistors are connected in parallel, the total resistance is 5 ohms. This outcome occurs because resistors in parallel provide multiple paths for the current to flow, effectively reducing overall resistance.

**9. What element is critical for ensuring the combustion process in gas appliances?**

- A. Oxygen**
- B. Humidity**
- C. Carbon dioxide**
- D. Natural gas pressure**

Oxygen is essential for the combustion process in gas appliances. Combustion occurs when a fuel, such as natural gas, combines with oxygen in the presence of heat. This reaction produces heat and light, along with combustion byproducts like carbon dioxide and water vapor. For efficient combustion to take place, an adequate supply of oxygen is required to ensure that the fuel burns completely. When oxygen levels are insufficient, incomplete combustion can occur, leading to poor appliance performance and potentially harmful emissions such as carbon monoxide. Ensuring proper ventilation and introducing an adequate supply of air to the combustion space is vital for maintaining safety and efficiency in gas appliance operation. The other elements listed in the options do not directly facilitate the combustion process in the same way oxygen does. Humidity can affect combustion efficiency but is not critical for the process itself. Carbon dioxide is a product of combustion rather than a necessary reactant, and while natural gas pressure is important for delivering fuel to the burners, it does not directly ensure the combustion process itself.

**10. What does the movement of the 1/2 cubic foot test dial indicate if the manual shut-off valve is closed?**

- A. A normal operation**
- B. A gas leak in the line downstream from the gas meter**
- C. Pressure fluctuation**
- D. Measuring error**

When the manual shut-off valve is closed, the movement of the 1/2 cubic foot test dial indicating a gas leak downstream from the gas meter is significant. This is because the test dial is designed to measure gas flow. If the valve is closed and there is movement on the dial, it suggests that gas is still escaping from the piping system downstream. This could occur due to a compromised or leaking connection, a fault in the appliance, or damage to the piping leading away from the meter. A normal operation would mean the dial remains stationary when the valve is closed, as no gas should flow. Likewise, pressure fluctuations would not cause the dial to move when the system is at rest and closed off unless there is an external influence not mentioned in this scenario. A measuring error would imply that the test dial gave an inaccurate reading for another reason, which can be ruled out by confirming the system is isolated with the shut-off valve closed. Therefore, movement of the test dial under these conditions strongly indicates the presence of a leak in the downstream system.

## Next Steps

**Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.**

**As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.**

**If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at [hello@examzify.com](mailto:hello@examzify.com).**

**Or visit your dedicated course page for more study tools and resources:**

**<https://gastechnician3.examzify.com>**

**We wish you the very best on your exam journey. You've got this!**

SAMPLE