

HOSA CLINICAL NURSING ASSESSMENT PRACTICE TEST (SAMPLE)

STUDY GUIDE



**SAMPLE STUDY GUIDE
WITH LIMITED QUESTIONS**

**VISIT US ONLINE FOR
THE FULL VERSION STUDY GUIDE**

<https://hosaclinicalnursing.examzify.com>



Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright	1
Table of Contents	2
Introduction	3
How to Use This Guide	4
Questions	5
Answers	8
Explanations	10
Next Steps	15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

Questions

SAMPLE

- 1. What should be done with all narcotics to ensure safety?**
 - A. Displayed openly
 - B. Stored in any cabinet
 - C. Stored in a locked cabinet
 - D. Kept in a refrigerator

- 2. What are the phases of the surgical experience?**
 - A. Preoperative, Intraoperative and Postoperative
 - B. Preoperative, Post-surgical and Recovery
 - C. Diagnostic, Palliative and Curative
 - D. Exploratory, Curative and Cosmetic

- 3. What type of procedure is performed to relieve symptoms or improve function without correcting the basic problem?**
 - A. Curative
 - B. Palliative
 - C. Diagnostic
 - D. Exploratory

- 4. Which type of conjunctivitis can occur due to allergens and environmental factors?**
 - A. Bacterial conjunctivitis
 - B. Viral conjunctivitis
 - C. Allergic conjunctivitis
 - D. Ophthalmia neonatorum

- 5. How does impaired metabolism or excretion affect drug toxicity?**
 - A. It leads to faster recovery
 - B. It contributes to drug accumulation
 - C. It enhances effectiveness of the drug
 - D. It reduces adverse effects

- 6. What dangerous outcome is associated with toxic levels of morphine?**
- A. Severe headaches
 - B. Respiratory depression
 - C. High blood pressure
 - D. Skin rash
- 7. Which of the following is NOT a characteristic of a therapeutic response?**
- A. Effective treatment
 - B. Desired physiological effects
 - C. Tolerance development
 - D. No toxicity
- 8. What should preoperative teaching include for patients?**
- A. Diet plans and nutrition
 - B. Physical therapy procedures
 - C. Surgical preparation and what to expect
 - D. Medication interactions
- 9. What does the trough level of a medication indicate?**
- A. Highest drug concentration
 - B. Lowest drug concentration
 - C. Average drug concentration
 - D. Peak drug concentration
- 10. Which demographic is least likely to develop orbital cellulitis?**
- A. Immunocompromised individuals
 - B. Healthy adults
 - C. Infants
 - D. The elderly

Answers

SAMPLE

1. C
2. A
3. B
4. C
5. B
6. B
7. C
8. C
9. B
10. B

SAMPLE

Explanations

SAMPLE

1. What should be done with all narcotics to ensure safety?

- A. Displayed openly
- B. Stored in any cabinet
- C. Stored in a locked cabinet**
- D. Kept in a refrigerator

To ensure safety and prevent misuse or accidental ingestion of narcotics, they must be stored in a locked cabinet. This practice minimizes the risk of unauthorized access, which is particularly important given the high potential for abuse and addiction associated with narcotic medications. A locked cabinet helps safeguard these substances not only from patients but also from visitors and staff who may not require access to them. The other options are less secure and do not provide the necessary protection. Displaying narcotics openly could lead to theft or unintentional access. Storing them in any cabinet does not guarantee security, as it may not be specifically designed to prevent unauthorized access. Keeping narcotics in a refrigerator, while potentially suitable for some medications, does not address the primary concern of preventing access to those who should not have it. Therefore, a locked cabinet is the most appropriate solution for ensuring the safety of narcotics.

2. What are the phases of the surgical experience?

- A. Preoperative, Intraoperative and Postoperative**
- B. Preoperative, Post-surgical and Recovery
- C. Diagnostic, Palliative and Curative
- D. Exploratory, Curative and Cosmetic

The phases of the surgical experience consist of the preoperative, intraoperative, and postoperative phases. The preoperative phase involves all the preparations and assessments that occur before the actual surgery. This includes obtaining the patient's medical history, performing physical examinations, discussing the surgical procedure and its risks with the patient, and preparing them psychologically for surgery. It is a critical time for patient education and ensuring that all necessary consent forms are completed. The intraoperative phase is the period during the surgery itself. This phase includes everything that happens in the operating room, such as the administration of anesthesia, the surgical procedure being performed, and monitoring the patient's vital signs. The surgical team works to ensure the patient's safety and the success of the procedure during this time. Finally, the postoperative phase occurs after the surgery is completed. This phase focuses on the recovery of the patient, including monitoring for complications, managing pain, and facilitating healing. It involves follow-up care and patient education about what to expect after surgery and how to care for themselves during recovery. Understanding these three distinct phases is essential for healthcare professionals, as each phase has unique considerations and requires specific nursing interventions to ensure patient safety and promote successful surgical outcomes.

3. What type of procedure is performed to relieve symptoms or improve function without correcting the basic problem?

- A. Curative
- B. Palliative**
- C. Diagnostic
- D. Exploratory

The focus of a palliative procedure is to alleviate suffering and improve the quality of life for patients, rather than to cure the underlying disease. These procedures may include pain management techniques, symptom relief measures, or interventions that help patients perform daily activities more comfortably. For example, a palliative procedure might involve the insertion of a catheter to manage urinary obstruction or chemotherapy aimed at reducing tumor size to relieve pain, even if it does not eliminate the cancer itself. Curative procedures aim to remove or entirely treat the underlying cause of a condition, which is fundamentally different from the intent of palliative methods. Diagnostic procedures are carried out to obtain information about a patient's condition, while exploratory procedures involve investigating the body for unknown issues, neither focusing on symptom relief or functional improvement. Thus, the emphasis in the correct choice on enhancing quality of life without addressing the root cause aligns perfectly with the definition of palliative care.

4. Which type of conjunctivitis can occur due to allergens and environmental factors?

- A. Bacterial conjunctivitis
- B. Viral conjunctivitis
- C. Allergic conjunctivitis**
- D. Ophthalmia neonatorum

Allergic conjunctivitis occurs as a result of the eye's reaction to allergens and environmental factors, such as pollen, pet dander, dust mites, and mold. This type of conjunctivitis is characterized by itching, redness, and tearing, distinguishing it from other forms related to infections. When the eyes come into contact with these allergens, the immune system reacts, leading to the release of histamines and other chemicals that cause inflammation and discomfort. This context is key in understanding how allergic conjunctivitis manifests and how it differs from bacterial and viral conjunctivitis, which are caused by infectious agents. Additionally, ophthalmia neonatorum is specifically associated with newborns and pathogens contracted during childbirth, reinforcing that only allergic conjunctivitis is driven by environmental and allergenic triggers.

5. How does impaired metabolism or excretion affect drug toxicity?

- A. It leads to faster recovery
- B. It contributes to drug accumulation**
- C. It enhances effectiveness of the drug
- D. It reduces adverse effects

Impaired metabolism or excretion can significantly impact drug toxicity by contributing to drug accumulation in the body. When the body's ability to break down and eliminate medications is compromised, drugs can remain in the system longer than intended. This prolonged presence can lead to higher concentrations of the drug in the bloodstream, increasing the risk of toxic side effects. For instance, if a patient has liver or kidney dysfunction, the metabolism or excretion processes that typically help regulate drug levels are hindered. As a result, therapeutic drugs may not only reach potentially harmful levels but can also lead to adverse reactions or toxicity, causing a range of complications that could be severe or even life-threatening. Thus, recognizing the importance of metabolism and excretion is crucial in clinical settings when managing patient medications, particularly for those who are at risk of drug toxicity.

6. What dangerous outcome is associated with toxic levels of morphine?

- A. Severe headaches
- B. Respiratory depression**
- C. High blood pressure
- D. Skin rash

Toxic levels of morphine are primarily associated with respiratory depression, which is a critical and potentially life-threatening condition. Morphine, as an opioid, works by binding to specific receptors in the brain and spinal cord, increasingly inhibiting the body's pain response. However, it also affects the brain's ability to regulate breathing. When morphine levels are excessive, this can result in a significant decrease in the body's respiratory rate, leading to inadequate oxygen intake, carbon dioxide retention, and ultimately respiratory failure. This outcome is particularly concerning because it can occur suddenly and may not be immediately recognized by caregivers, especially in those who may have pre-existing respiratory issues or are not tolerant to opioids. Therefore, monitoring respiration rates and assessing for signs of respiratory distress are crucial components of care when administering morphine or other opioids to prevent such dangerous outcomes.

7. Which of the following is NOT a characteristic of a therapeutic response?

- A. Effective treatment
- B. Desired physiological effects
- C. Tolerance development**
- D. No toxicity

A therapeutic response is characterized by outcomes that positively affect a patient's health, usually through effective treatment methods. Effective treatment confirms that the interventions applied produce the intended clinical benefits, which can include alleviating symptoms or curing a disease. This characteristic emphasizes the importance of a response that not only exists but is also beneficial. Desired physiological effects are another essential characteristic of a therapeutic response. This pertains to specific, positive changes within the body that the healthcare provider aims to achieve with the intervention, such as reducing pain or improving organ function. These effects indicate that the treatment is having its intended impact on the physiological state of the patient. No toxicity is also crucial in defining a therapeutic response. It indicates that while a medication or treatment is exerting its desired effects, it does so without causing harmful side effects or adverse reactions that could jeopardize patient safety. This characteristic ensures that the treatment remains safe while providing the desired outcomes. In contrast, tolerance development refers to a phenomenon where over time, a patient requires increasing doses of a medication to achieve the same therapeutic effect due to the body adapting to the drug. While this can happen with certain treatments, it does not constitute a therapeutic response; rather, it presents a challenge in treatment management as it may lead to diminishing effectiveness or

8. What should preoperative teaching include for patients?

- A. Diet plans and nutrition
- B. Physical therapy procedures
- C. Surgical preparation and what to expect**
- D. Medication interactions

Preoperative teaching is crucial for preparing patients for surgery and helping them understand what to expect during the entire surgical process. Including surgical preparation and what to expect addresses several key areas: it informs patients about the specific procedure they will undergo, outlines the anticipated recovery process, and provides information on how to manage preoperative routines, such as fasting instructions and medication management. This comprehensive understanding can significantly reduce anxiety and improve cooperation during the perioperative period. While other topics like diet plans, physical therapy details, and medication interactions may be relevant after the surgery or in a broader context of patient care, the immediate focus of preoperative teaching is to ensure that the patient feels prepared and informed specifically regarding the surgical event itself. This helps to foster a sense of control and readiness as they approach their surgery, making option C the most appropriate choice for preoperative patient education.

9. What does the trough level of a medication indicate?

- A. Highest drug concentration
- B. Lowest drug concentration**
- C. Average drug concentration
- D. Peak drug concentration

The trough level of a medication is the measurement of the lowest concentration of the drug in the bloodstream before the next dose is administered. This value is critical because it can help determine if the medication is at a therapeutic level, ensuring that it is effective but not toxic. Monitoring the trough level is especially important for medications with narrow therapeutic indexes, as it helps to avoid both subtherapeutic effects and potential toxicity. Understanding the other aspects related to drug concentration is also essential. For example, the peak level refers to the highest concentration of the drug in the bloodstream after administration, while the average level provides a general idea of how much drug is typically present over time. The trough measurement is specifically focused on ensuring that drug levels do not fall too low before the next dose, emphasizing its importance in medication management.

10. Which demographic is least likely to develop orbital cellulitis?

- A. Immunocompromised individuals
- B. Healthy adults**
- C. Infants
- D. The elderly

Healthy adults are considered the demographic least likely to develop orbital cellulitis because this condition is typically associated with underlying health issues or developmental vulnerabilities. Orbital cellulitis often arises as a complication of sinusitis or infections that occur in the vicinity of the eyes, and it is more prevalent among individuals who have compromised immune systems, such as those who are immunocompromised, as well as infants, whose immune defenses are still developing. Infants are at a higher risk due to their immature immune systems, which makes them more susceptible to infections. Similarly, the elderly often experience a decline in immune function and may have multiple comorbidities that increase their risk for various infections, including orbital cellulitis. Healthy adults, on the other hand, generally have a robust immune response and are less likely to develop infections like orbital cellulitis, unless they encounter specific risk factors or conditions that compromise their health. Therefore, this demographic stands out as the least likely to be affected.

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

<https://hosaclinicalnursing.examzify.com>

We wish you the very best on your exam journey. You've got this!

SAMPLE