# HST/C Precision Standard 4 – Pharmacology Principles & Medication Administration Practice Test (Sample)

## Study Guide

BY EXAMZIFY

**Everything you need from our exam experts!**

Sample study guide. For the full version with hundreds of questions, visit:
https://hstcpharmprinciplesmedadmin.examzify.com

**Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.**

**ALL RIGHTS RESERVED.**

**No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.**

**Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.**

SAMPLE

# Table of Contents

**Copyright** ..... 1
**Table of Contents** ..... 2
**Introduction** ..... 3
**How to Use This Guide** ..... 4
**Questions** ..... 5
**Answers** ..... 8
**Explanations** ..... 10
**Next Steps** ..... 16

SAMPLE

# Introduction

**Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.**

**This guide was designed to help you do exactly that.**

**Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.**

**The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:**

- **Practice answering questions under realistic conditions,**
- **Improve accuracy and speed,**
- **Review explanations to strengthen weak areas, and**
- **Approach the exam with greater confidence.**

**We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.**

**Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.**

**Let's begin.**

SAMPLE

# How to Use This Guide

**This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:**

## 1. Start with a Diagnostic Review

**Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.**

## 2. Study in Short, Focused Sessions

**Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.**

## 3. Learn from the Explanations

**After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.**

## 4. Track Your Progress

**Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.**

## 5. Simulate the Real Exam

**Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.**

## 6. Repeat and Review

**Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.**

**There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!**

SAMPLE

# Questions

SAMPLE

1. **Why might a patient feel shaky or dizzy when using inhalers or nebulizers?**
   - **A. Due to anxiety from the procedure**
   - **B. Due to the medication and hyperventilation**
   - **C. Because they are not taking deep enough breaths**
   - **D. Due to dehydration**

2. **What is the purpose of "palm the label" while pouring liquid medication?**
   - **A. To prevent spills**
   - **B. To maintain dose accuracy**
   - **C. To protect from contamination**
   - **D. To avoid distortion from dripping**

3. **What is one characteristic of Schedule IV drugs?**
   - **A. Cannot be refilled**
   - **B. High potential for abuse**
   - **C. Low potential for abuse**
   - **D. No accepted medical use**

4. **When should a healthcare provider review a child's medication plan?**
   - **A. Only when a new medication is introduced**
   - **B. Annually or with each visit**
   - **C. Only if the child shows adverse reactions**
   - **D. Once the child reaches adulthood**

5. **Which of the following is a characteristic of liquid medications?**
   - **A. They are generally more stable than solids**
   - **B. They can be absorbed more rapidly in the body**
   - **C. They are usually less potent than solid medications**
   - **D. They are less versatile in terms of dosage**

SAMPLE

**6. What is a contraindication?**

- **A. A condition that enhances the efficacy of a treatment**
- **B. A condition that serves as a reason to withhold a certain medical treatment due to harm**
- **C. A medication tolerance that develops over time**
- **D. A standard procedure in medication administration**

**7. What must be included when calling in a prescription?**

- **A. Patient's favorite food**
- **B. Pharmacist's personal details**
- **C. Medication dosage**
- **D. Prescriber's vacation schedule**

**8. Which type of injection is given into subcutaneous tissue?**

- **A. Intravenous**
- **B. Intramuscular**
- **C. Intradermal**
- **D. Subcutaneous**

**9. Diuretics are used to achieve which of the following outcomes?**

- **A. Increase muscle tension**
- **B. Reduce fever**
- **C. Increase urine secretion to eliminate excess water and salt**
- **D. Alleviate depression symptoms**

**10. How should liquid medications be poured to ensure correct dosage?**

- **A. At waist level for easier handling**
- **B. By using a measuring cup**
- **C. At eye level to ensure accuracy**
- **D. Into a syringe for precise measurement**

SAMPLE

# Answers

SAMPLE

1. B
2. D
3. C
4. B
5. B
6. B
7. C
8. D
9. C
10. C

SAMPLE

# Explanations

SAMPLE

## 1. Why might a patient feel shaky or dizzy when using inhalers or nebulizers?

**A. Due to anxiety from the procedure**

**B. Due to the medication and hyperventilation**

**C. Because they are not taking deep enough breaths**

**D. Due to dehydration**

**A patient may feel shaky or dizzy when using inhalers or nebulizers primarily due to the medication and hyperventilation. Many inhaled medications, especially those used for respiratory issues like asthma or COPD, often contain bronchodilators such as albuterol. These medications can stimulate the beta-adrenergic receptors in the body, leading to increased heart rate and feelings of jitteriness or shakiness. Additionally, during the use of inhalers or nebulizers, some patients may inadvertently hyperventilate, which means they are breathing too rapidly or too deeply. This can lead to a decrease in carbon dioxide levels in the blood, causing lightheadedness, dizziness, or tingling sensations. The combination of the medication's side effects and the potential for altered breathing patterns contributes to the overall experience of feeling shaky or dizzy among patients using these devices. This physiological response highlights the importance of proper technique and monitoring during inhalation therapy to help mitigate these sensations.**

## 2. What is the purpose of "palm the label" while pouring liquid medication?

**A. To prevent spills**

**B. To maintain dose accuracy**

**C. To protect from contamination**

**D. To avoid distortion from dripping**

**"Palm the label" while pouring liquid medication serves to avoid distortion from dripping. When a medication bottle is tilted to pour, if the label is facing outward, any liquid that drips can lead to smudging or obscuring of the important information on the label. By placing the label in the palm of your hand, you are ensuring that it remains clean and readable, as you pour the medication in a controlled manner. This practice is important because it protects the integrity of the label, ensuring that the medication name, dosage instructions, and other information remain clear and unblemished, which is crucial for safe medication administration.**

SAMPLE

## 3. What is one characteristic of Schedule IV drugs?

**A. Cannot be refilled**

**B. High potential for abuse**

**C. Low potential for abuse**

**D. No accepted medical use**

**Schedule IV drugs are classified under the Controlled Substances Act and are characterized by their low potential for abuse relative to drugs in higher schedules. This classification indicates that these substances have a recognized medical use and are deemed to have a lower risk of dependence and addiction compared to Schedule I, II, or III drugs. Drugs in Schedule IV, such as alprazolam (Xanax) and lorazepam (Ativan), are often used for anxiety and sleep disorders, highlighting their medical utility. The low potential for abuse means that while they can still lead to dependency if misused, they are generally considered safer than more highly regulated substances. This makes them more accessible for patients who need them for legitimate medical reasons, while still maintaining a level of control to prevent misuse and over-prescribing.**

## 4. When should a healthcare provider review a child's medication plan?

**A. Only when a new medication is introduced**

**B. Annually or with each visit**

**C. Only if the child shows adverse reactions**

**D. Once the child reaches adulthood**

**A healthcare provider should review a child's medication plan annually or with each visit to ensure that the treatment is effective and to make any necessary adjustments. Children's needs can change frequently due to growth, development, and changes in health status. Regular reviews allow for timely evaluations of the child's response to medications, the effectiveness of the treatment, and any potential side effects, ensuring that the medication regimen remains appropriate for their current situation. This ongoing management helps to identify and address issues proactively, which is critical in pediatric care where dosages may need to be adjusted as the child grows. Additionally, it provides an opportunity for caregivers to discuss any concerns or changes in the child's health, fostering a collaborative approach to healthcare. Hence, having a structured review schedule is vital for maintaining optimal medication management for children.**

SAMPLE

## 5. Which of the following is a characteristic of liquid medications?

**A. They are generally more stable than solids**

**B. They can be absorbed more rapidly in the body**

**C. They are usually less potent than solid medications**

**D. They are less versatile in terms of dosage**

**Liquid medications are known for their ability to be absorbed more rapidly in the body compared to solid forms such as tablets or capsules. This is primarily because liquids do not require the time that solids need to dissolve and break down in the gastrointestinal tract before they can be absorbed into the bloodstream. The liquid form allows for quicker delivery of the active ingredients, leading to faster onset of action. This rapid absorption can be particularly advantageous in situations requiring immediate relief or when a patient is unable to swallow solid forms due to various health conditions. Solid medications, while often more stable and easier to store, do not provide the same speed of action due to the necessary dissolution process. The potency of medications can vary regardless of form; thus, liquid options can be equally potent or even more potent depending on the specific formulation. Lastly, liquid medications offer a degree of versatility in dosage adjustment, as they can be measured in precise amounts, allowing for tailored dosing that is often less straightforward with solid forms.**

## 6. What is a contraindication?

**A. A condition that enhances the efficacy of a treatment**

**B. A condition that serves as a reason to withhold a certain medical treatment due to harm**

**C. A medication tolerance that develops over time**

**D. A standard procedure in medication administration**

**A contraindication refers to a specific condition or factor that serves as a reason to withhold a certain medical treatment or procedure because it could potentially cause harm to the patient. In the context of pharmacology, this means that if a patient has a particular health issue or is taking certain medications, administering a specific drug could lead to adverse effects or complications. For instance, if a patient has a known allergy to a medication, it would be contraindicated to prescribe that medication due to the risk of a serious allergic reaction. Understanding contraindications is essential for healthcare providers to ensure patient safety and to make informed decisions about treatment options.**

SAMPLE

## 7. What must be included when calling in a prescription?

**A. Patient's favorite food**

**B. Pharmacist's personal details**

**C. Medication dosage**

**D. Prescriber's vacation schedule**

**When calling in a prescription, it's crucial to include the medication dosage because it provides the pharmacist with essential information necessary to fill the prescription accurately. The dosage indicates how much of the medication the patient should take and helps ensure that the correct strength of the drug is dispensed. This detail is vital for patient safety, as incorrect dosages can lead to ineffective treatment or harmful side effects. Providing other information such as a patient's favorite food, the pharmacist's personal details, or the prescriber's vacation schedule is irrelevant and does not contribute to the prescription's accuracy or safety. Including the correct medication dosage is a standard practice and a critical component of the communication process in pharmacology.**

## 8. Which type of injection is given into subcutaneous tissue?

**A. Intravenous**

**B. Intramuscular**

**C. Intradermal**

**D. Subcutaneous**

**The subcutaneous injection is specifically designed to deliver medication into the subcutaneous tissue, which is the layer of fat and connective tissue located just beneath the skin. This type of injection allows for a slower absorption of the medication into the bloodstream compared to other routes, making it ideal for administering certain vaccines, insulin, and other medications. By injecting into the subcutaneous layer, the medication is absorbed more gradually, which can help maintain a more stable level of the drug in the system. The technique typically involves using a short needle to inject the medication into the fatty tissue rather than deeper muscle or blood vessels, which provides both ease of administration and comfort for the patient.**

SAMPLE

## 9. Diuretics are used to achieve which of the following outcomes?

**A. Increase muscle tension**

**B. Reduce fever**

**C. Increase urine secretion to eliminate excess water and salt**

**D. Alleviate depression symptoms**

**Diuretics are primarily pharmacological agents that promote the excretion of urine by affecting the kidneys' ability to reabsorb sodium and water. The desired effect of using diuretics is to increase urine secretion, which helps eliminate excess water and salt from the body. This is particularly important in managing conditions such as hypertension, heart failure, and edema, where fluid retention can be problematic. When diuretics are administered, they cause the kidneys to filter out more sodium and, consequently, more water, leading to increased urine production. This mechanism helps reduce the overall fluid volume in the body, alleviating the symptoms associated with excess fluid retention. Other outcomes mentioned in other choices do not align with the primary function of diuretics. They do not directly have effects on muscle tension, fever reduction, or alleviating symptoms of depression. These functions require different classes of medications that target other physiological pathways and conditions. Thus, the correct outcome associated with diuretics is indeed the increased secretion of urine to eliminate excess water and salt.**

## 10. How should liquid medications be poured to ensure correct dosage?

**A. At waist level for easier handling**

**B. By using a measuring cup**

**C. At eye level to ensure accuracy**

**D. Into a syringe for precise measurement**

**Pouring liquid medications at eye level is essential for ensuring accurate dosage. This practice allows the caregiver or patient to clearly see the measurement markings on the container or measuring device, which helps in achieving the precise volume of liquid that is indicated. When observed at eye level, the meniscus, which is the curve formed by the liquid's surface, can be accurately assessed against the measurement markings. This minimizes the risk of over-dosing or under-dosing, which can have serious implications for patient safety and treatment effectiveness. While using a measuring cup offers some level of precision, it may not provide as clear a view of the meniscus as pouring at eye level does. Pouring liquids into a syringe also allows for precise measurements, but this method is typically reserved for smaller dosages or when administering medications directly to the patient. Pouring at waist level can create a parallax error, leading to inaccurate dosing, which reinforces the need for the eye-level technique for optimal precision.**

SAMPLE

# Next Steps

**Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.**

**As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.**

**If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.**

**Or visit your dedicated course page for more study tools and resources:**

**https://hstcpharmprinciplesmedadmin.examzify.com**

**We wish you the very best on your exam journey. You've got this!**

SAMPLE