

# Illinois IDOT Class B Non CDL Permit Practice Test (Sample)

## Study Guide



**Everything you need from our exam experts!**

**Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.**

**ALL RIGHTS RESERVED.**

**No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.**

**Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.**

**SAMPLE**

# Table of Contents

<b>Copyright</b> .....	<b>1</b>
<b>Table of Contents</b> .....	<b>2</b>
<b>Introduction</b> .....	<b>3</b>
<b>How to Use This Guide</b> .....	<b>4</b>
<b>Questions</b> .....	<b>5</b>
<b>Answers</b> .....	<b>8</b>
<b>Explanations</b> .....	<b>10</b>
<b>Next Steps</b> .....	<b>16</b>

SAMPLE

# Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

**Remember:** successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

# How to Use This Guide

**This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:**

## **1. Start with a Diagnostic Review**

**Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.**

## **2. Study in Short, Focused Sessions**

**Break your study time into manageable blocks (e.g. 30 - 45 minutes). Review a handful of questions, reflect on the explanations.**

## **3. Learn from the Explanations**

**After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.**

## **4. Track Your Progress**

**Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.**

## **5. Simulate the Real Exam**

**Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.**

## **6. Repeat and Review**

**Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.**

**There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!**

## Questions

SAMPLE

- 1. What is the function of the parking brake?**
  - A. To slow down the vehicle while driving**
  - B. To assist in stopping the vehicle quickly**
  - C. To keep the vehicle stationary when parked**
  - D. To help in emergency stops**
  
- 2. Which type of fire extinguisher is suitable for burning wood, paper, and cloth?**
  - A. A: Type A**
  - B. B: Type B**
  - C. C: Type C**
  - D. D: Type D**
  
- 3. Which of the following is an appropriate action if a fire extinguisher is empty?**
  - A. A: Refill it immediately**
  - B. B: Dispose of it in the trash**
  - C. C: Report it for replacement**
  - D. D: Use it for decoration**
  
- 4. What should disabled vehicles display on the traffic side immediately after becoming disabled?**
  - A. Red flag**
  - B. Lighted fusee**
  - C. Traffic cone**
  - D. Warning sign**
  
- 5. Which of the following vehicles are exempt from width, length, height, or weight rules?**
  - A. Public utility vehicles for emergency repairs**
  - B. Private passenger vehicles**
  - C. Construction vehicles**
  - D. Delivery trucks**

- 6. What is the primary purpose of the air brake test?**
- A. To check the air pressure level**
  - B. To ensure the air brake system is functioning properly**
  - C. To test the brake pads**
  - D. To determine the maximum stopping distance**
- 7. When a vehicle is disabled near a curve, how far must the warning signal be placed?**
- A. 100 feet to 300 feet**
  - B. 100 feet to 400 feet**
  - C. 100 feet to 500 feet**
  - D. 500 feet to 1000 feet**
- 8. What gear should a driver use when crossing railroad tracks?**
- A. A gear that requires a shift**
  - B. A gear not requiring a change of gears**
  - C. Any gear that allows for quick acceleration**
  - D. A low gear to crawl across**
- 9. What is the maximum height allowed for vehicles on Illinois highways?**
- A. 14 feet, 6 inches**
  - B. 12 feet, 0 inches**
  - C. 13 feet, 6 inches**
  - D. 15 feet, 0 inches**
- 10. What should be displayed if a load projects 4 feet or more to the rear of a vehicle?**
- A. A red light and a yellow flag**
  - B. A red flag or red cloth at the end**
  - C. A reflective tape**
  - D. No marking is required**

## Answers

SAMPLE

1. C
2. A
3. C
4. B
5. A
6. B
7. C
8. B
9. C
10. B

SAMPLE

## **Explanations**

SAMPLE

**1. What is the function of the parking brake?**

- A. To slow down the vehicle while driving**
- B. To assist in stopping the vehicle quickly**
- C. To keep the vehicle stationary when parked**
- D. To help in emergency stops**

The primary function of the parking brake is to keep the vehicle stationary when it is parked. This is crucial for preventing unintended movement, especially on inclines or slopes where gravity could cause the vehicle to roll. The system is designed to engage when the vehicle is not in motion and is typically a mechanical brake system separate from the vehicle's primary braking system. In essence, when a vehicle is parked, the parking brake is engaged to ensure it remains securely in place, regardless of the terrain it is on. This is particularly important for safety, as it helps prevent accidents that could occur if the vehicle were to roll away. The other choices relate to the operational aspects of the vehicle while in motion, where functions like slowing down, stopping quickly, or making emergency stops are performed by the main braking system rather than the parking brake.

**2. Which type of fire extinguisher is suitable for burning wood, paper, and cloth?**

- A. A: Type A**
- B. B: Type B**
- C. C: Type C**
- D. D: Type D**

A Type A fire extinguisher is specifically designed to combat fires involving ordinary combustibles such as wood, paper, and cloth. This extinguisher typically uses water or water-based solutions to cool down the burning materials, effectively extinguishing the flames. Type B and Type C fire extinguishers are designed for other materials; Type B is used for flammable liquids like gasoline and oil, while Type C is intended for electrical fires. Type D would be used for combustible metals. Thus, knowing the classification of fire extinguishers is critical in effectively addressing different types of fires, and Type A is the appropriate choice for materials like wood, paper, and cloth.

**3. Which of the following is an appropriate action if a fire extinguisher is empty?**

- A. A: Refill it immediately**
- B. B: Dispose of it in the trash**
- C. C: Report it for replacement**
- D. D: Use it for decoration**

Choosing to report an empty fire extinguisher for replacement is the correct action because safety and compliance are of utmost importance in emergency situations. When a fire extinguisher is found to be empty, it is essential to ensure that a fully functional extinguisher is available for use should a fire occur. By reporting it for replacement, an organization or individual helps maintain fire safety standards and ensures that the necessary equipment is in place to effectively handle a fire emergency. Refilling the extinguisher immediately may be tempting, but it should be done by certified personnel to ensure that it is filled with the correct agent and maintains the required pressure. Disposing of it in the trash is unsafe and against regulations, as fire extinguishers contain pressurized contents that require proper disposal methods. Lastly, using an empty extinguisher for decoration is inappropriate, as it may give a false sense of security and neglect the fundamental purpose of having firefighting equipment readily available.

**4. What should disabled vehicles display on the traffic side immediately after becoming disabled?**

- A. Red flag**
- B. Lighted fusee**
- C. Traffic cone**
- D. Warning sign**

When a vehicle becomes disabled on the roadway, it is crucial to ensure the safety of the vehicle and its occupants, as well as other road users. Displaying a lighted fusee on the traffic side immediately after becoming disabled is a recognized method of alerting other drivers to the presence of a hazard ahead. A lighted fusee is a type of signal that emits a bright light and is often used in emergencies to increase visibility. It is meant to command attention, especially in low visibility conditions such as nighttime or inclement weather. The bright color and light emitted by the fusee make it highly effective in signaling to approaching traffic that there is a potential danger or obstruction. This response aligns with safety measures prescribed for handling vehicular breakdowns, allowing other drivers ample time to react and steer clear of the isolated vehicle. Displaying a lighted fusee is not only a practical response but also aligns with legal requirements for protection on the road. Other options, like a red flag, traffic cone, or warning sign, serve similar purposes but may not provide the immediate and effective visibility needed under all circumstances. While using these items can be part of a comprehensive safety plan, the lighted fusee is distinctly favored for its visibility and immediate recognition.

5. Which of the following vehicles are exempt from width, length, height, or weight rules?

- A. Public utility vehicles for emergency repairs**
- B. Private passenger vehicles**
- C. Construction vehicles**
- D. Delivery trucks**

Public utility vehicles for emergency repairs are exempt from width, length, height, or weight rules because they are often required to respond quickly to emergencies, such as power outages or water main breaks. The nature of their work necessitates flexibility in adhering to standard size and weight regulations, allowing them to transport specialized equipment and reach areas quickly. This exemption is crucial for the safety and efficiency of emergency services, as delays could result in further infrastructural damage or public safety concerns. While private passenger vehicles, construction vehicles, and delivery trucks have specific regulations that they must adhere to concerning size and weight, public utility vehicles' primary role in emergency response justifies their exemption from these rules under certain conditions.

6. What is the primary purpose of the air brake test?

- A. To check the air pressure level**
- B. To ensure the air brake system is functioning properly**
- C. To test the brake pads**
- D. To determine the maximum stopping distance**

The primary purpose of the air brake test is to ensure that the air brake system is functioning properly. This is critical for the safe operation of any vehicle equipped with air brakes, especially larger commercial vehicles. During the test, the driver assesses various components of the air brake system, including the compressor, air pressure levels, and the functionality of the brake application and release. Conducting this test confirms that the brakes will respond appropriately when engaged, which is essential for vehicle safety on the road. Ensuring proper functionality helps prevent brake failure, which can lead to accidents and poses a severe risk to the driver, passengers, and other road users. The other options, while related to brake operation, do not encompass the comprehensive approach needed for safety assessment. Checking air pressure levels may be a part of the overall test but does not alone ensure that the entire system is operating properly. Testing brake pads contributes to maintenance but is not a primary focus of the air brake system test. Finally, determining the maximum stopping distance is important but secondary to the immediate concern of confirming that the brakes respond correctly when needed.

**7. When a vehicle is disabled near a curve, how far must the warning signal be placed?**

- A. 100 feet to 300 feet**
- B. 100 feet to 400 feet**
- C. 100 feet to 500 feet**
- D. 500 feet to 1000 feet**

When a vehicle is disabled near a curve, the warning signal must be placed at a distance of 100 feet to 500 feet from the disabled vehicle. This distance is important because it provides adequate warning to approaching drivers, allowing them to react and maneuver safely around the obstruction. Placing warning signals too close can result in insufficient time for drivers to slow down or change lanes, leading to potential accidents. Conversely, placing the signal too far away may not give drivers adequate information about the hazard. Therefore, the specified range of 100 to 500 feet strikes a balance, ensuring safety on the road while providing enough warning in situations such as curves where visibility may be limited.

**8. What gear should a driver use when crossing railroad tracks?**

- A. A gear that requires a shift**
- B. A gear not requiring a change of gears**
- C. Any gear that allows for quick acceleration**
- D. A low gear to crawl across**

Using a gear that does not require a change of gears when crossing railroad tracks is important for maintaining control of the vehicle. This approach ensures that the driver can focus on the track conditions and any approaching trains rather than on shifting gears. If the vehicle is in a stable gear, it minimizes the risk of stalling or losing momentum at a critical moment when traversing the tracks, which could lead to unsafe situations. Maintaining a steady speed while crossing can also help prevent any potential issues that could arise from accelerating or decelerating too quickly. A smooth, continuous motion reduces the risk of having the vehicle stop directly on the tracks, where it could be vulnerable to an oncoming train. Moreover, it allows the driver to effectively gauge their surroundings and react appropriately to any unexpected situations. Choosing a gear that necessitates a shift can result in distractions or delays in responsiveness, which is why not requiring a gear change is the safest option.

**9. What is the maximum height allowed for vehicles on Illinois highways?**

- A. 14 feet, 6 inches**
- B. 12 feet, 0 inches**
- C. 13 feet, 6 inches**
- D. 15 feet, 0 inches**

In Illinois, the maximum height allowed for vehicles on highways is 13 feet, 6 inches. This regulation is essential for ensuring that vehicles can safely navigate under bridges, overpasses, and other structures without causing damage or impacting the flow of traffic. Maintaining a consistent height limit helps to prevent accidents and ensures that all vehicles, regardless of their load or construction, adhere to the same standards. The height limit is set to accommodate typical vehicle designs while ensuring the safety of all road users. The selected maximum height of 13 feet, 6 inches aligns with national standards for commercial vehicles, facilitating interstate travel and commerce without creating discrepancies or confusion. This standard supports road safety and infrastructure longevity, ensuring that bridges and overpasses are not subjected to undue stress from taller vehicles. Understanding these regulations is crucial for drivers, especially those operating larger vehicles or transporting loads that may exceed typical dimensions.

**10. What should be displayed if a load projects 4 feet or more to the rear of a vehicle?**

- A. A red light and a yellow flag**
- B. A red flag or red cloth at the end**
- C. A reflective tape**
- D. No marking is required**

When a load extends 4 feet or more to the rear of a vehicle, it is crucial for safety and visibility to display a red flag or red cloth at the end of the load. This requirement is in place to alert other drivers of the potential hazard posed by the overhanging load, particularly in situations where visibility may be compromised, such as at night or in poor weather conditions. Using a red flag or cloth serves a dual purpose: it not only indicates the presence of the extended load but also draws attention to the fact that the vehicle is larger than it may typically appear. The bright color of red is universally recognized as a warning signal, making it an effective means of communicating the additional width or length of the vehicle on the road. In some instances, reflective materials or lights may be used to signify loads as well, but for projecting loads specifically, the red flag is a standardized requirement in many jurisdictions. Therefore, having a visible marker at the end of the load is essential for ensuring the safety of both the vehicle operator and other road users.

## Next Steps

**Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.**

**As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.**

**If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at [hello@examzify.com](mailto:hello@examzify.com).**

**Or visit your dedicated course page for more study tools and resources:**

**<https://ilidotclassbnoncdl.examzify.com>**

**We wish you the very best on your exam journey. You've got this!**

SAMPLE