

NASCLA GENERAL CONTRACTOR PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR
THE FULL VERSION STUDY GUIDE

<https://nasclegeneralcontractor.examzify.com>



Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright	1
Table of Contents	2
Introduction	3
How to Use This Guide	4
Questions	5
Answers	8
Explanations	10
Next Steps	15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

Questions

SAMPLE

- 1. What is the purpose of the FUTA in unemployment contexts?**
 - A. To provide benefits to all unemployed individuals
 - B. To regulate employee payment processing
 - C. To impose penalties for non-compliance
 - D. To outline reporting requirements for injured employees
- 2. What is the required distance back a worker must be positioned from the trash drop for safety?**
 - A. 4 feet
 - B. 5 feet
 - C. 6 feet
 - D. 7 feet
- 3. How much overlap should WWM (Welded Wire Mesh) have when lapped?**
 - A. Stay + 2
 - B. Stay + 5
 - C. Stay + 1
 - D. Stay + 10
- 4. What is the height requirement for switch location on a door opening?**
 - A. 32 to 36 inches
 - B. 34 to 48 inches
 - C. 30 to 50 inches
 - D. 36 to 44 inches
- 5. What is the minimum gap required between MDF when installed?**
 - A. 1/16" gap
 - B. 1/8" gap
 - C. 1/4" gap
 - D. 1/2" gap

- 6. What is the primary purpose of keeping approved submittals on the job site?**
- A. To assist in the design process
 - B. To ensure compliance with safety regulations
 - C. To facilitate project management and workflow
 - D. To improve client communication
- 7. When is a cricket required in roofing?**
- A. If the chimney is less than 30" wide
 - B. If the chimney is wider than 30"
 - C. If there is no slope
 - D. If it is made of metal
- 8. How do concrete panels contribute to construction?**
- A. They reduce material costs
 - B. They help with rapid construction
 - C. They improve sound insulation
 - D. They serve decorative purposes
- 9. What factor determines if a cricket is needed on a roof?**
- A. The width of the chimney
 - B. The height of the roof
 - C. The slope of the roof
 - D. The area of the roof
- 10. How many lift points should a truss have according to recommended practices?**
- A. One lift point
 - B. Two lift points
 - C. Three lift points
 - D. Four lift points

Answers

SAMPLE

1. C
2. C
3. A
4. B
5. B
6. C
7. B
8. B
9. A
10. B

SAMPLE

Explanations

SAMPLE

1. What is the purpose of the FUTA in unemployment contexts?

- A. To provide benefits to all unemployed individuals
- B. To regulate employee payment processing
- C. To impose penalties for non-compliance**
- D. To outline reporting requirements for injured employees

The Federal Unemployment Tax Act (FUTA) primarily serves to fund state unemployment insurance programs, which provide benefits to individuals who are unemployed through no fault of their own. The act imposes a payroll tax on employers, which is then collected to support state-level unemployment benefits. While option C refers to imposing penalties for non-compliance, this is not the main purpose of FUTA. Instead, the correct understanding of FUTA focuses on its role in providing the financial resources necessary for states to administer unemployment insurance. FUTA is intended to ensure that unemployment benefits are available to unemployed individuals, thereby stabilizing the economy during times of job loss. The other options incorrectly describe FUTA's functions. It does not provide benefits directly to unemployed individuals, regulate employee payment processes, or outline requirements specific to reporting injured employees. These areas are covered by different laws and regulations outside the scope of FUTA. The key takeaway is recognizing FUTA as a foundational tool for financing unemployment insurance, thus playing a crucial role in the broader context of employment and economic stability.

2. What is the required distance back a worker must be positioned from the trash drop for safety?

- A. 4 feet
- B. 5 feet
- C. 6 feet**
- D. 7 feet

The required distance a worker must be positioned from the trash drop for safety is set at 6 feet. This distance is important to provide a safe buffer zone to reduce the risk of injury from falling debris or objects. The safety standard is in place to ensure that workers have enough space to avoid being struck by any materials that may accidentally drop during the cleaning or removal process. Establishing a distance like 6 feet takes into account the potential for debris to have a wider impact radius if it falls from a height, as well as the need for workers to have adequate reaction time to move away from hazards. This protocol is part of broader workplace safety regulations aimed at minimizing accidents and ensuring a safe working environment for all personnel involved in construction or similar activities.

3. How much overlap should WWM (Welded Wire Mesh) have when lapped?

- A. Stay + 2
- B. Stay + 5
- C. Stay + 1
- D. Stay + 10

When lapping Welded Wire Mesh (WWM), it is vital to ensure proper overlap to maintain the structural integrity of the reinforcement in concrete. The recommended overlap is typically specified as the stay (the distance between wire intersections) plus an additional amount to ensure that the wires properly interconnect, providing adequate strength and load distribution. In this context, "stay" refers to the spacing between the wires, and adding 2 units to this value ensures that the overlap sufficiently accommodates bending and shear forces. This overlap also helps in bond development between the concrete and the mesh, enhancing the overall performance of the concrete structure. Using Stay + 2 as the overlap value ensures that there is enough coverage without excessive material waste, which is both efficient and effective for structural applications. This practice reflects standard industry guidelines and is a best practice among contractors and engineers involved in concrete reinforcement design.

4. What is the height requirement for switch location on a door opening?

- A. 32 to 36 inches
- B. 34 to 48 inches
- C. 30 to 50 inches
- D. 36 to 44 inches

The correct height requirement for switch location on a door opening is 34 to 48 inches. This range is established to ensure accessibility for all individuals, including those with disabilities, as outlined in the Americans with Disabilities Act (ADA). The specified height allows for easy reach for someone who may be using a wheelchair or has other mobility limitations, promoting safety and convenience in navigating through doorways. By adhering to this height standard, contractors and builders ensure that facilities are compliant with accessibility regulations, creating environments where all users can operate switches without obstruction or difficulty. This consideration is essential in promoting inclusivity in design, allowing for a uniform standard across various types of buildings and improving overall accessibility in public and private spaces.

5. What is the minimum gap required between MDF when installed?

- A. 1/16" gap
- B. 1/8" gap
- C. 1/4" gap
- D. 1/2" gap

The minimum gap required between MDF (Medium Density Fiberboard) when installed is 1/8". This gap is essential for several reasons: 1. **Expansion and Contraction**: MDF, like many wood products, expands and contracts with changes in humidity and temperature. A gap of 1/8" allows for this movement without causing issues such as buckling or warping at the seams. 2. **Installation Tolerance**: A gap of this size provides an appropriate tolerance during installation. Imperfections in the cutting or handling of boards can lead to slight misalignments, and this gap accommodates those discrepancies while maintaining a visually appealing finish. 3. **Moisture Management**: MDF can absorb moisture from the air, which, if unchecked, could lead to swelling. The 1/8" gap reduces the likelihood of moisture retention at the joints, promoting better overall performance of the installation. Maintaining a precise gap during installation helps ensure the longevity and integrity of MDF applications, which can include cabinetry, furniture, and paneling.

6. What is the primary purpose of keeping approved submittals on the job site?

- A. To assist in the design process
- B. To ensure compliance with safety regulations
- C. To facilitate project management and workflow**
- D. To improve client communication

The primary purpose of keeping approved submittals on the job site is to facilitate project management and workflow. Approved submittals, which include shop drawings, samples, and other documentation that confirm that the materials and work meet project specifications, serve as a reference point for all team members involved in the construction process. Having these documents readily accessible allows for efficient communication among contractors, subcontractors, and other stakeholders. When approved submittals are on-site, it helps ensure that everyone is on the same page regarding the project details and requirements. It aids in verifying that the materials and construction methods conform to what has been agreed upon in the contract. This practice also helps reduce delays, as any questions or clarifications can be resolved quickly by referring to the approved documentation, thus supporting smooth workflow and adherence to the project timeline.

7. When is a cricket required in roofing?

- A. If the chimney is less than 30" wide
- B. If the chimney is wider than 30"**
- C. If there is no slope
- D. If it is made of metal

A cricket is required in roofing specifically when the chimney or any similar projection is wider than 30 inches. The primary function of a cricket is to divert water around the structure, preventing the accumulation of moisture that can lead to leaks or water damage. When a chimney exceeds this width, the likelihood of water pooling against it increases, making the installation of a cricket essential for effective drainage. In contrast, if the chimney is less than 30 inches wide, the risk of water pooling is significantly diminished, which negates the necessity for a cricket. Options related to slope or materials like metal do not directly dictate the need for a cricket, as the primary consideration is the width of the chimney, which directly influences drainage needs. This ensures that proper roofing practices are followed to maintain the integrity and longevity of the roofing system around chimneys and similar structures.

8. How do concrete panels contribute to construction?

- A. They reduce material costs
- B. They help with rapid construction**
- C. They improve sound insulation
- D. They serve decorative purposes

Concrete panels significantly contribute to construction by facilitating rapid construction processes. Their prefabrication allows for panels to be manufactured off-site in a controlled environment, which means that they can be produced simultaneously while site preparations are underway. This off-site production reduces the time spent on-site, leading to faster assembly and installation. The use of concrete panels also streamlines various stages of construction, as they can be delivered ready to fit, minimizing the need for extensive on-site labor and reducing weather-related delays. As a result, projects can move forward more swiftly, which is particularly advantageous in meeting tight deadlines and improving overall project efficiency. While options related to material cost reduction, sound insulation, and decorative purposes can also be valid properties of concrete panels, their primary contribution to accelerating the construction timeline makes rapid construction the most fitting choice in this context.

9. What factor determines if a cricket is needed on a roof?

A. The width of the chimney

B. The height of the roof

C. The slope of the roof

D. The area of the roof

A cricket is a small, sloped section of a roof that is designed to redirect water away from a chimney or other vertical structure. The key factor in determining whether a cricket is needed is the width of the chimney. When a chimney is wider than a certain dimension, it can create a situation where water tends to pool around it, leading to potential leaks and water damage. A cricket helps to channel the water away, ensuring proper drainage run-off. Considering the other factors, while the height of the roof, slope of the roof, and area of the roof can influence drainage and overall roof design, they do not play as critical a role in determining the need for a cricket specifically as the width of the chimney does. Each of these other factors can affect how water flows on a roof, but they are not the primary reason for implementing a cricket to manage water drainage around a chimney.

10. How many lift points should a truss have according to recommended practices?

A. One lift point

B. Two lift points

C. Three lift points

D. Four lift points

In the context of truss lifting and rigging, two lift points are recommended to ensure stability and control during the lifting process. Utilizing two lift points helps to evenly distribute the weight of the truss, minimizing the risk of overloading and reducing the potential for tipping or misalignment during the lift. When a truss is lifted from a single point, it can create an imbalance, leading to uncontrolled movement, which poses risks to safety and structural integrity. Two lift points allow for greater stability, ensuring that the truss remains level and secure while being moved. This practice is widely accepted in the industry to promote safety and efficiency during the lifting of trusses, making it the correct choice in this scenario. It's also important to note that while more lift points can provide even more stability, the use of two lift points strikes an optimal balance between safety and practicality for standard truss installations.

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

<https://nasclegeneralcontractor.examzify.com>

We wish you the very best on your exam journey. You've got this!

SAMPLE