


NATIONAL DENTAL HYGIENE CERTIFICATION EXAM (NDHCE) PRACTICE (SAMPLE) STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR
THE FULL VERSION STUDY GUIDE

<https://natldentalhygiene.examzify.com>



Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright	1
Table of Contents	2
Introduction	3
How to Use This Guide	4
Questions	5
Answers	8
Explanations	10
Next Steps	15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

Questions

SAMPLE

- 1. What is bimanual palpation in dental examination?**
 - A. Using one hand to examine
 - B. Using finger and thumb from each hand
 - C. Using a single finger from one hand
 - D. Using multiple fingers from one hand
- 2. What concentration of alcohol is considered effective for disinfection?**
 - A. 50%
 - B. 60%
 - C. 75%
 - D. 90%
- 3. Which group of nodes is commonly enlarged after an infection?**
 - A. Cervical nodes
 - B. Submandibular nodes
 - C. Axillary nodes
 - D. Popliteal nodes
- 4. In which tooth structure are Korff's fibers located?**
 - A. Enamel
 - B. Dentin
 - C. Pulp
 - D. Cementum
- 5. Which class of tooth mobility ranges from 1-2mm in horizontal facial/lingual direction?**
 - A. Class I
 - B. Class II
 - C. Class III
 - D. Class IV
- 6. What is the significance of enlarged lymph nodes in an oral examination?**
 - A. They may indicate systemic disease
 - B. They are usually normal findings
 - C. They indicate poor oral hygiene
 - D. Only size matters

7. What technique is used to assess the thyroid gland?

- A. Direct palpation
- B. Bimanual palpation
- C. Bilateral palpation
- D. Mandibular palpation

8. What are possible side effects of taking Fosamax?

- A. Abdominal pain, diarrhoea, fatigue
- B. Chest pain, dizziness
- C. Skin rash, joint pain
- D. Increased appetite, headache

9. What occurs in a class III furcation compared to a class II furcation?

- A. The probing depth is shallower
- B. Probe does not penetrate through
- C. Probe passes completely through
- D. There is no radiolucency present

10. What is the location of the sublingual gland?

- A. Above the tongue
- B. In front of the submandibular gland under the tongue
- C. Behind the jaw
- D. On the roof of the mouth

Answers

SAMPLE

1. B
2. C
3. B
4. B
5. B
6. A
7. B
8. B
9. C
10. B

SAMPLE

Explanations

SAMPLE

1. What is bimanual palpation in dental examination?

- A. Using one hand to examine
- B. Using finger and thumb from each hand**
- C. Using a single finger from one hand
- D. Using multiple fingers from one hand

Bimanual palpation in dental examination refers to the technique where a clinician uses both hands, specifically employing the fingers and thumbs from each hand, to examine the intraoral or extraoral structures. This method enhances the ability to assess the size, shape, and consistency of tissues, as well as to identify any abnormalities more effectively than using just one hand or a single finger. By applying pressure with one hand while stabilizing with the other, the clinician can gain more comprehensive feedback about the anatomical structures being examined. This approach improves the palpation process by allowing for a more thorough evaluation and is especially useful in assessing lymph nodes, salivary glands, and other soft tissues in the head and neck region.

2. What concentration of alcohol is considered effective for disinfection?

- A. 50%
- B. 60%
- C. 75%**
- D. 90%

The concentration of alcohol considered effective for disinfection is 75%. This is due to the fact that at this concentration, alcohol has optimal antimicrobial properties. A 75% alcohol solution can quickly denature proteins and disrupt the cell membranes of bacteria and viruses, leading to effective microbial kill. Concentrations that are too low, such as 50%, do not provide sufficient efficacy for disinfection, as they may not fully denature proteins or penetrate the cell wall of microorganisms effectively. Higher concentrations, like 90%, can be less effective because they evaporate too quickly and may not remain in contact with the microbes long enough to achieve their disinfectant action. Additionally, pure alcohol can lead to the formation of a protective layer on the microorganisms, which could hinder the disinfection process. Therefore, 75% alcohol strikes the right balance between efficacy and contact time, making it the preferred concentration for disinfection purposes.

3. Which group of nodes is commonly enlarged after an infection?

- A. Cervical nodes
- B. Submandibular nodes**
- C. Axillary nodes
- D. Popliteal nodes

The submandibular nodes are commonly enlarged after an infection primarily because they are located in the region where oral and dental infections typically manifest. These nodes are responsible for draining lymphatic fluid from the oral cavity and the lower face, including the teeth, gums, and other structures. When there is an infection in these areas, the lymphatic fluid carries pathogens, leading to the activation of the immune response in the lymph nodes, which results in swelling or enlargement. In the context of dental hygiene and infections related to the mouth, it's common to see the submandibular nodes react to dental abscesses, periodontal disease, and other oral infections. The body's immune system responds to these pathogens by sending more white blood cells to the site of infection, subsequently causing the nodes to swell. Cervical nodes, while they also may enlarge due to infections, tend to respond more broadly to infections in the upper respiratory tract or head and neck regions, not exclusively tied to oral infections. Axillary nodes typically respond to infections in the upper limbs or breast area, while popliteal nodes are associated with the lower limb and foot infections. Therefore, the enlargement of submandibular nodes is specifically linked to infections originating from the oral cavity, making them the

4. In which tooth structure are Korff's fibers located?

- A. Enamel
- B. Dentin**
- C. Pulp
- D. Cementum

Korff's fibers are a significant component of the tooth structure found specifically within dentin. These fibers are part of the organic matrix of dentin and are primarily collagen fibers that are oriented perpendicularly to the surface of the dentin. They play a crucial role in the formation and structural integrity of dentin, aiding in the mineralization processes during tooth development. Korff's fibers contribute to the overall architecture of the dentin and help establish the relationship between the various cellular components and the mineralized matrix. Understanding the role of Korff's fibers in dentin is essential for comprehending how the tooth structure is maintained and supported throughout its life.

5. Which class of tooth mobility ranges from 1-2mm in horizontal facial/lingual direction?

- A. Class I
- B. Class II**
- C. Class III
- D. Class IV

Tooth mobility is categorized into different classes based on the degree of movement in a horizontal direction. Class II mobility specifically refers to a tooth that has 1-2 mm of horizontal movement in the facial/lingual direction. This indicates that the periodontal support around the tooth is compromised to a degree where it can move slightly but is not excessively loose. Understanding the classification helps dental professionals assess periodontal health and determine appropriate treatment plans. Class I would indicate minimal movement (less than 1 mm), Class III indicates severe mobility (greater than 2 mm or vertical movement), and Class IV mobility suggests a very loose tooth that may be imminently lost. Thus, Class II accurately describes the specified range of mobility for the given question.

6. What is the significance of enlarged lymph nodes in an oral examination?

- A. They may indicate systemic disease**
- B. They are usually normal findings
- C. They indicate poor oral hygiene
- D. Only size matters

Enlarged lymph nodes observed during an oral examination can be significant indicators of underlying health issues. Their enlargement often suggests that the body is responding to an infection, inflammation, or other pathological processes. This can be associated with various systemic diseases such as infections, autoimmune conditions, or malignancies. For dental professionals, noting the size, consistency, and tenderness of lymph nodes can help in diagnosing potential systemic issues. For example, lymphadenopathy (enlarged lymph nodes) that is persistent or associated with other symptoms may warrant further investigation, as it could point towards a more serious condition that requires medical attention. This makes the identification and evaluation of enlarged lymph nodes an essential component of a comprehensive oral examination. In contrast to this, simply considering them as normal findings overlooks the potential significance of what they might indicate about a patient's overall health. While some individuals may have mildly enlarged lymph nodes due to transient conditions or routine responses to infections, the clinician's role is to assess whether these findings are part of a larger health concern, thus ensuring appropriate referrals or treatment when necessary.

7. What technique is used to assess the thyroid gland?

- A. Direct palpation
- B. Bimanual palpation**
- C. Bilateral palpation
- D. Mandibular palpation

The technique commonly used to assess the thyroid gland is bimanual palpation. This method involves using both hands to examine the gland's size, shape, consistency, and any abnormalities. By placing one hand on the patient's neck and the other hand on the back, clinicians can effectively feel for the thyroid gland while having a comprehensive approach to assess both lobes simultaneously. This technique allows for a more accurate evaluation, as one hand can stabilize the region while the other assesses. Direct palpation focuses on feeling the gland from one side but may miss vital details that a bimanual approach provides. Bilateral palpation allows for some level of comparison but does not use the stabilizing hand technique that bimanual palpation benefits from. Mandibular palpation relates to examining areas around the mandible, not the thyroid specifically, making it irrelevant to the assessment of thyroid health.

8. What are possible side effects of taking Fosamax?

- A. Abdominal pain, diarrhoea, fatigue
- B. Chest pain, dizziness**
- C. Skin rash, joint pain
- D. Increased appetite, headache

When considering the side effects of Fosamax, which is primarily used to treat osteoporosis, it is important to focus on the more commonly documented adverse effects that clinical studies and medical literature highlight. Chest pain and dizziness can occur in some patients taking Fosamax, as the drug may irritate the esophagus or cause gastrointestinal issues, which can lead to discomfort or a sensation of chest tightness. Dizziness may also arise as a result of other factors, such as dehydration or blood pressure changes linked to the medication. In contrast, other options may contain side effects associated with different medications or conditions. For example, while abdominal pain and diarrhea are known to occur, they are generally linked with gastrointestinal distress from the medication and are not as specific to the serious implications indicated by chest pain and dizziness. Similarly, while skin rash and joint pain can occur, they are less commonly reported and connection to Fosamax use is not as strong. Increased appetite and headache are also not typical side effects associated with Fosamax. Understanding the specific side effects associated with your medication can help in monitoring your health and addressing any concerns with your healthcare provider.

9. What occurs in a class III furcation compared to a class II furcation?

- A. The probing depth is shallower
- B. Probe does not penetrate through
- C. Probe passes completely through**
- D. There is no radiolucency present

In a class III furcation, the probe passes completely through the furcation area, indicating involvement of the interradicular region between the roots of a multi-rooted tooth. This classification signifies a significant loss of periodontal attachment in the furcation area, allowing for a complete passage of the probe, which reflects the extent of periodontal disease. In contrast, a class II furcation indicates partial loss of bone support, where the probe can enter the furcation area but does not pass completely through. This distinction is crucial for diagnosing the severity of periodontal disease and planning appropriate treatment. The presence of a class III furcation denotes more advanced periodontal damage compared to a class II furcation, leading to different clinical approaches for management and therapy.

10. What is the location of the sublingual gland?

- A. Above the tongue
- B. In front of the submandibular gland under the tongue**
- C. Behind the jaw
- D. On the roof of the mouth

The sublingual gland is located in front of the submandibular gland, specifically under the tongue. This positioning allows the sublingual gland to contribute to the production of saliva directly into the oral cavity, facilitating processes such as digestion, speech, and maintaining the integrity of oral tissues. The sublingual gland primarily secretes mucus, which helps to lubricate food during mastication and swallowing. Being situated beneath the tongue provides easy access for saliva to enter the mouth through its multiple ducts, enhancing its functional role in oral health and digestion. The other options describe locations that do not accurately represent the anatomical position of the sublingual gland. For instance, the gland is not located above the tongue, nor is it behind the jaw or on the roof of the mouth. Understanding the precise anatomical sites of major salivary glands, such as the submandibular and sublingual glands, is essential for healthcare professionals to assess salivary function and diagnose potential disorders related to these structures.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

<https://natldentalhygiene.examzify.com>

We wish you the very best on your exam journey. You've got this!

SAMPLE