

NHA EXAMINATION FOR CERTIFICATION OF PHARMACY TECHNICIANS (EXCPT) PRACTICE EXAM (SAMPLE)

STUDY GUIDE



Prepare with structure. Pass with confidence



Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright	1
Table of Contents	2
Introduction	3
How to Use This Guide	4
Questions	5
Answers	8
Explanations	10
Next Steps	15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

Questions

SAMPLE

- 1. Which of the following best characterizes a Schedule IV drug?**
 - A. May cause severe psychological dependence
 - B. Has lower potential for abuse compared to Schedule I and II
 - C. Is illegal to prescribe
 - D. Has no medicinal use
- 2. What does the term "third party payer info" include?**
 - A. Patient's personal identification numbers
 - B. Processor bank identification number (BIN) and processor control number (PCN)
 - C. Pharmacy's financial account details
 - D. Patient's insurance policy number and expiration date
- 3. If a patient weighs 80 kg, what would be their weight in pounds?**
 - A. 158 lbs
 - B. 176 lbs
 - C. 180 lbs
 - D. 190 lbs
- 4. How should nitroglycerin tablets be stored to ensure their effectiveness?**
 - A. In a refrigerator
 - B. In their original, unopened containers
 - C. In the bathroom medicine cabinet
 - D. With other medications in a drawer
- 5. What does a pharmacist do primarily?**
 - A. Prepares medications for dispensing
 - B. Regulates drug safety
 - C. Advises patients on drug therapies
 - D. Conducts clinical trials
- 6. What type of items does Medicare Part B cover?**
 - A. Prescription medications only
 - B. Prescription medical equipment
 - C. Dental services and eye exams
 - D. Long-term care facilities

- 7. A medication that is given through the skin would be administered via which route?**
- A. Intramuscular
 - B. Buccal
 - C. Subcutaneous
 - D. Intravenous
- 8. What does "prn" mean on a prescription?**
- A. Take with food
 - B. As needed
 - C. Every day
 - D. As prescribed
- 9. What is a potential benefit of using a pharmaceutical formulary?**
- A. Increased prescription costs
 - B. Improved patient adherence to medication
 - C. Reduced medication waste
 - D. Expanded drug options for prescribers
- 10. What does the abbreviation 'po' stand for in medication administration?**
- A. by injection
 - B. by mouth
 - C. by vein
 - D. intramuscularly

Answers

SAMPLE

1. B
2. B
3. B
4. B
5. C
6. B
7. C
8. B
9. C
10. B

SAMPLE

Explanations

SAMPLE

1. Which of the following best characterizes a Schedule IV drug?

- A. May cause severe psychological dependence
- B. Has lower potential for abuse compared to Schedule I and II**
- C. Is illegal to prescribe
- D. Has no medicinal use

A Schedule IV drug is classified as having a lower potential for abuse compared to Schedule I and II drugs. This means that while Schedule IV drugs have potential for dependence, it is less than those of the higher schedules. Such drugs are typically prescribed and used for medicinal purposes, making their classification significant for both practitioners and patients. Drugs in this category can be commonly prescribed for various conditions, reflecting their recognized therapeutic value despite their potential for abuse. Therefore, when evaluating the characteristics of Schedule IV substances, the distinguishing factor is indeed their comparatively lower potential for abuse relative to more restricted substances.

2. What does the term "third party payer info" include?

- A. Patient's personal identification numbers
- B. Processor bank identification number (BIN) and processor control number (PCN)**
- C. Pharmacy's financial account details
- D. Patient's insurance policy number and expiration date

The term "third party payer info" primarily refers to the details required for processing insurance claims related to healthcare services, including prescriptions. This information is crucial for pharmacies to accurately bill the insurance provider for medications dispensed. Key elements of third-party payer information include the Processor Bank Identification Number (BIN) and the Processor Control Number (PCN). The BIN is used to identify the specific insurance company a claim should be sent to, while the PCN helps route the claim to the appropriate plan within that insurance company. This combination enables pharmacies to swiftly and accurately process prescriptions through the patient's insurance plan. Other provided options include details about patients' personal identification numbers, pharmacy financial accounts, and insurance policy numbers. While these pieces might be relevant in some contexts, they do not specifically pertain to the essential processing requirements needed for third-party reimbursement claims.

3. If a patient weighs 80 kg, what would be their weight in pounds?

- A. 158 lbs
- B. 176 lbs**
- C. 180 lbs
- D. 190 lbs

To convert a patient's weight from kilograms to pounds, the conversion factor of 1 kilogram equal to approximately 2.20462 pounds is utilized. In this case, to find the weight in pounds, multiply the weight in kilograms (80 kg) by the conversion factor: $80 \text{ kg} \times 2.20462 \text{ lbs/kg} = 176.37 \text{ lbs}$. When rounding this to the nearest whole number, the result is 176 lbs. This demonstrates that the accurate conversion of 80 kg results in a weight of 176 pounds, making it the correct answer. Utilizing this conversion factor is essential for precise weight reporting in clinical settings.

4. How should nitroglycerin tablets be stored to ensure their effectiveness?

- A. In a refrigerator
- B. In their original, unopened containers**
- C. In the bathroom medicine cabinet
- D. With other medications in a drawer

Storing nitroglycerin tablets in their original, unopened containers is the most effective method to ensure their potency and safety. The original packaging is designed to protect the tablets from environmental factors such as light, moisture, and air, which can degrade their effectiveness over time. Nitroglycerin is particularly sensitive to these elements, and exposure can lead to a reduction in the medication's efficacy, compromising its ability to relieve chest pain. In contrast, storing them in places like a refrigerator, bathroom medicine cabinet, or a drawer with other medications exposes them to conditions that can accelerate deterioration. Therefore, keeping nitroglycerin tablets in their original containers also helps maintain the necessary labeling, which provides important information on usage and expiration, further supporting patient safety and adherence to therapy.

5. What does a pharmacist do primarily?

- A. Prepares medications for dispensing
- B. Regulates drug safety
- C. Advises patients on drug therapies**
- D. Conducts clinical trials

The primary role of a pharmacist is to advise patients on drug therapies. This involves assessing medications, understanding patient needs, and providing essential information about how to use medications effectively and safely. Pharmacists have in-depth knowledge of pharmacology and can help patients understand potential side effects, interactions with other drugs, and the importance of adherence to prescribed therapy. This counseling function is crucial in ensuring that patients manage their health conditions effectively through appropriate medication use, which aligns with the goal of enhancing health outcomes. While preparing medications for dispensing and regulating drug safety are important responsibilities that pharmacists may also be involved in, the core function that directly impacts patient care is their role in providing guidance on drug therapy. Similarly, while conducting clinical trials is significant in the realm of pharmaceutical research and development, it is not a primary function of pharmacists in the community or healthcare settings. The emphasis on patient interaction and education makes advising on drug therapies the most crucial aspect of a pharmacist's responsibilities.

6. What type of items does Medicare Part B cover?

- A. Prescription medications only
- B. Prescription medical equipment**
- C. Dental services and eye exams
- D. Long-term care facilities

Medicare Part B primarily covers various outpatient services, including medically necessary services and preventative care. Among these benefits, it specifically includes coverage for durable medical equipment, which encompasses items like wheelchairs, walkers, and other medical equipment that help patients manage their health conditions at home. This aspect of Medicare Part B is crucial as it allows beneficiaries access to necessary tools for their care without incurring prohibitive costs. While other options discuss coverage areas that may fall under Medicare but are not part of Part B specifically—such as prescription medications, dental services, eye exams, and long-term care facilities—Medicare Part B does not extend coverage to those categories. Instead, those items might fall under different Medicare parts or would be paid out-of-pocket. Therefore, the focus on prescription medical equipment is what makes it the correct answer in this context.

7. A medication that is given through the skin would be administered via which route?

- A. Intramuscular
- B. Buccal
- C. Subcutaneous**
- D. Intravenous

The correct choice is subcutaneous. Medications administered through the skin typically involve injection into the subcutaneous tissue, which lies just beneath the outer layer of skin. This route allows for the gradual absorption of medication into the bloodstream. In addition, the subcutaneous route is commonly used for various types of drugs, including insulin and some vaccines, where a slow, sustained release into the bloodstream is desired. The method is advantageous for self-administration and can be performed with little discomfort. Other routes such as intramuscular and intravenous involve penetration deeper into muscle tissue or direct injection into the bloodstream, respectively, which do not align with the skin administration concept. Buccal administration refers to placing medication between the gum and cheek, which is also not applicable to skin administration.

8. What does "prn" mean on a prescription?

- A. Take with food
- B. As needed**
- C. Every day
- D. As prescribed

The term "prn" is derived from the Latin phrase "pro re nata," which translates to "as needed." When a prescription includes "prn," it indicates that the medication should be taken only when required, rather than at scheduled intervals. This allows for flexibility in dosing based on the patient's current symptoms or conditions. For example, a physician might prescribe a pain reliever with "prn" instructions, indicating that the patient should take it only when they experience pain, rather than adhering to a strict dosing schedule. The other options reflect different instructions that do not align with the meaning of "prn." "Take with food" refers to the timing and conditions for taking medication to enhance absorption or reduce gastrointestinal upset. "Every day" indicates a fixed daily schedule for medication intake and does not allow for variable dosing based on symptoms. "As prescribed" is a general term that could apply to any medication instructions but lacks the specificity of "as needed." Therefore, the correct interpretation of "prn" in a prescription context is indeed "as needed."

9. What is a potential benefit of using a pharmaceutical formulary?

- A. Increased prescription costs
- B. Improved patient adherence to medication
- C. Reduced medication waste**
- D. Expanded drug options for prescribers

Using a pharmaceutical formulary can lead to reduced medication waste, which is a significant benefit. A formulary is a list of medications that are approved for use within a particular health care system or insurance plan. By including only necessary and effective medications, a formulary can help streamline the prescribing process, ensuring that patients receive medications that are appropriate for their condition. When medications are carefully selected based on efficacy, safety, and cost-effectiveness, the likelihood of patients receiving treatments that are unused or inappropriate is minimized. This is particularly important in promoting the optimal use of resources within the healthcare system. When medications are readily available and align with the health care needs of patients, there is less chance they will be discarded or replaced by alternatives that may not be as effective, therefore leading to overall cost savings and better management of pharmaceutical resources. In contrast, the other options do not represent the primary benefits associated with a pharmaceutical formulary. Increased prescription costs and expanded drug options for prescribers could lead to less efficient use of resources, while improved patient adherence, although a potential benefit, is not guaranteed and may depend on other factors such as access to medications and patient education.

10. What does the abbreviation 'po' stand for in medication administration?

- A. by injection
- B. by mouth**
- C. by vein
- D. intramuscularly

The abbreviation 'po' stands for "by mouth," which indicates that a medication is to be taken orally. This method of administration is one of the most common routes for delivering medications since it is non-invasive and allows the drug to be absorbed through the digestive system. When a medication is labeled with 'po,' it clarifies to healthcare professionals and patients that the medication should be swallowed, as opposed to being administered through other routes such as injections or intramuscularly, which involve different techniques and considerations for absorption and bioavailability. Understanding this abbreviation is essential for ensuring proper medication administration and patient safety.

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

<https://nhaexcpt.examzify.com>

We wish you the very best on your exam journey. You've got this!

SAMPLE