North Carolina Heating Group 3 (H3) Class 1 Practice Test (Sample)

Study Guide

BY EXAMZIFY

Everything you need from our exam experts!

Sample study guide. For the full version with hundreds of questions, visit:
https://nch3class1.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1
Table of Contents 2
Introduction 3
How to Use This Guide 4
Questions 5
Answers 8
Explanations 10
Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- **Practice answering questions under realistic conditions,**
- **Improve accuracy and speed,**
- **Review explanations to strengthen weak areas, and**
- **Approach the exam with greater confidence.**

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What is the purpose of duct insulation?

A. To enhance sound quality

B. To prevent heat loss or gain in ductwork

C. To filter contaminants from the air

D. To increase system pressure

2. Who is responsible for the correct location of fire dampers on building plans?

A. Architect

B. The designer

C. Contractor

D. Building inspector

3. How do building codes typically define the required R-value for duct insulation in conditioned spaces?

A. Based on local climate

B. Standard across all areas

C. Based on system pressure

D. Determined exclusively by building height

4. What should you check if your heating system is not producing heat?

A. The age of the unit

B. The thermostat settings and power supply

C. The color of the flames

D. The type of fuel used

5. Which of the following is an approved procedure for commercial duct design per the 2018 NCMC?

A. SMACNA Guidelines

B. ASHRAE Handbook of Fundamentals

C. CAGI Standards

D. NFPA Regulations

SAMPLE

6. Which factor is crucial when determining the flow rate of natural gas in a piping network?

A. Pipe diameter

B. Pipe length

C. Specific gravity of the gas

D. All of the above

7. In a heat pump, what component changes liquid refrigerant into vapor during the heating cycle?

A. Indoor coil

B. Outdoor coil

C. Refrigerant line

D. Compressor

8. What is the maximum allowable velocity of air through a return grill?

A. 300 fpm

B. 450 fpm

C. 600 fpm

D. 750 fpm

9. In non-bearing partitions, studs may be cut or notched to a maximum of what percentage of their depth?

A. 30%

B. 40%

C. 50%

D. 60%

10. What is the velocity in a 25" x 8" duct section with a flow of 1450 cfm?

A. 850 fpm

B. 950 fpm

C. 1050 fpm

D. 1150 fpm

SAMPLE

Answers

SAMPLE

1. B
2. B
3. A
4. B
5. B
6. D
7. B
8. B
9. B
10. C

SAMPLE

Explanations

SAMPLE

1. What is the purpose of duct insulation?

A. To enhance sound quality

B. To prevent heat loss or gain in ductwork

C. To filter contaminants from the air

D. To increase system pressure

Duct insulation primarily serves to prevent heat loss or gain in ductwork, which is vital for maintaining energy efficiency in heating and cooling systems. When insulation is applied to ducts, it minimizes the transfer of heat between the air inside the duct and the surrounding environment. This helps to ensure that the air delivered to living spaces is at the desired temperature, reducing the workload on heating and cooling equipment and ultimately saving energy costs. In an uninsulated duct system, heat can escape from hot air passing through ducts in unconditioned spaces such as attics or basements during heating. Similarly, when cooling air travels through ductwork, heat can enter from the outside, causing the air to lose its cooling effect. By insulating the ducts, these issues are mitigated, leading to improved temperature control and energy efficiency for the entire HVAC system. While sound quality can be influenced by insulation, and filtration of contaminants or managing system pressure can have their own roles in HVAC systems, the primary and most critical function of duct insulation is its ability to prevent undesired heat exchange, thus playing a key role in the system's thermal efficiency.

2. Who is responsible for the correct location of fire dampers on building plans?

A. Architect

B. The designer

C. Contractor

D. Building inspector

The designer holds responsibility for the correct location of fire dampers on building plans. This role involves ensuring that such safety features are strategically placed to comply with building codes and fire safety regulations. Fire dampers are crucial for controlling the spread of smoke and fire through ductwork, and their positioning must be precisely integrated into the architectural design of the building. Designers are trained to understand the various aspects of building safety, including how fire dampers operate within the overall fire protection strategy of a structure. They need to consider factors such as ventilation needs, the layout of the duct systems, and local building codes when determining the correct locations for these dampers. Their expertise ensures that fire dampers are not just added to the plans, but are positioned for optimal effectiveness in preventing fire spread. In contrast, while architects do play a significant role in building design, their focus is often broader than just safety features like fire dampers. Contractors install the systems based on the plans provided, and building inspectors check for compliance, but they do not determine the locations on the plans themselves. This delineation of responsibilities is critical for effective building design and adherence to safety standards.

SAMPLE

3. How do building codes typically define the required R-value for duct insulation in conditioned spaces?

A. Based on local climate

B. Standard across all areas

C. Based on system pressure

D. Determined exclusively by building height

Building codes define the required R-value for duct insulation in conditioned spaces primarily based on local climate. This approach recognizes that different geographic regions experience varying temperature extremes and humidity levels, which significantly impact insulation needs. In colder climates, higher R-values are mandated to prevent heat loss and ensure energy efficiency, while in warmer regions, the focus may be more on preventing heat gain from external temperatures. This adaptation ensures that the ductwork functions efficiently, maintaining desired indoor temperatures and optimizing energy use. Ultimately, local climate conditions are a critical factor in establishing insulation standards, as they directly influence the energy performance and comfort of conditioned spaces.

4. What should you check if your heating system is not producing heat?

A. The age of the unit

B. The thermostat settings and power supply

C. The color of the flames

D. The type of fuel used

Checking the thermostat settings and power supply is essential when diagnosing a heating system that is not producing heat. The thermostat acts as the control center for the heating system, determining when the heat should turn on or off based on the temperature settings. If the thermostat is set incorrectly, it may not signal the heating system to activate. Additionally, ensuring that the power supply to the heating unit is functioning is crucial. A tripped circuit breaker, blown fuse, or disconnected power can prevent the system from operating altogether. Confirming both the thermostat settings and power supply helps diagnose whether the issue lies with the control mechanisms or the electrical supply, making it a logical first step in troubleshooting heating issues. While aspects like the age of the unit, the color of the flames, and the type of fuel are important factors to consider over time or in specific situations, they are not the immediate checks needed when a heating system stops producing heat. Addressing the basic operational elements of the thermostat and power supply provides a more effective starting point for troubleshooting.

SAMPLE

5. Which of the following is an approved procedure for commercial duct design per the 2018 NCMC?

A. SMACNA Guidelines

B. ASHRAE Handbook of Fundamentals

C. CAGI Standards

D. NFPA Regulations

The ASHRAE Handbook of Fundamentals is recognized as an approved procedure for commercial duct design according to the 2018 North Carolina Mechanical Code (NCMC). This handbook provides essential information on heating, ventilation, and air conditioning systems, including detailed guidance on the design and sizing of duct systems to ensure efficiency and performance. It includes fundamental principles of heat transfer, fluid flow, and various factors that influence the design process, making it a crucial reference for HVAC professionals involved in duct design. Utilizing ASHRAE standards helps ensure that systems are designed to meet energy efficiency, comfort, and safety standards as outlined in the NCMC. The other options, while important in their respective fields, do not specifically address duct design according to the criteria set by the NCMC. SMACNA Guidelines focus on construction and installation practices, CAGI Standards are more related to air quality and equipment, and NFPA Regulations primarily deal with fire protection and safety standards rather than duct design metrics.

6. Which factor is crucial when determining the flow rate of natural gas in a piping network?

A. Pipe diameter

B. Pipe length

C. Specific gravity of the gas

D. All of the above

Determining the flow rate of natural gas in a piping network requires consideration of multiple factors that each play a significant role in the overall calculation. The diameter of the pipe directly affects the volume of gas that can flow through it; larger diameters allow greater flow rates due to decreased resistance. The length of the pipe also matters, as longer pipes can increase the frictional losses, which may reduce the effective flow rate. Additionally, the specific gravity of the gas is critical because it affects the density and, consequently, how pressure and temperature variations will influence the behavior of the gas within the piping system. Each of these factors—pipe diameter, pipe length, and specific gravity—contributes to the complexities of gas flow in a system. Therefore, acknowledging all of these elements is essential for an accurate determination of the flow rate, making the comprehensive option the most informed choice.

SAMPLE

7. In a heat pump, what component changes liquid refrigerant into vapor during the heating cycle?

A. Indoor coil

B. Outdoor coil

C. Refrigerant line

D. Compressor

In a heat pump, the component that transforms liquid refrigerant into vapor during the heating cycle is the outdoor coil. This process occurs through evaporation, where the refrigerant absorbs heat from the outside air, even in cold conditions. As the outdoor coil functions as an evaporator during heating, liquid refrigerant enters the coil and, as it absorbs heat, it changes phase to vapor. The efficiency of this phase change is crucial because it allows the heat pump to draw heat from outdoor air and move it into the interior space. By utilizing the outdoor coil for this evaporation process, the heat pump can provide effective heating, making it an integral part of the overall heating cycle. Thus, understanding the role of the outdoor coil is essential when studying heat pumps and their operational dynamics.

8. What is the maximum allowable velocity of air through a return grill?

A. 300 fpm

B. 450 fpm

C. 600 fpm

D. 750 fpm

The maximum allowable velocity of air through a return grill is established to ensure efficient operation of the HVAC system and to maintain comfort levels within the space. A velocity of 450 feet per minute (fpm) is a common standard used in the industry for return air systems, as it strikes a balance between efficient air movement and minimizing noise and turbulence. At higher velocities, such as 600 fpm or 750 fpm, there is an increased risk of creating unwanted noise and drafts, which can lead to discomfort for occupants. Additionally, excessive air speeds can contribute to the potential for increased wear and tear on the HVAC components, leading to reduced system efficiency and longevity. Keeping the velocity at or below 450 fpm allows for effective air circulation while optimizing comfort and reducing the potential for noise-related issues. In summary, 450 fpm is recognized as the threshold that ensures adequate airflow without compromising acoustic comfort or system durability.

SAMPLE

9. In non-bearing partitions, studs may be cut or notched to a maximum of what percentage of their depth?

A. 30%

B. 40%

C. 50%

D. 60%

In non-bearing partitions, studs can be cut or notched to a maximum of 40% of their depth, which is a critical guideline to maintain the structural integrity and load-bearing capacity of the walls in which they are installed. This percentage allows for necessary adjustments in stud placement or size for electrical wiring, plumbing, or other installations without compromising their strength. When the maximum cut or notch is adhered to, the overall stability of the partition is preserved, helping to ensure that the wall can still perform its intended function without sagging or failing under normal conditions. Going beyond this limit could lead to potential structural issues, thereby increasing the risk of damage or failure in the partition system. It is important for professionals in the field to understand these limitations to comply with building codes and safety standards, ensuring that their work is both effective and secure.

10. What is the velocity in a 25" x 8" duct section with a flow of 1450 cfm?

A. 850 fpm

B. 950 fpm

C. 1050 fpm

D. 1150 fpm

To determine the velocity of air in a duct, you can use the formula: \[\text{Velocity} = \frac{\text{Flow Rate (CFM)}}{\text{Area (sq ft)}} \] First, you need to calculate the area of the duct section. The given dimensions of the duct are 25 inches by 8 inches. To convert these dimensions into feet, you need to divide by 12: - Height: \(\frac{25 \text{ inches}}{12} = 2.0833 \text{ feet} \) - Width: \(\frac{8 \text{ inches}}{12} = 0.6667 \text{ feet} \) Next, you can calculate the area of the duct in square feet: \[\text{Area} = \text{Height} \times \text{Width} = 2.0833 \text{ ft} \times 0.6667 \text{ ft} \approx 1.3889 \text{ sq ft} \] Now that we have the area, we can substitute this and the flow rate into the velocity formula. Given the flow rate is 1450 CFM

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://nch3class1.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE