

NURS 3100 EXAM 1 PRACTICE (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR
THE FULL VERSION STUDY GUIDE

<https://nurse3100exam1.examzify.com>



Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright	1
Table of Contents	2
Introduction	3
How to Use This Guide	4
Questions	5
Answers	8
Explanations	10
Next Steps	15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

Questions

SAMPLE

- 1. A charge nurse is observing a nurse administer an intradermal injection. Which of the following demonstrates that the nurse is using correct technique?**
 - A. Inserts the needle with the bevel down at a 10-15 degree angle.
 - B. Selects a 1" 23 gauge needle with a 3 mL syringe.
 - C. Slowly inject the medication to form a small wheal or bleb.
 - D. Withdraws the needle and gently massages the injection site.

- 2. A nurse is caring for a client who has a history of renal insufficiency and is taking lithium. The nurse should monitor the client for which of the following?**
 - A. Dependence on the drug
 - B. Drug interaction
 - C. Drug toxicity
 - D. Tolerance to the drug

- 3. A nursing instructor plans to teach a group of nursing students about a graded-dose response curve. The instructor understands that they are most useful to determine what?**
 - A. Response intensity within an individual
 - B. Response intensity within a large group with different characteristics
 - C. Response intensity within a large group with similar characteristics
 - D. Response intensity within a small group of similar characteristics

- 4. How can a nurse identify the generic names of drugs in a drug handbook?**
 - A. They are listed in parentheses along with the trade name
 - B. They begin with a lowercase letter
 - C. The chemical name is listed in parentheses before the generic name
 - D. There are both letters and numbers in the name

- 5. Which statement represents the nurse's understanding as it relates to the potency of different narcotics?**
 - A. Codeine is less potent than morphine; it will not produce allergic reactions
 - B. Codeine is less potent than morphine; it will not relieve pain as well
 - C. Morphine is more potent than codeine; a lesser dose will be required
 - D. Morphine is more potent than codeine; it will produce more adverse effects

- 6. A nurse incorrectly administered an oral medication intravenously. What is the best analysis of the nurse's action?**
- A. An antidote cannot be given
 - B. A lawsuit by the patient will be impending
 - C. The medication cannot be retrieved
 - D. The nurse will be terminated from her job
- 7. A nurse is preparing to administer a client's medications. Which of the following is the most important to assess first?**
- A. Assess the patient's developmental level
 - B. Assess the patient's disease process
 - C. Assess the patient's learning needs
 - D. Assess the patient's medical history
- 8. Which of the following is true regarding the generic name of a drug?**
- A. It describes the chemical composition of the medication
 - B. It is assigned by the company marketing the drug
 - C. There is only one name for each medication
 - D. Drugs that contain more than one active ingredient are classified as generic drugs
- 9. A student nurse has completed an initial pharmacology course and tells a nurse that it was difficult. What is the best response by the nurse?**
- A. It really isn't over; you should take a graduate course next
 - B. Learning is always painful, but we must continue anyway
 - C. Learning is gradual and continuous; we never completely master all areas of pharmacology
 - D. It may be over, but now you must apply what you have learned to patient care
- 10. Which factor enhances the distribution of medications in the body?**
- A. Body organs with high levels of blood flow
 - B. Drug-protein complexes must form prior to crossing capillary membranes
 - C. Lipid-soluble medications
 - D. The blood-brain barrier inhibits rapid crossing of medications

Answers

SAMPLE

1. C
2. A
3. A
4. B
5. C
6. A
7. A
8. A
9. C
10. A

SAMPLE

Explanations

SAMPLE

1. A charge nurse is observing a nurse administer an intradermal injection. Which of the following demonstrates that the nurse is using correct technique?

- A. Inserts the needle with the bevel down at a 10-15 degree angle.
- B. Selects a 1" 23 gauge needle with a 3 mL syringe.
- C. Slowly inject the medication to form a small wheal or bleb.**
- D. Withdraws the needle and gently massages the injection site.

To correctly administer an intradermal injection, the nurse should slowly inject the medication to form a small wheal or bleb, which indicates that the medication has been deposited into the skin layer. The other options are incorrect because Option A: Inserts the needle with the bevel down at a 10-15 degree angle - This is incorrect because the needle should be inserted with the bevel up at a 10-15 degree angle to create a small bump on the surface of the skin, not with the bevel down. Option B: Selects a 1" 23 gauge needle with a 3 mL syringe - This is incorrect because the appropriate needle for intradermal injections is typically a shorter and thinner gauge needle, such as a 25-27 gauge. A 1" 23 gauge needle is too large and may cause discomfort and unnecessary tissue damage. Additionally, a syringe with a smaller volume, such as 0.1-1 mL, is typically used for intradermal injections. Option D: Withdraws the needle and gently massages the injection site - This is incorrect because the needle should be left in place for a few seconds to allow the medication to be absorbed. Massaging

2. A nurse is caring for a client who has a history of renal insufficiency and is taking lithium. The nurse should monitor the client for which of the following?

- A. Dependence on the drug**
- B. Drug interaction
- C. Drug toxicity
- D. Tolerance to the drug

Lithium is primarily excreted by the kidneys, so individuals with renal insufficiency are at an increased risk of lithium toxicity due to decreased clearance of the drug from the body. Therefore, in a client with a history of renal insufficiency who is taking lithium, the nurse should monitor the client for dependence on the drug. Dependence indicates that the client may require adjustments in their lithium dosage or frequency to prevent toxicity. Monitoring for drug dependence is crucial in this situation to ensure the client's safety. Option B, drug interaction, may not be the priority in this scenario as the primary concern is the potential for lithium toxicity in a client with renal insufficiency. Option C, drug toxicity, is related to lithium use in this case, but the question specifically asks about monitoring, not the potential side effects of the drug. Option D, tolerance to the drug, is not typically a concern with lithium use and renal insufficiency.

3. A nursing instructor plans to teach a group of nursing students about a graded-dose response curve. The instructor understands that they are most useful to determine what?

A. Response intensity within an individual

B. Response intensity within a large group with different characteristics

C. Response intensity within a large group with similar characteristics

D. Response intensity within a small group of similar characteristics

A graded-dose response curve is most useful to determine the response intensity within an individual. This curve is a graphical representation that shows the relationship between the dose of a drug given and the response it produces in an individual. By analyzing this curve, healthcare providers can better understand how an individual responds to a specific drug and determine the most effective and safe dosage for that particular person based on their unique characteristics and needs. Options B, C, and D are not the most suitable choices because a graded-dose response curve is primarily used to assess the response within an individual, rather than groups with different or similar characteristics.

4. How can a nurse identify the generic names of drugs in a drug handbook?

A. They are listed in parentheses along with the trade name

B. They begin with a lowercase letter

C. The chemical name is listed in parentheses before the generic name

D. There are both letters and numbers in the name

Nurses use a drug handbook as a quick reference for drug information. The generic names of drugs are important because they represent the active ingredient of a medication. Option A is incorrect because the trade name (brand name) is usually listed first before the generic name in parentheses. Option C is incorrect because the chemical name is usually longer and more complex than the generic name. Option D is incorrect because there is no specific rule regarding the combination of letters and numbers in a generic name. Therefore, the best way for a nurse to identify the generic name of a drug in a drug handbook is by looking for a name that begins with a lowercase letter, as this is a common characteristic of generic names.

5. Which statement represents the nurse's understanding as it relates to the potency of different narcotics?

A. Codeine is less potent than morphine; it will not produce allergic reactions

B. Codeine is less potent than morphine; it will not relieve pain as well

C. Morphine is more potent than codeine; a lesser dose will be required

D. Morphine is more potent than codeine; it will produce more adverse effects

The correct answer is C. This statement reflects the nurse's understanding of the potency of different narcotics. Morphine is indeed more potent than codeine, which means that a lesser dose of morphine will be required to achieve the same pain-relieving effect as codeine. Understanding the potency of different narcotics is crucial for nurses to ensure appropriate pain management for patients. Option A is incorrect because potency is not related to the potential for allergic reactions, but rather to the dose required to achieve a specific effect. Option B is also incorrect as it falsely states that codeine will not relieve pain as well, which is not accurate. Option D is incorrect as it incorrectly associates potency with producing more adverse effects.

6. A nurse incorrectly administered an oral medication intravenously. What is the best analysis of the nurse's action?

- A. An antidote cannot be given**
- B. A lawsuit by the patient will be impending
- C. The medication cannot be retrieved
- D. The nurse will be terminated from her job

Administering an oral medication intravenously can result in serious consequences for the patient. Some oral medications are not meant to be injected intravenously and can lead to adverse effects or harm. In such cases, there might not be a specific antidote available to counteract the effects of the medication. Therefore, the best analysis of the nurse's action, in this case, is that an antidote cannot be given to reverse the effects of the improperly administered medication. The other options are not the best analysis of the situation: - A lawsuit by the patient will be impending: While it is possible that legal consequences could arise from such an error, the immediate concern is the patient's well-being and ensuring appropriate medical interventions. - The medication cannot be retrieved: While the medication cannot be physically removed from the patient's system, the focus should be on addressing any potential harm caused by the incorrect administration. - The nurse will be terminated from her job: While there may be disciplinary actions or consequences for the nurse's error, the primary focus should be on patient safety and mitigating any negative outcomes resulting from the mistake made.

7. A nurse is preparing to administer a client's medications. Which of the following is the most important to assess first?

- A. Assess the patient's developmental level**
- B. Assess the patient's disease process
- C. Assess the patient's learning needs
- D. Assess the patient's medical history

A good way to determine the correct answer is by looking at what is most time-sensitive and necessary for the safe and effective administration of medication. Out of the given options, assessing the patient's developmental level is the first and most important step. This is because a patient's developmental level can affect how they respond to medication, potential side effects, and the appropriate dosage and administration method. Option B is incorrect because it is important, but not the most critical aspect to assess first. Assessing the patient's disease process can help determine the appropriate medication, but the patient's developmental level is more essential. Option C is incorrect because while assessing the patient's learning needs is important, it is not the most crucial factor for administering medication. Finally, option D is incorrect because while the patient's medical history is important, it is not the first and most important aspect to assess when preparing to administer medications.

8. Which of the following is true regarding the generic name of a drug?

- A. It describes the chemical composition of the medication**
- B. It is assigned by the company marketing the drug
- C. There is only one name for each medication
- D. Drugs that contain more than one active ingredient are classified as generic drugs

The correct answer is A. The generic name of a drug describes its chemical composition. This name is typically not owned by any specific company and is often based on the drug's chemical structure. It differs from the brand or trade name, which is assigned by the pharmaceutical company marketing the drug. Each medication can have multiple names – a generic name (based on its composition) and one or more brand names (assigned by the manufacturer). Additionally, drugs that contain more than one active ingredient are typically classified as combination drugs rather than generic drugs.

9. A student nurse has completed an initial pharmacology course and tells a nurse that it was difficult. What is the best response by the nurse?

- A. It really isn't over; you should take a graduate course next
- B. Learning is always painful, but we must continue anyway
- C. Learning is gradual and continuous; we never completely master all areas of pharmacology**
- D. It may be over, but now you must apply what you have learned to patient care

The best response by the nurse would be C. The reason for this is because learning is not something that has a definite end date or that can be fully mastered. Even for experienced healthcare professionals, there is always more to learn in the ever-evolving field of pharmacology. Option A is incorrect because it implies that the student's education is incomplete and that they need to pursue more courses. Option B is incorrect because learning should not be equated to pain or difficulty, but rather as a continuous process. Option D is incorrect because it suggests that the student's education is now complete, which is not the case. Instead, the student should continue to apply what they have learned to their future patient care. It is important for healthcare professionals to have a growth mindset and to see learning as a continuous journey.

10. Which factor enhances the distribution of medications in the body?

- A. Body organs with high levels of blood flow**
- B. Drug-protein complexes must form prior to crossing capillary membranes
- C. Lipid-soluble medications
- D. The blood-brain barrier inhibits rapid crossing of medications

Body organs with high levels of blood flow enhance the distribution of medications in the body because these organs receive a greater supply of blood, allowing for faster and more efficient delivery of medications to different tissues and cells. The high blood flow in these organs helps to distribute the medications more quickly throughout the body, compared to organs with lower blood flow. This efficient distribution can lead to more rapid onset of action and improved therapeutic outcomes. Regarding the other options: - Drug-protein complexes forming prior to crossing capillary membranes may affect drug metabolism or elimination but do not directly enhance drug distribution. - Lipid-soluble medications can cross cell membranes easily but do not necessarily enhance distribution in the body compared to blood flow to organs. - The blood-brain barrier inhibits the rapid crossing of medications, which can limit drug distribution to the brain but is not related to enhancing distribution in the rest of the body.

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

<https://nurse3100exam1.examzify.com>

We wish you the very best on your exam journey. You've got this!

SAMPLE