

OCC SACA Sensor Logic Systems 1 (C-205) Practice Test (Sample)

Study Guide



Everything you need from our exam experts!

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright	1
Table of Contents	2
Introduction	3
How to Use This Guide	4
Questions	5
Answers	8
Explanations	10
Next Steps	15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 - 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

Questions

SAMPLE

- 1. Dashed-line contacts on a ladder diagram indicate what about the contacts?**
 - A. They are part of the same physical switch**
 - B. They indicate normally closed contacts**
 - C. They show contacts in parallel**
 - D. They are separate devices sharing a connection**

- 2. Which statement best describes ladder diagrams?**
 - A. They are used to indicate the order of events in time**
 - B. They depict the physical layout of equipment only**
 - C. They require no knowledge of electrical symbols**
 - D. The wires are arranged in orderly rows like rungs of a ladder**

- 3. A(n) _____ switch is most often used to determine the desired operating mode.**
 - A. Toggle**
 - B. Selector**
 - C. Pushbutton**
 - D. Dip**

- 4. A capacitive proximity sensor uses the principle of what to sense objects?**
 - A. Inductance**
 - B. Resistance**
 - C. Capacitance**
 - D. Reflectivity**

- 5. The mode that is typical for normal operation on most machines is the _____ mode.**
 - A. Manual**
 - B. Automatic**
 - C. Semi-automatic**
 - D. Emergency**

6. _____ mode is most often used in machine setup and maintenance.
- A. Manual
 - B. Automatic
 - C. Diagnostic
 - D. Safe
7. Why would a machine use a limit switch for a safety interlock?
- A. To ensure the machine guard is in place before operation
 - B. To regulate speed
 - C. To monitor temperature
 - D. To indicate fault
8. The three basic components of a time-delay relay are the coil, the contacts, and the _____ mechanism.
- A. Timing
 - B. Switching
 - C. Electromagnetic
 - D. Power
9. How are switches wired to create a NAND logic circuit?
- A. Two normally opened in series
 - B. One normally opened in series with a normally closed
 - C. Two normally closed circuits in parallel
 - D. Two normally closed in series
10. Magnetic reed switches are what type of devices?
- A. Electrical
 - B. Mechanical
 - C. Optical
 - D. Thermal

Answers

SAMPLE

1. A
2. D
3. B
4. C
5. B
6. A
7. A
8. A
9. C
10. B

SAMPLE

Explanations

SAMPLE

1. Dashed-line contacts on a ladder diagram indicate what about the contacts?

- A. They are part of the same physical switch**
- B. They indicate normally closed contacts**
- C. They show contacts in parallel**
- D. They are separate devices sharing a connection**

Gestrichelte Linien zwischen Kontakten zeigen eine mechanische Verbindung an: Diese Kontakte gehören zu demselben physischen Schalter oder Wirkprinzip. Sie werden vom gleichen Aktuator gleichzeitig betätigt; wenn der Schalter schaltet, schließen oder öffnen alle verknüpften Kontakte gemeinsam. Das erklärt, warum zwei Kontakte in der Zeichnung unterschiedlich positioniert sein können, aber durch eine gestrichelte Linie miteinander verbunden sind. Es ist nicht ein Hinweis darauf, ob ein Kontakt normally open oder normally closed ist (das ergibt sich aus dem Symbol selbst) und es bedeutet auch nicht, dass sie parallel geschaltet oder zu unterschiedlichen Geräten gehören.

2. Which statement best describes ladder diagrams?

- A. They are used to indicate the order of events in time**
- B. They depict the physical layout of equipment only**
- C. They require no knowledge of electrical symbols**
- D. The wires are arranged in orderly rows like rungs of a ladder**

Ladder diagrams present control logic in a ladder-like format, with two vertical rails and horizontal rungs that carry the logic signals from left to right. This distinctive ladder-like appearance is what the description captures most clearly: the wires are arranged in orderly rows like rungs of a ladder. They're not primarily a timeline of events, nor do they show only the physical layout of equipment, and interpreting them does require knowledge of electrical symbols used for contacts and coils. So the statement that describes this ladder-like arrangement best fits how ladder diagrams are understood.

3. A(n) _____ switch is most often used to determine the desired operating mode.

- A. Toggle**
- B. Selector**
- C. Pushbutton**
- D. Dip**

A selector switch is the device designed to pick among several predefined operating modes. It typically presents multiple positions the operator can rotate or flip to, with each position corresponding to a specific mode (such as Auto, Manual, or Off). Because it provides distinct, named modes and stays in the chosen setting, it's the natural choice for determining the desired operating mode. Toggle switches are usually two-position (on/off) and aren't meant to select among many modes. Pushbuttons are for triggering actions and may be momentary. DIP switches are used for configuring settings or addresses, not for selecting the overall operating mode.

4. A capacitive proximity sensor uses the principle of what to sense objects?

- A. Inductance
- B. Resistance
- C. Capacitance**
- D. Reflectivity

Capacitive proximity sensors rely on changes in capacitance caused by the nearby object altering the electric field around the sensing electrode. The electrode and the object form a capacitor, and as the object approaches, the effective dielectric between the plates increases, raising the capacitance. The sensor's electronics detect this change (often by a shift in oscillation frequency or charging time) and signal when the object is close enough. This non-contact method is distinct from inductive sensing, which uses magnetic fields to detect metal objects, resistance-based sensing that needs a current path, or reflectivity-based sensing that relies on light.

5. The mode that is typical for normal operation on most machines is the _____ mode.

- A. Manual
- B. Automatic**
- C. Semi-automatic
- D. Emergency

Automatic mode is used for normal operation because it allows the machine to run through the entire process automatically, delivering consistent timing, speeds, and sequencing with minimal manual input. This maximizes throughput and product consistency, which is why it's the mode typically chosen for routine production. Manual mode is reserved for setup, troubleshooting, or testing where precise, hands-on control is needed. Semi-automatic blends automatic steps with human intervention for certain actions, useful when a human decision point is required. Emergency mode is a safety state that stops operations during faults or hazards, not a setting for regular production.

6. _____ mode is most often used in machine setup and maintenance.

- A. Manual**
- B. Automatic
- C. Diagnostic
- D. Safe

Manual control is used when setting up and maintaining machinery because it gives a technician direct, hands-on command over motions, parameters, and tests. This allows precise positioning, jogging axes, calibrating sensors, and observing real-time responses without the automatic logic taking over or restricting actions. Automatic mode runs the normal program sequence, which can hide fine-tuning steps; diagnostic mode aids fault finding and health checks but isn't the typical environment for initial setup; safe mode restricts actions to ensure safety, which can limit the adjustments needed during setup. So, for configuring and preparing a system, manual mode is the most appropriate.

7. Why would a machine use a limit switch for a safety interlock?

- A. To ensure the machine guard is in place before operation**
- B. To regulate speed**
- C. To monitor temperature**
- D. To indicate fault**

Using a limit switch as a safety interlock focuses on ensuring the protective guard is in place before the machine can operate. The switch is arranged so it is actuated only when the guard is closed. When closed, the switch completes the control circuit and allows the machine to start; if the guard is opened, the circuit is broken and operation is prevented or halted. This directly links guard position to machine safety, stopping access to moving parts and reducing injury risk. Other functions like regulating speed, monitoring temperature, or indicating faults don't verify guard placement and therefore aren't fulfilling the same safety role.

8. The three basic components of a time-delay relay are the coil, the contacts, and the _____ mechanism.

- A. Timing**
- B. Switching**
- C. Electromagnetic**
- D. Power**

The main idea is that a time-delay relay adds a controlled delay between energizing the coil and the switching of the contacts. The three basic parts are the coil, the contacts, and the timing mechanism. The coil creates the magnetic field to move the contacts, but the timing mechanism is what actually controls how long the relay waits before the contacts change state. This timing element can be mechanical, thermal, or electronic, such as a RC network, a heated element, or a dedicated timer circuit. Without this mechanism, the relay would operate immediately when energized, not delay the action. The other options describe aspects the relay already performs (electromagnetic action, switching the contacts) or the power source, but they don't account for the delayed timing feature.

9. How are switches wired to create a NAND logic circuit?

- A. Two normally opened in series
- B. One normally opened in series with a normally closed
- C. Two normally closed circuits in parallel**
- D. Two normally closed in series

Understanding how to realize a NAND function with switches comes down to how the output should behave: it stays high unless both inputs are high. Using two normally closed contacts in parallel achieves this perfectly. In the resting state, both contacts are closed, so current can flow and the output is high. If either input is activated (raising that contact), that particular path opens, but as long as at least one contact remains closed, the output stays high. Only when both inputs are activated do both contacts open, breaking the circuit and making the output low. This exactly matches NAND behavior. Other configurations would not produce the same truth table. For example, two normally opened contacts in series would require both inputs to be active to conduct (an AND behavior). Two normally closed contacts in series would cut the current if any input is active, which also doesn't align with NAND.

10. Magnetic reed switches are what type of devices?

- A. Electrical
- B. Mechanical**
- C. Optical
- D. Thermal

Magnetic reed switches are defined by the way they operate: two ferromagnetic reeds sealed in glass slide together or separate in response to a magnetic field. The actuation relies on actual physical movement of those reeds, so the switch's defining feature is mechanical motion used to change an electrical connection. That physical movement, driven by magnetism, is what makes it a mechanical-type device even though it controls electrical current. It isn't based on light (optical) or heat (thermal), and its primary action isn't described purely as an electronic process without moving parts.

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

<https://occsacac205.examzify.com>

We wish you the very best on your exam journey. You've got this!

SAMPLE