

PBSE PERFUSION PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR
THE FULL VERSION STUDY GUIDE

<https://pbseperfusion.examzify.com>



Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright	1
Table of Contents	2
Introduction	3
How to Use This Guide	4
Questions	5
Answers	8
Explanations	10
Next Steps	15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

Questions

SAMPLE

- 1. Counterpulsation improves coronary perfusion by raising which pressure?**
 - A. Increasing systolic pressure
 - B. Reducing afterload
 - C. Raising diastolic pressure
 - D. Increasing heart rate
- 2. Which component connects the patient to the CPB circuit?**
 - A. Oxygenator connects the patient to the circuit.
 - B. Heat exchanger connects the patient to the circuit.
 - C. Cannulas connect the patient to the circuit.
 - D. Venous reservoir connects the patient to the circuit.
- 3. How does an oxygenator function in CPB and what parameters indicate performance?**
 - A. Oxygenator filters fibrin.
 - B. Oxygenator heats blood.
 - C. Oxygenator monitors blood pressure.
 - D. Oxygenator facilitates gas exchange; performance indicated by arterial-venous O₂ difference, CO₂ removal, and stable post-oxygenator blood gases and pressures.
- 4. Thromboelastography evaluates the viscoelastic properties of which sample?**
 - A. The clot forming in plasma
 - B. The clot forming in whole blood
 - C. Platelet aggregation in whole blood
 - D. Fibrin degradation products in plasma
- 5. What considerations govern the choice of prime solutions in neonates versus adults?**
 - A. Adults require minimal priming volume and RBC optimization.
 - B. Neonates and adults use identical priming strategies.
 - C. Neonates require minimal priming volume, RBC optimization, smaller electrolyte adjustments, possible retrograde autologous priming to limit hemodilution; risk hyponatremia/hypoglycemia.
 - D. Neonates should be primed with only saline.

- 6. Which of the following lists the structures that return blood directly to the interior of the heart?**
- A. Coronary sinus, Thebesian veins, Pulmonary veins
 - B. Aorta, Pulmonary trunk, Coronary arteries
 - C. Superior vena cava, Inferior vena cava, Pulmonary veins
 - D. Coronary sinus, Azygos vein, Pulmonary arteries
- 7. Which is essential for anticoagulation management during CPB?**
- A. Using aspirin instead of heparin during CPB.
 - B. Withholding anticoagulation entirely.
 - C. Monitoring ACT and dosing heparin during CPB to prevent clotting.
 - D. Administration of protamine after CPB ends.
- 8. If the diffusion coefficient for oxygen is 1, the diffusion coefficient for carbon dioxide is?**
- A. 20.3
 - B. 1
 - C. 2.0
 - D. 0.5
- 9. The primary structural units of proteins are?**
- A. Nucleotides
 - B. Peptide bonds
 - C. L-amino acids
 - D. D-amino acids
- 10. The diagonal arteries supply the anterior wall of the left ventricle. Which one best describes this fact?**
- A. Anterior wall of the left ventricle
 - B. Posterior wall of the left ventricle
 - C. Lateral wall of the left ventricle
 - D. Right ventricle

Answers

SAMPLE

1. C
2. C
3. D
4. B
5. C
6. A
7. C
8. A
9. C
10. A

SAMPLE

Explanations

SAMPLE

1. Counterpulsation improves coronary perfusion by raising which pressure?

- A. Increasing systolic pressure
- B. Reducing afterload
- C. Raising diastolic pressure**
- D. Increasing heart rate

Counterpulsation enhances coronary perfusion by increasing the diastolic pressure in the aorta. The counterpulsation device inflates during diastole, raising diastolic aortic pressure and the pressure gradient that drives blood into the coronary arteries, which receive most of their flow during diastole when the heart muscle is relaxed. While deflation just before systole lowers afterload and helps LV ejection, the specific boost to coronary flow comes from higher diastolic pressure. Increasing systolic pressure wouldn't improve coronary perfusion and could worsen myocardial oxygen demand; reducing afterload helps the heart work better but doesn't directly raise the diastolic pressure driving coronary flow; increasing heart rate shortens diastole and can reduce coronary filling.

2. Which component connects the patient to the CPB circuit?

- A. Oxygenator connects the patient to the circuit.
- B. Heat exchanger connects the patient to the circuit.
- C. Cannulas connect the patient to the circuit.**
- D. Venous reservoir connects the patient to the circuit.

Cannulas provide the physical conduit that links the patient to the CPB circuit. They are inserted into the patient's vessels to drain blood into the venous side and return oxygenated blood on the arterial side, creating the pathway for blood to flow through the pump, oxygenator, and other components. The oxygenator, heat exchanger, and venous reservoir each serve processing or handling roles for the blood, but they do not directly connect the patient to the circuit—the cannulas are what establish that connection.

3. How does an oxygenator function in CPB and what parameters indicate performance?

- A. Oxygenator filters fibrin.
- B. Oxygenator heats blood.
- C. Oxygenator monitors blood pressure.
- D. Oxygenator facilitates gas exchange; performance indicated by arterial-venous O₂ difference, CO₂ removal, and stable post-oxygenator blood gases and pressures.**

In CPB, the oxygenator acts as the lungs for the circuit by allowing gas exchange across a membrane: oxygen diffuses into the blood and carbon dioxide diffuses out into the sweep gas. The blood flow and gas pressures are set to support adequate oxygen delivery and CO₂ removal while keeping the circuit pressures stable and gentle on blood elements. Performance is judged by three main signals. First, the arterial-venous oxygen difference reflects how much oxygen the blood picks up across the oxygenator; a healthy, effective oxygenator will produce a sufficient increase in O₂ content from venous to arterial blood. Second, CO₂ removal shows up as appropriate changes in blood CO₂ content (PaCO₂) after the oxygenator, indicating effective ventilation of CO₂. Third, post-oxygenator blood gases and pressures should be stable and within target ranges, demonstrating that gas exchange is meeting needs without causing undue pressure drop or rise across the device. Other options aren't the primary role of the oxygenator. Filtering fibrin is handled by a dedicated filter component, not the oxygenator. Heating of blood is managed by a separate heat exchanger, though some systems may be integrated; it is not the primary function of gas exchange. Monitoring and maintaining blood pressure are done by pressure transducers and the overall perfusion circuit control, not by the oxygenator itself.

4. Thromboelastography evaluates the viscoelastic properties of which sample?

- A. The clot forming in plasma
- B. The clot forming in whole blood**
- C. Platelet aggregation in whole blood
- D. Fibrin degradation products in plasma

Thromboelastography measures the viscoelastic properties of the clot forming in whole blood. This is because it reflects how the entire clot develops in a cellular environment, incorporating the interaction of coagulation factors, fibrin, platelets, and even red cells. As the clot forms, fibrin polymerizes and platelets reinforce the network, causing the sample to change from liquid to solid-like and then eventually to breakdown. The test tracks these changes over time, giving a dynamic picture of clot initiation, propagation, strength, and lysis. If you used plasma alone, you'd lose the platelet contribution and wouldn't capture the full viscoelastic behavior TEG is designed to measure.

5. What considerations govern the choice of prime solutions in neonates versus adults?

- A. Adults require minimal priming volume and RBC optimization.
- B. Neonates and adults use identical priming strategies.
- C. Neonates require minimal priming volume, RBC optimization, smaller electrolyte adjustments, possible retrograde autologous priming to limit hemodilution; risk hyponatremia/hypoglycemia.**
- D. Neonates should be primed with only saline.

Neonates have a very small circulating blood volume, so the prime for the bypass circuit should be kept as small as possible to minimize hemodilution and preserve adequate hematocrit and oxygen delivery. This is why priming aims for minimal volume and, when feasible, RBC optimization to boost the oxygen-carrying capacity of the blood that actually circulates during the bypass. Electrolyte balance is more delicate in neonates due to immature renal function and fluid compartments, so smaller, more precise electrolyte adjustments are needed to avoid swings that can cause instability. Retrograde autologous priming—using the patient's own blood to fill part of the circuit before bypass—helps limit dilution from donor prime and supports better hematologic stability. There's also a real risk of hyponatremia or hypoglycemia if the prime contains inappropriate concentrations or if metabolic conditions aren't carefully managed, so these risks must be anticipated and mitigated. Using the same priming approach as adults or priming with only saline neglects the neonate's unique physiology and can lead to excessive hemodilution, inadequate oxygen delivery, and metabolic disturbances.

6. Which of the following lists the structures that return blood directly to the interior of the heart?

- A. Coronary sinus, Thebesian veins, Pulmonary veins
- B. Aorta, Pulmonary trunk, Coronary arteries
- C. Superior vena cava, Inferior vena cava, Pulmonary veins
- D. Coronary sinus, Azygos vein, Pulmonary arteries

Blood returns to the heart directly into its chambers via specialized venous pathways that deposit blood inside the heart itself. The coronary sinus collects venous blood from the heart muscle and drains into the right atrium, re-entering the heart's interior. Thebesian veins, or venae cordis, are tiny veins that drain directly into cardiac chambers, delivering venous blood right where it will mix with chamber blood. Pulmonary veins carry oxygenated blood from the lungs and return it to the left atrium, again delivering blood straight into the heart's interior. This trio fits the idea of re-entry into the heart chambers, unlike arteries or other vessels that either supply blood to the heart (like coronary arteries) or carry blood away from the heart (like the aorta, pulmonary trunk, or pulmonary arteries).

7. Which is essential for anticoagulation management during CPB?

- A. Using aspirin instead of heparin during CPB.
- B. Withholding anticoagulation entirely.
- C. Monitoring ACT and dosing heparin during CPB to prevent clotting.
- D. Administration of protamine after CPB ends.

During CPB, keeping the bypass circuit free from clots is essential. This is achieved by systemic heparinization and actively adjusting the dose based on ACT measurements to maintain anticoagulation in a target range. ACT monitoring accounts for factors that can alter coagulation during surgery—temperature shifts, hemodilution, and flow changes—so the heparin dose is tailored in real time to prevent circuit thrombosis while avoiding excessive bleeding. Using aspirin instead of heparin wouldn't provide the rapid, reversible anticoagulation needed for CPB, and withholding anticoagulation would almost certainly lead to clot formation in the circuit. Protamine is used to reverse heparin after CPB ends, not to manage anticoagulation during the run.

8. If the diffusion coefficient for oxygen is 1, the diffusion coefficient for carbon dioxide is?

- A. 20.3
- B. 1
- C. 2.0
- D. 0.5

Gas diffusion speeds depend on how soluble a gas is in the medium. Carbon dioxide is far more soluble in aqueous tissue fluids than oxygen, so its effective diffusion in tissue is much higher. In many perfusion models, CO₂ is taken to have about twenty times the diffusion coefficient of O₂. So if O₂'s diffusion coefficient is 1, CO₂'s is about 20.3, which matches the given best choice. The other numbers would imply little to no difference or even a slower diffusion for CO₂, which doesn't fit the reality of CO₂'s greater solubility and diffusivity in tissue fluids.

9. The primary structural units of proteins are?

- A. Nucleotides
- B. Peptide bonds
- C. L-amino acids**
- D. D-amino acids

Proteins are built from amino acids, and the primary structure is the linear sequence of these amino acids linked by peptide bonds. The basic units are amino acids themselves, and in biological proteins they are predominantly the L-enantiomers, which is why this option is the best choice. Nucleotides are monomers of nucleic acids, not proteins. Peptide bonds are the links between amino acids, not the units themselves. D-amino acids do exist in some contexts, but they are not the standard building blocks used in typical protein chains.

10. The diagonal arteries supply the anterior wall of the left ventricle. Which one best describes this fact?

- A. Anterior wall of the left ventricle**
- B. Posterior wall of the left ventricle
- C. Lateral wall of the left ventricle
- D. Right ventricle

Diagonal arteries are branches of the left anterior descending artery that run across the anterior surface of the left ventricle. Their main role is to perfuse the anterior wall (and often the apex) of the left ventricle, which is why describing them as supplying the anterior wall is correct. The posterior wall is supplied mainly by the posterior descending artery, and the lateral wall by obtuse marginal arteries from the left circumflex; the right ventricle is primarily supplied by branches of the right coronary artery. So the statement lines up with the path and territory of the diagonal branches, making the anterior wall of the left ventricle the best description.

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

<https://pbseperfusion.examzify.com>

We wish you the very best on your exam journey. You've got this!

SAMPLE