


PEBC PHARMACY TECHNICIAN PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR
THE FULL VERSION STUDY GUIDE

<https://pebcpharmacytech.examzify.com>



Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright	1
Table of Contents	2
Introduction	3
How to Use This Guide	4
Questions	5
Answers	8
Explanations	10
Next Steps	15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

Questions

SAMPLE

- 1. Which of the following best describes an adverse drug reaction (ADR)?**
 - A. An expected side effect of a medication
 - B. A harmful, unintended response to a medication
 - C. A therapeutic effect that is not desirable
 - D. A response triggered by a drug interaction

- 2. What is the key difference between a prescription and an over-the-counter (OTC) medication?**
 - A. OTC medications are more effective
 - B. A prescription medication requires a doctor's authorization, while an OTC medication can be purchased without a prescription
 - C. Prescription medications are always cheaper
 - D. OTC medications are safer to use

- 3. The lifespan of a new prescription upon issuance is how many months?**
 - A. 6 months
 - B. 12 months
 - C. 18 months
 - D. 24 months

- 4. What is meant by the 'therapeutic index' of a drug?**
 - A. The ratio of toxic dose to therapeutic dose
 - B. The range of effective dosages
 - C. The average dose used for treatment
 - D. The percentage of drug absorbed

- 5. What should patients do after taking Alendronate?**
 - A. Lie down for the next hour
 - B. Drink coffee
 - C. Walk around for thirty minutes
 - D. Do not lie down for at least thirty minutes

- 6. How often should pharmacy inventory be audited?**
- A. Once a month
 - B. Regularly, at least annually or as per facility policies
 - C. Only when new stock arrives
 - D. Every two years
- 7. Throughout the cold chain, medications should remain between which temperature range?**
- A. 0-4°C
 - B. 2-8°C
 - C. 4-10°C
 - D. 15-20°C
- 8. What are the typical shelf-life conditions for opened eye drops?**
- A. 30 days
 - B. 14 days
 - C. 28 days
 - D. 60 days
- 9. What does "medication therapy management" (MTM) aim to achieve?**
- A. A service to optimize dietary plans for patients
 - B. A service to enhance the safety of laboratory tests
 - C. A service to optimize therapeutic outcomes for patients through reviewing medication regimens
 - D. A service to educate patients about nutritional supplements
- 10. What does the term "controlled substance" refer to?**
- A. A drug that is available without a prescription
 - B. A drug regulated by law due to its potential for abuse or addiction
 - C. A substance used only in research settings
 - D. A medication that requires prior authorization

Answers

SAMPLE

1. B
2. B
3. B
4. A
5. D
6. B
7. B
8. C
9. C
10. B

SAMPLE

Explanations

SAMPLE

1. Which of the following best describes an adverse drug reaction (ADR)?

- A. An expected side effect of a medication
- B. A harmful, unintended response to a medication**
- C. A therapeutic effect that is not desirable
- D. A response triggered by a drug interaction

An adverse drug reaction (ADR) is best described as a harmful, unintended response to a medication. This definition emphasizes that an ADR is not just a side effect that may occur during treatment but rather a negative and often serious reaction that can lead to further health complications. ADRs can vary significantly in severity; they can be mild, such as rashes or gastrointestinal disturbances, or more severe, potentially leading to hospitalization or even death. Recognizing that the reaction is both harmful and unintended is crucial for healthcare providers, as it underscores the importance of monitoring patients for any negative effects while they are being treated with medications. Understanding this definition is vital because it helps distinguish between expected side effects, which are typically known and can be managed, and ADRs, which are unpredictable and may require immediate medical attention. This distinction is essential in pharmacology and patient care, enabling pharmacy technicians and healthcare providers to ensure patient safety and optimal therapeutic outcomes.

2. What is the key difference between a prescription and an over-the-counter (OTC) medication?

- A. OTC medications are more effective
- B. A prescription medication requires a doctor's authorization, while an OTC medication can be purchased without a prescription**
- C. Prescription medications are always cheaper
- D. OTC medications are safer to use

The key difference between a prescription medication and an over-the-counter (OTC) medication lies in the requirement for a doctor's authorization. Prescription medications necessitate a written order from a licensed healthcare provider, which is based on a professional assessment of a patient's specific health needs. This oversight helps ensure that the medication is appropriate and safe for the individual's health condition, as well as allowing for monitoring of its effects. On the other hand, OTC medications can be purchased directly by consumers without the need for a prescription. This accessibility means that these medications are considered safe and effective for general use by the public, provided they are used as directed. OTC medications are typically intended for mild conditions or symptoms that do not require professional medical supervision. In contrast, the other choices do not accurately characterize the essential distinction between the two types of medications. Effectiveness can vary greatly between prescription and OTC medications depending on the specific treatment required; there is no blanket rule favoring one over the other. The cost of prescription medications is not universally higher, as some OTC medications can also be quite expensive. Lastly, while OTC medications are generally designed for safety, this does not mean they are inherently safer than prescription drugs, as both can pose risks depending on various factors such as individual patient circumstances.

3. The lifespan of a new prescription upon issuance is how many months?

- A. 6 months
- B. 12 months**
- C. 18 months
- D. 24 months

The lifespan of a new prescription upon issuance is typically 12 months. This means that once a healthcare provider writes a prescription, it is valid for one year from the date it was issued. During this time frame, the patient can fill or refill the prescription as needed, within the limits set by the prescribing practitioner and any applicable regulations. This 12-month validity is important in ensuring that patients can access their prescribed medications in a timely manner without needing a new prescription for each renewal within that year. It also allows for continuity of care, as patients may need ongoing treatment for chronic conditions. After the 12 months have passed, the prescription expires, and the patient would need to visit their healthcare provider again to obtain a new prescription.

4. What is meant by the 'therapeutic index' of a drug?

- A. The ratio of toxic dose to therapeutic dose**
- B. The range of effective dosages
- C. The average dose used for treatment
- D. The percentage of drug absorbed

The therapeutic index of a drug is defined as the ratio of the toxic dose to the therapeutic dose. This measurement provides crucial insights into the safety and effectiveness of a medication. A higher therapeutic index indicates a wider margin between the dose that produces a therapeutic effect and the dose that could cause toxicity, meaning the drug is generally safer for use in patients. Conversely, a drug with a low therapeutic index has a narrow margin, suggesting a higher risk of adverse effects at doses close to the therapeutic level. Understanding the therapeutic index is vital for healthcare professionals, as it helps guide dosage decisions and the monitoring of patients during treatment. This concept is particularly important in the management of drugs with narrow therapeutic indices, where precise dosing is critical to avoid toxicity or therapeutic failure.

5. What should patients do after taking Alendronate?

- A. Lie down for the next hour
- B. Drink coffee
- C. Walk around for thirty minutes
- D. Do not lie down for at least thirty minutes**

After taking Alendronate, it is important for patients to remain upright and not lie down for at least thirty minutes. This precaution helps to prevent esophageal irritation and ensures that the medication is properly absorbed in the gastrointestinal tract. Alendronate, used primarily to treat osteoporosis, can cause gastrointestinal side effects, including esophagitis, if the patient lies down immediately after ingestion. By staying upright, patients can minimize the risk of these potentially harmful side effects. This practice is particularly crucial because lying down can promote reflux or allow the medication to linger in the esophagus, leading to irritation. Therefore, maintaining an upright position for a period after taking the medication supports both the effectiveness of the drug and the patient's comfort and safety.

6. How often should pharmacy inventory be audited?

- A. Once a month
- B. Regularly, at least annually or as per facility policies**
- C. Only when new stock arrives
- D. Every two years

Auditing pharmacy inventory regularly, at least once a year or according to facility policies, is essential to ensure accuracy in stock levels and to prevent issues such as stockouts, overstocking, or expired medications. Regular audits help maintain compliance with legal and regulatory requirements while also promoting efficient inventory management practices. Frequent audits allow for the identification of discrepancies between recorded and actual inventory, enabling pharmacies to take corrective actions promptly. Additionally, consistent oversight can help detect potential issues like theft, loss, or errors in the ordering process. By adhering to facility policies regarding the frequency of audits, pharmacies can ensure their inventory management systems are reliable and that patients receive the correct medications in a timely manner.

7. Throughout the cold chain, medications should remain between which temperature range?

- A. 0-4°C
- B. 2-8°C**
- C. 4-10°C
- D. 15-20°C

Medications that require cold chain storage must be maintained within a specific temperature range to ensure their safety, efficacy, and shelf-life. The range of 2-8°C is the standard for most pharmaceutical products requiring refrigeration, particularly vaccines and biologics. This temperature range prevents degradation and maintains the stability of these products, which can be sensitive to temperature fluctuations. If medications were stored at temperatures outside of this range, it could lead to reduced potency or complete inactivation of the drug, compromising patient health and treatment effectiveness. Therefore, adhering to the prescribed temperature range is crucial in the management and distribution of sensitive medications. This is why the correct answer is 2-8°C.

8. What are the typical shelf-life conditions for opened eye drops?

- A. 30 days
- B. 14 days
- C. 28 days**
- D. 60 days

The typical shelf-life condition for opened eye drops is 28 days. After opening, many eye drops are susceptible to contamination and degradation due to exposure to air and microorganisms. The 28-day guideline is a widely accepted standard that helps ensure the safety and efficacy of the medication during its use. This period allows for adequate time to use the product while minimizing the risk of potential adverse effects from an expired or contaminated product. Eye care specialists and pharmacists often recommend adhering to this timeframe, as beyond 28 days, the risk of infection and decreased effectiveness increases significantly.

9. What does "medication therapy management" (MTM) aim to achieve?

- A. A service to optimize dietary plans for patients
- B. A service to enhance the safety of laboratory tests
- C. A service to optimize therapeutic outcomes for patients through reviewing medication regimens**
- D. A service to educate patients about nutritional supplements

Medication therapy management (MTM) primarily focuses on optimizing therapeutic outcomes for patients by reviewing their medication regimens. This process includes assessing all medications a patient is taking, including prescriptions, over-the-counter medications, and dietary supplements, to identify any potential interactions, duplications, or other issues that could impact the efficacy of treatment. MTM aims to ensure that medications are being used effectively and safely, with the goal of achieving the best possible health outcomes for patients. By thoroughly evaluating a patient's medication history and making necessary adjustments or recommendations, MTM contributes significantly to medication adherence, decreases the risk of adverse events, and enhances overall patient care. Other options do not align with the primary purpose of MTM. While dietary plans, laboratory test safety, and nutritional education are important aspects of healthcare, they do not directly relate to the comprehensive review and optimization of medication therapy that MTM encompasses. This distinction is crucial for understanding the role and importance of MTM within the healthcare system.

10. What does the term "controlled substance" refer to?

- A. A drug that is available without a prescription
- B. A drug regulated by law due to its potential for abuse or addiction**
- C. A substance used only in research settings
- D. A medication that requires prior authorization

The term "controlled substance" specifically refers to drugs that are regulated by law because of their potential for abuse or addiction. Governments categorize these substances into schedules based on their medical use, potential for abuse, and safety or dependency risk. For example, substances in Schedule I are considered to have no accepted medical use and a high potential for abuse, while those in Schedule II have accepted medical uses but still carry a significant risk for abuse. This regulatory framework is designed to ensure that these substances are used safely and for legitimate medical purposes, while also preventing misuse and illegal distribution. Therefore, understanding the nature of controlled substances is crucial for pharmacy technicians, as it affects how these drugs are handled, prescribed, and dispensed. In contrast, the other options do not accurately represent what constitutes a controlled substance. Drugs available without a prescription, substances used solely in research settings, and medications requiring prior authorization do not fall under the same kind of legal scrutiny and regulation as controlled substances, which are specifically classified to manage and restrict their availability due to the risks associated with their use.

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

<https://pebcpharmacytech.examzify.com>

We wish you the very best on your exam journey. You've got this!

SAMPLE