


SOUTH CAROLINA TURF AND PEST CONTROL CATEGORY 3 PRACTICE TEST (SAMPLE) STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

**VISIT US ONLINE FOR
THE FULL VERSION STUDY GUIDE**

<https://scturfandpestcontcat3.examzify.com>



Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright	1
Table of Contents	2
Introduction	3
How to Use This Guide	4
Questions	5
Answers	8
Explanations	10
Next Steps	15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

Questions

SAMPLE

- 1. What is a major advantage of systemic fungicides for turf diseases?**
 - A. They translocate to protect new tissue
 - B. They kill only on contact
 - C. They are always cheaper than other options
 - D. They work only under bright sunlight
- 2. Which pest is most commonly associated with girdling the base of young trees at the ground line?**
 - A. Mole
 - B. Vole
 - C. Gopher
 - D. Rat
- 3. The crawler stage refers to which life stage of scale insects?**
 - A. Egg
 - B. Nymph
 - C. Crawlers
 - D. Adults
- 4. After subtracting obstacles from a 10,000 sq ft lawn (1,500 house, 491 pool, 400 drive), what is the approximate treated area?**
 - A. 7,000
 - B. 7,600
 - C. 8,000
 - D. 7,500
- 5. What is REI and how should it affect entry after application?**
 - A. Running Entry Interval
 - B. Re-Entry Interval
 - C. Regulatory Entry Index
 - D. Required Entry Instruction

- 6. Which statement about empty container disposal is correct?**
- A. Reuse the container after washing to store water.
 - B. Dispose of containers with household trash.
 - C. Store containers for later use in the same area.
 - D. Triple rinse, puncture and dispose at a permitted facility or recycling program.
- 7. Which label indicator alerts you to wearing a respirator?**
- A. A stated respirator requirement or an acute inhalation hazard on the PPE section of the label.
 - B. A rainfast indicator.
 - C. A symbol indicating high volatility.
 - D. A note about storage temperature.
- 8. Which information on a pesticide label is essential to protect worker safety during application?**
- A. Brand name
 - B. Packaging color
 - C. The clock time
 - D. Personal protective equipment recommendations and reentry intervals
- 9. What action should you take if a pesticide label is damaged or unreadable?**
- A. Do not use the product; obtain a replacement label or contact the manufacturer or regulatory agency for guidance.
 - B. Use the product but at half the labeled rate.
 - C. Dispose of the product without checking the label.
 - D. Continue using the label that you can read even if damaged.
- 10. If 8,000 sq ft are to be treated at 3 oz per 1000 sq ft, how many ounces are needed?**
- A. 20 oz
 - B. 24 oz
 - C. 28 oz
 - D. 32 oz

Answers

SAMPLE

1. A
2. B
3. C
4. B
5. B
6. D
7. A
8. D
9. A
10. B

SAMPLE

Explanations

SAMPLE

1. What is a major advantage of systemic fungicides for turf diseases?

- A. They translocate to protect new tissue**
- B. They kill only on contact
- C. They are always cheaper than other options
- D. They work only under bright sunlight

Systemic fungicides are absorbed by the plant and move through its vascular system, so they can reach and protect new growth as it appears. This means that as turf grows and produces new leaves or shoots, those tissues against which disease could attack are already protected, even if they weren't directly sprayed. That ongoing protection of new tissue is the key advantage. In contrast, fungicides that kill on contact stay on the surface and don't guard new growth, and factors like cost or sunlight exposure aren't defining benefits.

2. Which pest is most commonly associated with girdling the base of young trees at the ground line?

- A. Mole
- B. Vole**
- C. Gopher
- D. Rat

Girdling the base of young trees at the soil line disrupts the phloem, stopping nutrient flow from the canopy to the roots and causing the tree to die from the bottom up. Voles are most often responsible because they live close to the ground and feed on bark right at the base of saplings, creating a clean, circumferential girdle around the stem. Moles mainly tunnel underground and leave surface ridges and mounds, not a circular bark slice at the base. Gophers focus on roots and crown areas, and while they can weaken plants, their typical damage isn't the neat girdle around the base. Rats can gnaw bark, but the characteristic ground-line girdling pattern is most closely associated with voles.

3. The crawler stage refers to which life stage of scale insects?

- A. Egg
- B. Nymph
- C. Crawlers**
- D. Adults

Scale insects go through eggs and several immature stages before becoming adults. The crawler stage is the first mobile juvenile after hatching. It gets its name because crawlers move around the plant to find a feeding site. After this stage, they molt into later instars and become more stationary. So the crawler stage is the first instar nymph—the mobile, dispersal stage. This is why it's identified as the crawler stage: it's defined by movement, unlike eggs or adults which are typically stationary, and it's more specific than the general nymph category. Targeting crawlers is a common pest-management focus because their mobility makes them the primary means of spreading and establishing infestations.

4. After subtracting obstacles from a 10,000 sq ft lawn (1,500 house, 491 pool, 400 drive), what is the approximate treated area?

- A. 7,000
- B. 7,600**
- C. 8,000
- D. 7,500

Subtracting obstacle areas from the total lawn shows how much area is available for treatment. Add up the obstacle areas: $1,500 + 491 + 400 = 2,391$ sq ft. Subtract this from the total lawn size: $10,000 - 2,391 = 7,609$ sq ft. Since the problem asks for an approximate treated area, round to the nearest hundred: about 7,600 sq ft. This matches the closest option.

5. What is REI and how should it affect entry after application?

- A. Running Entry Interval
- B. Re-Entry Interval**
- C. Regulatory Entry Index
- D. Required Entry Instruction

REI stands for Re-Entry Interval. It's the minimum amount of time that must pass after a pesticide is applied before people can re-enter the treated area without protective clothing. This interval is written on the product label and is set to protect workers from exposure to residue left by the spray or mix. How it should affect entry is simple: do not re-enter until that time has elapsed. If entry is unavoidable during the interval, follow the label's directions, which usually means wearing the required PPE and limiting exposure. The length of the REI varies by product and formulation, so always check the label for the exact duration before returning to the treated area.

6. Which statement about empty container disposal is correct?

- A. Reuse the container after washing to store water.
- B. Dispose of containers with household trash.
- C. Store containers for later use in the same area.
- D. Triple rinse, puncture and dispose at a permitted facility or recycling program.**

The key idea is safely and responsibly handling pesticide containers so no residue can harm people or the environment. The best approach is to triple rinse the empty container to remove remaining product, puncture it to prevent any reuse or refilling, and then dispose of it at a permitted facility or through a recycling program. This sequence minimizes the risk of contamination, ensures the container can be processed properly, and complies with regulatory requirements for pesticide waste. Washing and then storing or reusing the container still leaves residues that can pose exposure or environmental risks. Disposing of containers with household trash is not appropriate or allowed in many areas, and storing them in the same area creates a hazard and potential contamination.

7. Which label indicator alerts you to wearing a respirator?

- A. A stated respirator requirement or an acute inhalation hazard on the PPE section of the label.**
- B. A rainfast indicator.
- C. A symbol indicating high volatility.
- D. A note about storage temperature.

Pesticide labels tell you exactly what protective gear to wear, and any respirator requirement will be stated in the PPE section or noted as an acute inhalation hazard. When the label lists a respirator requirement or warns of an acute inhalation hazard, that information is signaling you must use a respirator during handling or application. Other label notes, like a rainfast indicator, a symbol for high volatility, or storage temperature, don't indicate respiratory protection: rainfast relates to drying after rain, volatility to vapor risk, and storage temperature to how the product should be stored. So the indicator that tells you to wear a respirator is the explicit respirator requirement or acute inhalation hazard in the PPE section.

8. Which information on a pesticide label is essential to protect worker safety during application?

- A. Brand name
- B. Packaging color
- C. The clock time
- D. Personal protective equipment recommendations and reentry intervals**

The key idea here is what information on a pesticide label directly protects workers during application. The label's guidance on personal protective equipment and reentry intervals is what keeps workers safe: wearing the right gloves, eye protection, respirators, and clothing reduces skin, eye, and inhalation exposure, while reentry intervals tell you when it's safe to re-enter a treated area so you don't encounter harmful residues. These elements are specific safety instructions tied to the product's toxicity and usage, making them essential for protection. Other label details like brand name or packaging color don't influence safety during use; they're about identification or marketing, not protective actions. The notion of clock time isn't a safety directive on its own, whereas the reentry interval explicitly informs when it's safe to re-enter after application, which is central to worker safety.

9. What action should you take if a pesticide label is damaged or unreadable?

- A. Do not use the product; obtain a replacement label or contact the manufacturer or regulatory agency for guidance.**
- B. Use the product but at half the labeled rate.
- C. Dispose of the product without checking the label.
- D. Continue using the label that you can read even if damaged.

When a pesticide label is damaged or unreadable, you must stop using the product until you obtain a current, legible label. The label is the legal guide for how to mix, apply, store, and dispose of the product, and it contains essential safety details like application rate, required PPE, reentry intervals, drift precautions, and first aid. Without a readable label, you can't verify these factors, which could lead to improper use, safety risks, environmental harm, or regulatory violations. The right step is to get a replacement label or contact the manufacturer or regulatory agency for guidance. Using only a partially readable label or guessing the instructions is not safe or permitted.

10. If 8,000 sq ft are to be treated at 3 oz per 1000 sq ft, how many ounces are needed?

- A. 20 oz
- B. 24 oz**
- C. 28 oz
- D. 32 oz

This type of problem uses scaling a rate to a larger area. You're given 3 ounces per 1,000 square feet, and you need to treat 8,000 square feet. Since 8,000 is eight times 1,000, you multiply the amount per thousand by eight: 3 ounces $\times$ 8 = 24 ounces. So the required amount is 24 ounces. If you used 20 ounces, you'd cover about 6,667 square feet at that rate; 28 ounces would cover about 9,333 square feet; and 32 ounces would cover about 10,667 square feet.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

<https://scturfandpestcontcat3.examzify.com>

We wish you the very best on your exam journey. You've got this!

SAMPLE